



BIORTHO  
Always Innovating



CATALOG  
2026-2027

# Contents

## Veterinary Orthopedic Instruments

|                                          |       |
|------------------------------------------|-------|
| Distraction And Reduction Tool Set       | 2     |
| Micrometric Locking Forceps              | 3-4   |
| Pointed Reduction Forceps/Bone Forceps   | 5-11  |
| Implants Cutting Tools                   | 12-18 |
| Osteotomes and Mallets                   | 19-22 |
| Bone Curette                             | 23    |
| Periosteal Elevator                      | 24    |
| Hohman Retractor                         | 25-26 |
| Bone Rongeur/Bone Cutters                | 27-29 |
| AO Quick Coupling Handle                 | 30    |
| Screwdriver+Sleeves                      | 31-32 |
| Drill Bits/Countersink/Taps/Drill Guides | 33-37 |
| Depth Gauge                              | 38    |
| Bone Plate Template/Bending Irons        | 39-43 |

## Bone Models & Pre-Operative Planing

|                                           |       |
|-------------------------------------------|-------|
| Bone Models & Pre Operative Planing Tools | 45-51 |
|-------------------------------------------|-------|

## Veterinary Orthopaedic Screws

|                            |       |
|----------------------------|-------|
| Cortex Screws              | 54-56 |
| Cancellous Screws          | 57-58 |
| AO Standard Locking Screw  | 59-60 |
| Titanium Cortex Screw      | 61-62 |
| FKS Titanium Locking Screw | 63-64 |
| Screw Caddy                | 65-72 |

## Veterinary Bone Plates

|                                           |        |
|-------------------------------------------|--------|
| Stainless Cuttable Plates                 | 74     |
| Stainless Cuttable Malleable Plates       | 75-76  |
| Stainless Steel Round Hole Plates         | 77     |
| Acetabular Plates                         | 78     |
| Supracondylar Plates                      | 79     |
| Compression Plates DCP                    | 80     |
| Limited Contact Compression Plates LC-DCP | 81-82  |
| Locking Compression Plates LCP            | 83-95  |
| Titanium Mini Plates                      | 96-97  |
| TPLO Plate System                         | 99-111 |

## Joint And Sports Medicine

|                          |         |
|--------------------------|---------|
| Universal Aim Device     | 113     |
| Suture And Anchor System | 114-118 |

## Intramedullary Pin System

|                                                |         |
|------------------------------------------------|---------|
| Small Animals Interlocking Nail+LOCK Set       | 120-121 |
| AO Style Small Animal Rush Pin Instruments Set | 122     |

## Spinal Neurosurgery System

|                                   |         |
|-----------------------------------|---------|
| Skull Titanium Mesh System        | 124-126 |
| VSS Spinal Fixation System        | 127-130 |
| Spinal Neuro Surgical Instruments | 131-136 |

## Pin And Wire

|              |         |
|--------------|---------|
| Pin And Wire | 138-141 |
|--------------|---------|

## External Fixation System

|                               |         |
|-------------------------------|---------|
| Mini External Fixation System | 143-144 |
| ESF External Fixation System  | 145-151 |

## Power Tool System

|                                           |         |
|-------------------------------------------|---------|
| Spinal Neurosurgery High Speed Drill      | 153     |
| Cannulated Drill/Saw/Multi-Function Drill | 154-161 |
| TPLO SAW                                  | 162-163 |

## Soft Tissue Instruments

|                                      |         |
|--------------------------------------|---------|
| Hemostatic Forceps/Tissue Forceps    | 165-166 |
| Surgical Scissors                    | 166-169 |
| Needle Driver                        | 169-170 |
| Surgical Forceps                     | 171     |
| Towel Forceps                        | 173-175 |
| Mouth Gag                            | 176     |
| Retractor/Thoracic Retractor         | 177-181 |
| Soft Tissue Surgical Instruments Kit | 182-183 |
| Sterilization Box                    | 184-185 |


## Dental Instruments

|                           |         |
|---------------------------|---------|
| Dental Instruments        | 187-191 |
| Rodent Dental Instruments | 192-197 |

## Ophthalmology Instruments


|                           |         |
|---------------------------|---------|
| Ophthalmology Instruments | 199-207 |
|---------------------------|---------|

# Veterinary Orthopedic Instruments



# Distraction And Reduction Tool

## For Fractures And Osteotomy



### Distraction And Reduction Tool Set


| Code   | Products Name/Specification                                     | Quantity |
|--------|-----------------------------------------------------------------|----------|
| PS1525 | Kirschner Wire Single Head Sharp $\Phi 1.5 \times 250\text{mm}$ | 2        |
| PS2025 | Kirschner Wire Single Head Sharp $\Phi 2.0 \times 250\text{mm}$ | 2        |
| PS2525 | Kirschner Wire Single Head Sharp $\Phi 2.5 \times 250\text{mm}$ | 2        |
| PS3025 | Kirschner Wire Single Head Sharp $\Phi 3.0 \times 250\text{mm}$ | 2        |
| PS3525 | Kirschner Wire Single Head Sharp $\Phi 3.5 \times 250\text{mm}$ | 2        |
| DR0015 | Pin Sleeve $\Phi 1.5$                                           | 2        |
| DR0020 | Pin Sleeve $\Phi 2.0$                                           | 2        |
| DR0025 | Pin Sleeve $\Phi 2.5$                                           | 2        |
| DR0030 | Pin Sleeve $\Phi 3.0$                                           | 2        |
| DR0035 | Pin Sleeve $\Phi 3.5$                                           | 2        |
| DR0002 | Wrench                                                          | 1        |
| DR0001 | Distraction And Reduction Main Body                             | 1        |
| DR0000 | Sterilization Box For Distraction And Reduction Tool            | 1        |

# Micrometric Locking Forceps

| Pointed Reduction Forceps |               |       | Veterinary<br>Use Only |
|---------------------------|---------------|-------|------------------------|
| Code                      | Specification | L     |                        |
| 301001                    | Small 30mm    | 140mm |                        |
| 301002                    | Large 62mm    | 176mm |                        |



| Plate Holding Forceps |               |       | Veterinary<br>Use Only |
|-----------------------|---------------|-------|------------------------|
| Code                  | Specification | L     |                        |
| 301003                | 34mm          | 162mm |                        |



| Condyle Reduction Forceps |               |       | Veterinary<br>Use Only |
|---------------------------|---------------|-------|------------------------|
| Code                      | Specification | L     |                        |
| 301004                    | 64mm          | 175mm |                        |




| Mini Holding Forceps |               |       | Veterinary<br>Use Only |
|----------------------|---------------|-------|------------------------|
| Code                 | Specification | L     |                        |
| 301005               | 20mm          | 139mm |                        |



# Micrometric Locking Forceps

| Pointed Reduction Forceps With Aiming Device |                |                 | Veterinary Use Only |
|----------------------------------------------|----------------|-----------------|---------------------|
| Code                                         | Products Name  | Specification   | L                   |
| 301006                                       | Aiming Forceps | Open Range 30mm | 144mm               |
| 301106                                       | Aiming Device  | Small           |                     |
| 301101                                       | Drill Sleeve   | 1.1mm           |                     |
| 301102                                       | Drill Sleeve   | 1.5mm           |                     |
| 301103                                       | Drill Sleeve   | 1.8mm           |                     |
| 301007                                       | Aiming Forceps | Open Range 60mm | 178mm               |
| 301107                                       | Aiming Device  | Large           |                     |
| 301104                                       | Drill Sleeve   | 1.8mm           |                     |
| 301105                                       | Drill Sleeve   | 2.0mm           |                     |
| 301108                                       | Drill Sleeve   | 2.5mm           |                     |




| Micro Bone Holding Forceps, Titanium, Super Light |               |       | Veterinary Use Only |
|---------------------------------------------------|---------------|-------|---------------------|
| Code                                              | Specification | L     |                     |
| 301008                                            | 18mm          | 120mm |                     |



# AO Style Reduction Forceps


| Pointed Reduction Forceps |               |       | Veterinary<br>Use Only |
|---------------------------|---------------|-------|------------------------|
| Code                      | Specification | L     |                        |
| 100000                    | Medium        | 160mm |                        |
| 100001                    | Small         | 135mm |                        |
| 100002                    | Very Small    | 100mm |                        |
| 100003                    | Large         | 180mm |                        |



| Pointed Reduction Forceps with Spinlock |               |       | Veterinary<br>Use Only |
|-----------------------------------------|---------------|-------|------------------------|
| Code                                    | Specification | L     |                        |
| 100004S                                 | Small         | 135mm |                        |
| 100004                                  | Large         | 180mm |                        |




| Pointed Reduction Forceps With Double Ratches |               |       | Veterinary<br>Use Only |
|-----------------------------------------------|---------------|-------|------------------------|
| Code                                          | Specification | L     |                        |
| 100005                                        | Very Large    | 205mm |                        |



# Mini Bone Forceps

| Bone Holding Forceps with Jaws |       | Veterinary Use Only |
|--------------------------------|-------|---------------------|
| Code                           | L     |                     |
| 100006                         | 150mm |                     |



| Bone Holding Forceps-Pointed With Jaws |       | Veterinary Use Only |
|----------------------------------------|-------|---------------------|
| Code                                   | L     |                     |
| 100301                                 | 140mm |                     |




| Reduction Forceps With Small Point |       | Veterinary Use Only |
|------------------------------------|-------|---------------------|
| Code                               | L     |                     |
| 100302                             | 130mm |                     |



# Mini Bone Forceps

| Small Pointed Reduction Forceps With Ball Heads |       | Veterinary Use Only |
|-------------------------------------------------|-------|---------------------|
| Code                                            | L     |                     |
| 100303                                          | 135mm |                     |




| Mini Serrated Bone Holding Forceps |               |       | Veterinary Use Only |
|------------------------------------|---------------|-------|---------------------|
| Code                               | Specification | L     |                     |
| 100014                             | 12mm          | 180mm |                     |
| 100015                             | 7mm           | 140mm |                     |
| 100016                             | 5mm           | 140mm |                     |
| 100017                             | 3mm           | 140mm |                     |




# Soft Ratchet Reduction Forceps


| Reduction Forceps with Serrated Jaws |       | Veterinary<br>Use Only |
|--------------------------------------|-------|------------------------|
| Code                                 | L     |                        |
| 100008                               | 150mm |                        |



| Reduction Forceps with Points |       | Veterinary<br>Use Only |
|-------------------------------|-------|------------------------|
| Code                          | L     |                        |
| 100009                        | 150mm |                        |




| Reduction Forceps with small Point |       | Veterinary<br>Use Only |
|------------------------------------|-------|------------------------|
| Code                               | L     |                        |
| 100009b                            | 150mm |                        |




# Soft Ratchet Reduction Forceps


| Plate Holding Forceps |       | Veterinary<br>Use Only |
|-----------------------|-------|------------------------|
| Code                  | L     |                        |
| 100026b               | 160mm |                        |



| Bone Holding Forceps With Serrated Jaws/Spinlock |       | Veterinary<br>Use Only |
|--------------------------------------------------|-------|------------------------|
| Code                                             | L     |                        |
| 100012                                           | 180mm |                        |
| 100013                                           | 205mm |                        |



| Small Curved Serrated Reduction Forceps |       | Veterinary<br>Use Only |
|-----------------------------------------|-------|------------------------|
| Code                                    | L     |                        |
| 100018                                  | 150mm |                        |



# Soft Ratchet Reduction Forceps

## Verbrugge Self Centering Bone Holding Forceps

Veterinary  
Use Only


| Code   | Specification | L     |
|--------|---------------|-------|
| 100019 | Very Small    | 150mm |
| 100020 | Small         | 180mm |
| 100021 | Large         | 240mm |



## KERN Bone Holding Forceps

Veterinary  
Use Only


| Code   | Products Name                  | L     |
|--------|--------------------------------|-------|
| 100022 | MINI KERN Bone Holding Forceps | 140mm |
| 100023 | KERN Bone Holding Forceps      | 180mm |



## Temporary Reduction-Plate Holding Threaded Pins

Veterinary  
Use Only

| Code   | Specification |
|--------|---------------|
| PRW125 | 1.25mm 3.5mm  |
| PRW150 | 1.50mm 5.5mm  |



# Soft Rachet Reduction Forceps


| Lowman Bone Clamp |                        |                 | Veterinary<br>Use Only |
|-------------------|------------------------|-----------------|------------------------|
| Code              | Products Name          | Specification L |                        |
| 100024            | Lowman Bone Clamp<15mm | Small 80mm      |                        |
| 100025            | Lowman Bone Clamp<30mm | Large 120mm     |                        |



| Pointed Reduction Forceps With Spinlock |                                         |       | Veterinary<br>Use Only |
|-----------------------------------------|-----------------------------------------|-------|------------------------|
| Code                                    | Products Name                           | L     |                        |
| 100010a                                 | Pointed Reduction Forceps With Spinlock | 180mm |                        |



| Plate Holding Forceps With Ball Heads |       |  | Veterinary<br>Use Only |
|---------------------------------------|-------|--|------------------------|
| Code                                  | L     |  |                        |
| 100026a                               | 160mm |  |                        |
| 100303                                | 135mm |  |                        |



# Implants Cutting Tools

Safety Rod Cutter

Veterinary Use Only

| Code   | Specification | L     |
|--------|---------------|-------|
| 100027 | 2.5/3.0/4.0mm | 300mm |


Normal Cut

Safety Cut

4.0mm

2.5mm

3.0mm


A T-shaped metal rod cutter with a black handle. The T-bar has three different sized notches for cutting rods of 2.5mm, 3.0mm, and 4.0mm diameter.

Implant Cutter Large

Veterinary Use Only

| Code   | Capacity | L     |
|--------|----------|-------|
| 100028 | 6mm      | 530mm |






Implant Cutter Medium

Veterinary Use Only


| Code   | Capacity | L     |
|--------|----------|-------|
| 110028 | 4mm      | 370mm |






# Implants Cutting Tools


| Wire/Small Pin Cutter |          |       | Veterinary<br>Use Only |
|-----------------------|----------|-------|------------------------|
| Code                  | Capacity | L     |                        |
| 100029                | 1.5mm    | 160mm |                        |




| Safety Pin Cutter |               |       | Veterinary<br>Use Only |
|-------------------|---------------|-------|------------------------|
| Code              | Capacity      | L     |                        |
| 100030            | 2.0/2.5/3.0mm | 205mm |                        |



| End Cutting Pliers |          |       | Veterinary<br>Use Only |
|--------------------|----------|-------|------------------------|
| Code               | Capacity | L     |                        |
| 100031             | 2.5mm    | 235mm |                        |



| Implant Cutting Pliers |          |       | Veterinary<br>Use Only |
|------------------------|----------|-------|------------------------|
| Code                   | Capacity | L     |                        |
| 100032                 | 2.5mm    | 210mm |                        |




# Implants Cutting Tools

## Pin Pliers Modified Jaw/Flat Nose

Veterinary  
Use Only

| Code   | L     |
|--------|-------|
| 100033 | 220mm |

Tip Width  
10.5mm




## Pin Pliers Modified Jaw/Narrow Nose

Veterinary  
Use Only

| Code   | L     |
|--------|-------|
| 100034 | 200mm |

Tip Width  
3.5mm




## Small Pin/Wire Pliers

Veterinary  
Use Only

| Code   | L     |
|--------|-------|
| 100035 | 150mm |

Tip Width  
2.0mm




# Implants Cutting Tools

| Parallel Action Pliers |       | Veterinary Use Only |
|------------------------|-------|---------------------|
| Code                   | L     |                     |
| 100036                 | 165mm |                     |




| Multi-function Pin Pliers |               |       | Veterinary Use Only |
|---------------------------|---------------|-------|---------------------|
| Code                      | Specification | L     |                     |
| 100091                    | 2.5mm         | 200mm |                     |

Features dedicated three Kirschner wire cutting ports and three bending grooves, with a maximum cutting capacity ranging from 0 to 2.5 mm.




| Wire/Small Pin Cutter |               |       | Veterinary Use Only |
|-----------------------|---------------|-------|---------------------|
| Code                  | Specification | L     |                     |
| 100037                | 2.2mm         | 180mm |                     |



# Implants Cutting Tools


| Wire/Small Pin Cutter |          |       | Veterinary<br>Use Only |
|-----------------------|----------|-------|------------------------|
| Code                  | Capacity | L     |                        |
| 110138                | 1.2mm    | 140mm |                        |



| Plate/Pin Cutting Plier TC Gold |          |       | Veterinary<br>Use Only |
|---------------------------------|----------|-------|------------------------|
| Code                            | Capacity | L     |                        |
| 100038                          | 2.8mm    | 230mm |                        |




| Plate/Pin Cutting Plier TC Gold |          |       | Veterinary<br>Use Only |
|---------------------------------|----------|-------|------------------------|
| Code                            | Capacity | L     |                        |
| 100039                          | 2.8mm    | 230mm |                        |
| 100040                          | 2.2mm    | 170mm |                        |



# Implants Cutting Tools


| Implant Cutter,Side And End Cutting, TC Gold |          |       | Veterinary<br>Use Only |
|----------------------------------------------|----------|-------|------------------------|
| Code                                         | Capacity | L     |                        |
| 110039                                       | 1.8mm    | 180mm |                        |



| Front End Wire Cutting Plier TC Gold |          |       | Veterinary<br>Use Only |
|--------------------------------------|----------|-------|------------------------|
| Code                                 | Capacity | L     |                        |
| 100041                               | 2.8mm    | 230mm |                        |



| Front End Wire Cutting Plier TC Gold |          |       | Veterinary<br>Use Only |
|--------------------------------------|----------|-------|------------------------|
| Code                                 | Capacity | L     |                        |
| 110041                               | 1.5mm    | 160mm |                        |




# Implants Cutting Tools


| Small Jacobs Chuck With Straight Handle |       | Veterinary Use Only |
|-----------------------------------------|-------|---------------------|
| Code                                    | Dia   |                     |
| 100042                                  | 0-4mm |                     |



| Jacobs Chuck With T Handle (Self-Lock) |       | Veterinary Use Only |
|----------------------------------------|-------|---------------------|
| Code                                   | Dia   |                     |
| 100043                                 | 0-6mm |                     |




| Jacobs Chuck With T Handle (Self-Lock) |       | Veterinary Use Only |
|----------------------------------------|-------|---------------------|
| Code                                   | Dia   |                     |
| 100044                                 | 0-6mm |                     |




# Osteotomes and Mallets

| Osteotomes |               | Veterinary Use Only |
|------------|---------------|---------------------|
| Code       | Specification |                     |
| 100118     | 12mmX200mm    |                     |
| 100119     | 10mmX200mm    |                     |
| 100120     | 8mmX200mm     |                     |
| 100121     | 6mmX180mm     |                     |
| 100122     | 5mmX180mm     |                     |
| 110122     | 4mmX180mm     |                     |
| 110123     | 3mmX180mm     |                     |



| Chisels |               | Veterinary Use Only |
|---------|---------------|---------------------|
| Code    | Specification |                     |
| 100123  | 15mmX200mm    |                     |
| 100124  | 10mmX200mm    |                     |
| 100125  | 6mmX200mm     |                     |



| Trochlear Ultra-Thin Osteotomes |               | Veterinary Use Only |
|---------------------------------|---------------|---------------------|
| Code                            | Specification |                     |
| 100126                          | 2mm           |                     |
| 100127                          | 3mm           |                     |
| 100128                          | 4mm           |                     |
| 100112                          | 6mm           |                     |
| 100113                          | 8mm           |                     |




# Osteotomes and Mallets


| Modular Osteotomes Complete With 7 Blades |                                     | Veterinary Use Only |
|-------------------------------------------|-------------------------------------|---------------------|
| Code                                      | Products Name                       | Specification       |
| 100103                                    | Modular Osteotome With 7 Blades     | Complete            |
|                                           | Modular Osteotome Replacement Blade | 4mm                 |
|                                           | Modular Osteotome Replacement Blade | 6mm                 |
|                                           | Modular Osteotome Replacement Blade | 8mm                 |
|                                           | Modular Osteotome Replacement Blade | 10mm                |
|                                           | Modular Osteotome Replacement Blade | 12mm                |
|                                           | Modular Osteotome Replacement Blade | 15mm                |
|                                           | Modular Osteotome Replacement Blade | 20mm                |



| Orthopedic Mallet |               | Veterinary Use Only |
|-------------------|---------------|---------------------|
| Code              | Specification |                     |
| 100059            | 150g          |                     |
| 100060            | 270g          |                     |
| 100061            | 350g          |                     |



| Bone Rasps |                    | Veterinary Use Only |
|------------|--------------------|---------------------|
| Code       | Products Name      | Width               |
| 100134     | Curved Bone Rasp   | 5mm                 |
| 100135     | Straight Bone Rasp | 5mm                 |



# Osteotomes and Mallets

| Double Rasps |       | Veterinary Use Only |  |
|--------------|-------|---------------------|--|
| Code         | L     |                     |  |
| 100131       | 185mm |                     |  |



| Trochlea Rasps |               |       |       | Veterinary Use Only |  |
|----------------|---------------|-------|-------|---------------------|--|
| Code           | Specification | Dia   | L     |                     |  |
| 100132         | Small         | 3.5mm | 180mm |                     |  |
| 100133         | Mini          | 2.2mm | 180mm |                     |  |



| Hand Saw |                   |       |       | Veterinary Use Only |  |
|----------|-------------------|-------|-------|---------------------|--|
| Code     | SawBladeThickness | Depth | L     |                     |  |
| 100130L  | 0.25mm            | 25mm  | 130mm |                     |  |



| Trochleaplasty Bone Saw With Handle |                   |       |      | Veterinary Use Only |  |
|-------------------------------------|-------------------|-------|------|---------------------|--|
| Code                                | SawBladeThickness | Depth | L    |                     |  |
| 100130S                             | 0.25mm            | 15mm  | 70mm |                     |  |



# Trochlear Sulcoplasty



Trochlear Sulcoplasty Instruments Set

| Code    | Products Name/Specification            | Quantity |
|---------|----------------------------------------|----------|
| 000001  | Trochlear Sulcoplasty Instruments      |          |
| 100130L | Sulcoplasty Bone Saw                   | 1        |
| 100132  | Trochlea Rasp Small 3.5mm              | 1        |
| 100133  | Trochlea Rasp Mini 2.2mm               | 1        |
| 100126  | Trochlear Ultra-Thin Osteotomes 2mm    | 1        |
| 100127  | Trochlear Ultra-Thin Osteotomes 3mm    | 1        |
| 100128  | Trochlear Ultra-Thin Osteotomes 4mm    | 1        |
| 100112  | Trochlear Ultra-Thin Osteotomes 6mm    | 1        |
| 100113  | Trochlear Ultra-Thin Osteotomes 8mm    | 1        |
| 100131S | 180mm Straight Double Rasps            | 1        |
| 100131C | 180mm Curved Double Rasps              | 1        |
| 100060  | Orthopedic Mallet 270g                 | 1        |
| 200099  | Trochlear Sulcoplasty Instruments Case | 1        |

# Bone Curette

| Walkman Spoon |            | Veterinary Use Only |
|---------------|------------|---------------------|
| Code          | Head Width |                     |
| 100055        | 2mm        |                     |
| 100056        | 3mm        |                     |
| 100057        | 4mm        |                     |
| 100058        | 5mm        |                     |




| Bone Curette |            |        | Veterinary Use Only |
|--------------|------------|--------|---------------------|
| Code         | Head Width | L      |                     |
| 100195       | 3.0/3.5mm  | 13.5cm |                     |
| 100197       | 2.0/2.5mm  | 13.5cm |                     |



| Hatt Spoon |                        | Veterinary Use Only |
|------------|------------------------|---------------------|
| Code       | L                      |                     |
| 300005     | 280mm(20mmX30mm scoop) |                     |
| 300006     | 260mm(12mmX18mm scoop) |                     |
| 300007     | 230mm(8mmX12mm scoop)  |                     |



| Meniscal Probe for Arthroscopy, Calibrated, 2mm |       | Veterinary Use Only |
|-------------------------------------------------|-------|---------------------|
| Code                                            | L     |                     |
| 100333                                          | 155mm |                     |



# Periosteal Elevator

| Mini Double End Periosteal Elevator |            | Veterinary Use Only |
|-------------------------------------|------------|---------------------|
| Code                                | Head Width |                     |
| 100096                              | 3mm        |                     |
| 100097                              | 5mm        |                     |



| Periosteal Elevator |            |       | Veterinary Use Only |
|---------------------|------------|-------|---------------------|
| Code                | Head Width | Blade |                     |
| 110098              | 4mm        | 180mm |                     |
| 100099              | 6mm        | 180mm |                     |




| Periosteal Elevator |            |       | Veterinary Use Only |
|---------------------|------------|-------|---------------------|
| Code                | Head Width | Blade |                     |
| 100098              | 6mm        | 180mm |                     |
| 100100              | 8mm        | 180mm |                     |




# Hohman Retractor

Construction of Hohman Retractor




| Mini Hohman Retractor Narrow Series |           |       | Veterinary<br>Use Only |
|-------------------------------------|-----------|-------|------------------------|
| Code                                | Short Tip | L     |                        |
| 100144                              | 6mm       | 160mm |                        |
| 100145                              | 8mm       | 160mm |                        |
| 100146                              | 12mm      | 165mm |                        |
| 100315                              | 10mm      | 160mm |                        |



| Mini Hohman Retractor Broad |           |       | Veterinary<br>Use Only |
|-----------------------------|-----------|-------|------------------------|
| Code                        | Short Tip | L     |                        |
| 110146                      | 15mm      | 165mm |                        |



| Swan-Neck Hohman Reactor |       | Veterinary<br>Use Only |
|--------------------------|-------|------------------------|
| Code                     | Blade |                        |
| 100138                   | 20mm  |                        |



# Hohman Retractor

| Hip Retractors Series |                   | Veterinary Use Only |
|-----------------------|-------------------|---------------------|
| Code                  | Specification     |                     |
| 100139                | Large 255mmX25mm  |                     |
| 100140                | Medium 180mmX13mm |                     |
| 100141                | Small 130mmX8mm   |                     |
| 100142                | Mini 130mmX4mm    |                     |




| Hohman Retractor Broad |                  |       | Veterinary Use Only |
|------------------------|------------------|-------|---------------------|
| Code                   | Short Narrow Tip | L     |                     |
| 100143                 | 24mm             | 180mm |                     |



| Hohman Retractor Broad With Double Tips |             |                 | Veterinary Use Only |
|-----------------------------------------|-------------|-----------------|---------------------|
| Code                                    | Blade Width | Specification   |                     |
| 100141b                                 | 20mm        | 155mmX10mmX20mm |                     |




| Micro Hohman Retractor 4mm |       | Veterinary Use Only |
|----------------------------|-------|---------------------|
| Code                       | L     |                     |
| 100147                     | 175mm |                     |




# Bone Rongeur

| Friedman Rongeur Curved |                               |      | Veterinary Use Only |
|-------------------------|-------------------------------|------|---------------------|
| Code                    | Products Name                 | Bite | L                   |
| 100078                  | Mini-Friedman Rongeur Curved  | 2mm  | 150mm               |
| 100079                  | Micro-Friedman Rongeur Curved | 3mm  | 150mm               |
| 110079                  | Micro-Friedman Rongeur Angled | 3mm  | 150mm               |
| 100080                  | Large-Friedman Rongeur Curved | 5mm  | 180mm               |




| Lempert Roungeurs Straight |      |       | Veterinary Use Only |
|----------------------------|------|-------|---------------------|
| Code                       | Bite | L     |                     |
| 110080                     | 3mm  | 190mm |                     |




# Double Joints Bone Rongeur

| Jansen Double Joints Bone Rongeur |               |      |       | Veterinary Use Only |
|-----------------------------------|---------------|------|-------|---------------------|
| Code                              | Specification | Bite | L     |                     |
| 100081                            | Curved        | 3mm  | 150mm |                     |
| 100082                            | Angled        | 4mm  | 150mm |                     |



| Ruskin (Liston)Rongeur Curved |      |       | Veterinary Use Only |
|-------------------------------|------|-------|---------------------|
| Code                          | Bite | L     |                     |
| 100083                        | 2mm  | 160mm |                     |
| 100084                        | 3mm  | 160mm |                     |
| 100085                        | 5mm  | 180mm |                     |



# Double Joints Bone Rongeur

| Double Joints Bone Rongeur Curved |      |       | Veterinary<br>Use Only |
|-----------------------------------|------|-------|------------------------|
| Code                              | Bite | L     |                        |
| 100086                            | 8mm  | 230mm |                        |




| Leksell Rongeur(Angled) |      |       | Veterinary<br>Use Only |
|-------------------------|------|-------|------------------------|
| Code                    | Bite | L     |                        |
| 100087                  | 5mm  | 230mm |                        |
| 100088                  | 8mm  | 230mm |                        |




# Bone Cutters

| Cleveland Angled Bone Cutter |       |       | Veterinary<br>Use Only |
|------------------------------|-------|-------|------------------------|
| Code                         | Blade | L     |                        |
| 100089                       | 15mm  | 150mm |                        |




| Liston Bone Cutters |               |       |       | Veterinary<br>Use Only |
|---------------------|---------------|-------|-------|------------------------|
| Code                | Specification | Blade | L     |                        |
| 100090              | Straight      | 25mm  | 180mm |                        |
| 110090              | Curved        | 25mm  | 180mm |                        |



# Bone Cutters


| Littauer Bone Cutters |       |       | Veterinary<br>Use Only |
|-----------------------|-------|-------|------------------------|
| Code                  | Blade | L     |                        |
| 100093                | 15mm  | 150mm |                        |



| McIndoe Bone Cutter |       |       | Veterinary<br>Use Only |
|---------------------|-------|-------|------------------------|
| Code                | Blade | L     |                        |
| 100092              | 12mm  | 150mm |                        |



| Horsley Bone Cutter |               |       |       | Veterinary<br>Use Only |
|---------------------|---------------|-------|-------|------------------------|
| Code                | Specification | Blade | L     |                        |
| 100094              | Straight      | 35mm  | 240mm |                        |
| 100095              | Curved        | 35mm  | 240mm |                        |



# AO Quick Coupling Handle


| T Shape Quick Couple Handle |                         |      | Veterinary<br>Use Only |
|-----------------------------|-------------------------|------|------------------------|
| Code                        | Used For                | L    |                        |
| 100159                      | 2,4,2,7,3,5,4,0,4,5Taps | 75mm |                        |



| Straight Quick Couple Handle |               |       | Veterinary<br>Use Only |
|------------------------------|---------------|-------|------------------------|
| Code                         | Specification | L     |                        |
| 110160                       | Large         | 110mm |                        |
| 100160                       | Small         | 110mm |                        |



| AO QCK / Jacob Converter |                        | Veterinary<br>Use Only |
|--------------------------|------------------------|------------------------|
| Code                     | Products Name          |                        |
| 111160                   | AO QCK/Jacob Converter |                        |



# Screwdriver+Sleeves

| Screwdriver For 1.5/2.0/2.4mm Screw |                                          | Veterinary Use Only |
|-------------------------------------|------------------------------------------|---------------------|
| Code                                | Products Name                            | Specification       |
| 100217                              | Screw holding Sleeve                     |                     |
| 100218                              | Hex Screwdriver with Fibre Handle        | 1.5mm               |
| 100219                              | Hex Screwdriver+Sleeve with Fibre Handle | 1.5mm               |

Screwdriver+Sleeve For 1.5/2.0/2.4mm Screw.



| Screwdriver For 2.7/3.0/3.5/4.0mm Screw |                                          | Veterinary Use Only |
|-----------------------------------------|------------------------------------------|---------------------|
| Code                                    | Products Name                            | Specification       |
| 100220                                  | Screw holding Sleeve                     |                     |
| 100221                                  | Hex Screwdriver with Fibre Handle        | 2.5mm               |
| 100222                                  | Hex Screwdriver+Sleeve with Fibre Handle | 2.5mm               |

Screwdriver+Sleeve For 2.7/3.0/3.5/4.0mm Screw.



| Screwdriver For 4.5/6.0mm Screw |                                          | Veterinary Use Only |
|---------------------------------|------------------------------------------|---------------------|
| Code                            | Products Name                            | Specification       |
| 100223                          | Screw holding Sleeve                     |                     |
| 100224                          | Hex Screwdriver with Fibre Handle        | 3.5mm               |
| 100225                          | Hex Screwdriver+Sleeve with Fibre Handle | 3.5mm               |




# Torx Type Screwdriver

## Torx Type Screwdriver (Aluminium handle)

Veterinary  
Use Only

| Code   | Products Name             | For Screw                |
|--------|---------------------------|--------------------------|
| 920210 | T6 Torx Type Screwdriver  | TCS15/20 B24 CSTT20 LS20 |
| 920209 | T8 Torx Type Screwdriver  | CSTT24/27 LS24/27        |
| 100258 | T10 Torx Type Screwdriver | FKS30/35                 |
| 920208 | T15 Torx Type Screwdriver | CSTT35 LS35              |



# Quick Coupling Screwdriver

## Quick Coupling Screwdriver

Veterinary  
Use Only

| Code   | Products Name              | For Screw |
|--------|----------------------------|-----------|
| 100226 | Hex Screwdriver AO QC1.5mm | CAN22/30  |
| 100227 | Hex Screwdriver AO QC2.0mm |           |
| 100228 | Hex Screwdriver AO QC2.5mm | CAN30/40  |
| 100229 | Hex Screwdriver AO QC3.5mm | CSST45/55 |
| 100200 | AO QC Square Head 1.2mm    |           |
| 100201 | AO QC Square Head 1.5mm    |           |
| 100202 | AO QC Square Head 2.0mm    |           |




# Torx Drive Screwdriver shaft

## Torx Drive Screwdriver shaft

Veterinary  
Use Only

| Code    | Products Name                    | For Screw               |
|---------|----------------------------------|-------------------------|
| 100230  | T15 Torx Drive Screwdriver shaft | A03.5mm Locking         |
| 100231  | T8 Torx Drive Screwdriver shaft  | A02.4/2.7mm Locking     |
| 100232  | T6 Torx Drive Screwdriver shaft  | A02.0mm, B2.4mm Locking |
| 1002310 | T10 Torx Drive Screwdriver shaft | B4.0mm Locking          |
| 110232  | T4 Torx Drive Screwdriver shaft  | A01.2/1.5mm Locking     |
| 110230  | T25 Torx Drive Screwdriver shaft | A05.0mm Locking         |



# Drill Bits

| Drill Bits |       |       | Veterinary<br>Use Only |
|------------|-------|-------|------------------------|
| Code       | Dia   | L     |                        |
| A32A08     | 0.8mm | 65mm  |                        |
| A32A10     | 1.0mm | 65mm  |                        |
| A32A11     | 1.1mm | 85mm  |                        |
| A32A12     | 1.2mm | 85mm  |                        |
| A32A15     | 1.5mm | 125mm |                        |
| A32A18     | 1.8mm | 150mm |                        |
| A32A20     | 2.0mm | 150mm |                        |
| A32A24     | 2.4mm | 150mm |                        |
| A32A25     | 2.5mm | 150mm |                        |
| A32A27     | 2.7mm | 150mm |                        |
| A32A28     | 2.8mm | 150mm |                        |
| A32A30     | 3.0mm | 150mm |                        |
| A32A32     | 3.2mm | 150mm |                        |
| A32A35     | 3.5mm | 150mm |                        |
| A32A40     | 4.0mm | 150mm |                        |




| AO Style Quick Coupling Drill Bits |       |       | Veterinary<br>Use Only |
|------------------------------------|-------|-------|------------------------|
| Code                               | Dia   | L     |                        |
| A32QC08                            | 0.8mm | 70mm  |                        |
| A32QC11                            | 1.1mm | 85mm  |                        |
| A32QC15                            | 1.5mm | 110mm |                        |
| A32QC18                            | 1.8mm | 125mm |                        |
| A32QC20                            | 2.0mm | 125mm |                        |
| A32QC24                            | 2.4mm | 125mm |                        |
| A32QC25                            | 2.5mm | 150mm |                        |
| A32QC27                            | 2.7mm | 150mm |                        |
| A32QC28                            | 2.8mm | 165mm |                        |
| A32QC32                            | 3.2mm | 150mm |                        |
| A32QC35                            | 3.5mm | 150mm |                        |




# Drill Bits

| Cannulated Drill Bits |                      |       |           |       | Veterinary Use Only |
|-----------------------|----------------------|-------|-----------|-------|---------------------|
| Code                  | Products Name        | OD    | Guide Pin | L     |                     |
| A32CAN20              | Cannulated Drills    | 2.0mm | 1.0mm     | 150mm |                     |
| A32CAN27              | Cannulated Drills    | 2.7mm | 1.2mm     | 150mm |                     |
| A32CAN32              | Cannulated Drills    | 3.2mm | 1.5mm     | 150mm |                     |
| A32CAN50              | Cannulated Drills    | 5.0mm | 2.5mm     | 250mm |                     |
| A32CAN27QC            | AO Cannulated Drills | 2.7mm | 1.5mm     | 160mm |                     |
| A32CAN30              | Cannulated Drills    | 3.0mm | 1.5mm     | 130mm |                     |
| A32CAN47              | Cannulated Drills    | 4.7mm | 3.2mm     | 300mm |                     |



# Countersink

| Countersink AO Quick Fit Coupling |      | Veterinary Use Only |
|-----------------------------------|------|---------------------|
| Code                              | Dia  |                     |
| 100239b                           | Φ3mm |                     |
| 100240                            | Φ4mm |                     |
| 100241                            | Φ5mm |                     |
| 100242                            | Φ6mm |                     |



| Countersink 'T' Handle |                         | Veterinary Use Only |
|------------------------|-------------------------|---------------------|
| Code                   | Specification           |                     |
| 100243                 | Mini 1.5/2.0/2.4mm      |                     |
| 100244                 | Small 2.7/3.0/3.5/4.0mm |                     |
| 100245                 | Large 4.5/6.0mm         |                     |



# Taps

| T Handle Taps |                          |               | Veterinary Use Only |  |
|---------------|--------------------------|---------------|---------------------|--|
| Code          | Products Name            | Specification | Screw Pitch         |  |
| 100161        | T Handle Taps Cortical   | 1.5mm         |                     |  |
| 100162        | T Handle Taps Cortical   | 2.0mm         | 0.6mm               |  |
| 100163        | T Handle Taps Cancellous | 2.2mm         | 1.0mm               |  |
| 100164        | T Handle Taps Cortical   | 2.4mm         |                     |  |
| 100165        | T Handle Taps Cortical   | 2.7mm         |                     |  |
| 100166        | T Handle Taps Cortical   | 3.5mm         |                     |  |
| 100167        | T Handle Taps Cancellous | 4.0mm         |                     |  |
| 100168        | T Handle Taps Cortical   | 4.5mm         |                     |  |
| 100169        | T Handle Taps Cancellous | 6.5mm         |                     |  |



| AO Quick Coupling Taps |                                   |               | Veterinary Use Only |  |
|------------------------|-----------------------------------|---------------|---------------------|--|
| Code                   | Products Name                     | Specification |                     |  |
| 100170                 | AO Quick Coupling Taps Cortical   | 1.5mm         |                     |  |
| 100171                 | AO Quick Coupling Taps Cortical   | 2.0mm         |                     |  |
| 100172                 | AO Quick Coupling Taps Cortical   | 2.4mm         |                     |  |
| 100173                 | AO Quick Coupling Taps Cortical   | 2.7mm         |                     |  |
| 100174                 | AO Quick Coupling Taps Cortical   | 3.5mm         |                     |  |
| 100175                 | AO Quick Coupling Taps Cancellous | 4.0mm         |                     |  |
| 100176                 | AO Quick Coupling Taps Cortical   | 4.5mm         |                     |  |
| 100177                 | AO Quick Coupling Taps Cancellous | 6.5mm         |                     |  |



# Drill Guides

| Double Drill Guide |               | Veterinary Use Only |
|--------------------|---------------|---------------------|
| Code               | Specification |                     |
| 100187             | 0.8/1.1mm     |                     |
| 100178             | 1.1/1.5mm     |                     |
| 100179             | 1.5/2.0mm     |                     |
| 100180             | 1.8/2.4mm     |                     |
| 100181             | 2.0/2.7mm     |                     |
| 100182             | 2.5/3.5mm     |                     |
| 100183             | 3.2/4.5mm     |                     |



| Universal Drill Guide |               | Veterinary Use Only |
|-----------------------|---------------|---------------------|
| Code                  | Specification |                     |
| 100188                | 1.5/2.0mm     |                     |
| 100189                | 1.8/2.4mm     |                     |
| 100190                | 2.0/2.7mm     |                     |
| 100191                | 2.5/3.5mm     |                     |



| Parallel Drill Guide |                | Veterinary Use Only |
|----------------------|----------------|---------------------|
| Code                 | For Drill Bits |                     |
| 100192               | 2.0mm          |                     |
| 100194               | 1.5mm          |                     |




| Aiming Drill Guide |               |           |       | Veterinary Use Only |
|--------------------|---------------|-----------|-------|---------------------|
| Code               | Specification | Inner Dia | L     |                     |
| 100206             | Small         | 3.5mm     | 135mm |                     |




# Drill Guides

| Load And Neutral Drill Guides For LC-DCP And DCP |                          | Veterinary Use Only |
|--------------------------------------------------|--------------------------|---------------------|
| Code                                             | Used For                 |                     |
| 100211                                           | 2.0mm Compression Plates |                     |
| 100212                                           | 2.4mm Compression Plates |                     |
| 100213                                           | 2.7mm Compression Plates |                     |
| 100215                                           | 3.5mm Compression Plates |                     |
| 100216                                           | 4.5mm Compression Plates |                     |



The application of the drill guide depends on the function which the screw should have:  
a Neutral position (green end of guide)  
b Compression mode (gold end of the guide)



Application of a plate screw:  
a Drilling of the hole in neutral position  
b Measuring the hole length  
c Tapping  
d Insertion of the screw


# Depth Gauge

| Depth Gauge |             |        | Veterinary Use Only |
|-------------|-------------|--------|---------------------|
| Code        | For Screws  | Range  |                     |
| 100236      | 1.5mm/2.0mm | 0-30mm |                     |
| 100237      | 2.4mm/2.7mm | 0-50mm |                     |
| 100238      | 3.5mm/4.0mm | 0-60mm |                     |
| 100239      | 4.5mm/6.0mm | 0-90mm |                     |




| Three Scales Depth Gauge |                   |        | Veterinary Use Only |
|--------------------------|-------------------|--------|---------------------|
| Code                     | For Screws        | Range  |                     |
| 100336                   | 1.5mm/2.0mm/2.4mm | 0-30mm |                     |
| 100337                   | 2.7mm/3.5mm       | 0-50mm |                     |

Precise screw measurement is important in Small Animal surgery. To accommodate your preference, the depth gauges can be utilized in a single or two-handed mode. Also for your convenience, it has three scales which you can read from for your measurement.




| Screw Holding Forceps |                   | Veterinary Use Only |
|-----------------------|-------------------|---------------------|
| Code                  | Specification     |                     |
| 100233                | 2.7/3.0/3.5/4.0mm |                     |
| 100234                | 1.5/2.0/2.4mm     |                     |
| 100235                | 4.5/6.0mm         |                     |




# Bone Plate Template

| Bone Plate Template |        |                  | Veterinary Use Only |
|---------------------|--------|------------------|---------------------|
| Code                | Wide   | Use For          |                     |
| 100309              | 4.0mm  | 1.5mm LCP        |                     |
| 100310              | 5.0mm  | 2.0mm LCP        |                     |
| 100311              | 6.5mm  | 2.4mm LCP        |                     |
| 100312              | 8.0mm  | 2.7mm LCP        |                     |
| 100313              | 11.0mm | Narrow 3.5mm LCP |                     |
| 100314              | 13.5mm | Broad 3.5mm LCP  |                     |




# Bending Irons

| Bending Irons Small |               |       | Veterinary Use Only |
|---------------------|---------------|-------|---------------------|
| Code                | Specification | L     |                     |
| 100066              | A02.7/3.5mm   | 175mm |                     |




| Bending Irons Large |               |       | Veterinary Use Only |
|---------------------|---------------|-------|---------------------|
| Code                | Specification | L     |                     |
| 100067              | A03.5/4.5mm   | 270mm |                     |




# Reconstruction Bending Irons

| Reconstruction Type Bending Irons (Pair) |               |       | Veterinary Use Only |
|------------------------------------------|---------------|-------|---------------------|
| Code                                     | Specification | L     |                     |
| 100070                                   | BW 3.5mm      | 200mm |                     |




| 3.5mm Reconstruction Plate Plier |               |       | Veterinary Use Only |
|----------------------------------|---------------|-------|---------------------|
| Code                             | Specification | L     |                     |
| 100071                           | 3.5mm         | 280mm |                     |



# Reconstruction Bending Irons

| Plate Bending Plier Roller Type |                 |       | Veterinary<br>Use Only |
|---------------------------------|-----------------|-------|------------------------|
| Code                            | Specification   | L     |                        |
| 100072                          | 10.0/11.0       | 230mm |                        |
| 100072S                         | 5.0/6.5/8.0/9.0 | 210mm |                        |



| Reconstruction Plate Bender |                             | Veterinary<br>Use Only |
|-----------------------------|-----------------------------|------------------------|
| Code                        | Products Name               |                        |
| 100073                      | Reconstruction Plate Bender |                        |



| Bone Plate Bending Press Heavy Duty |                                     | Veterinary<br>Use Only |
|-------------------------------------|-------------------------------------|------------------------|
| Code                                | Products Name                       |                        |
| 100076                              | Bone Plate Bending Press Heavy Duty |                        |



# Drill Bits


| Screw Extractor |               | Veterinary Use Only |
|-----------------|---------------|---------------------|
| Code            | Specification |                     |
| 100256          | SW2.5/T10     |                     |
| 100255          | SW1.5/T8      |                     |
| 100254          | SW1.2/T6      |                     |
| 100253          | SW3.5mm       |                     |



| High Speed Drill Bit For Implant Metal |                                          | Veterinary Use Only |
|----------------------------------------|------------------------------------------|---------------------|
| Code                                   | Products Name                            |                     |
| 100327                                 | High Speed Drill Bit For Implant Metal 3 |                     |
| 100328                                 | High Speed Drill Bit For Implant Metal 4 |                     |
| 100329                                 | High Speed Drill Bit For Implant Metal 5 |                     |



| Extraction Trephine |            | Veterinary Use Only |
|---------------------|------------|---------------------|
| Code                | For Screws |                     |
| 100246              | 1.5mm      |                     |
| 100247              | 2.0mm      |                     |
| 100248              | 2.4mm      |                     |
| 100249              | 2.7mm      |                     |
| 100250              | 3.5mm      |                     |
| 100251              | 4.0mm      |                     |



# Small Animal Implants Removal Set



Small Animal Implants Removal Set

| Code    | Products Name/Specification        | Quantity |
|---------|------------------------------------|----------|
| 100160  | AO Quick Coupling Handle 110mm     | 1        |
| 100035  | Small Pin Plier 150mm              | 1        |
| 100246  | Extraction Trephine,For 1.5 Screws | 1        |
| 100247  | Extraction Trephine,For 2.0 Screws | 1        |
| 100248  | Extraction Trephine,For 2.4 Screws | 1        |
| 100249  | Extraction Trephine,For 2.7 Screws | 1        |
| 100250  | Extraction Trephine,For 3.5 Screws | 1        |
| 100251  | Extraction Trephine,For 4.0 Screws | 1        |
| 100200  | AO QC Square Head 1.2mm            | 1        |
| 100201  | AO QC Square Head 1.5mm            | 1        |
| 100232  | T6 Star Drive Screwdriver shaft    | 1        |
| 100231  | T8 Star Drive Screwdriver shaft    | 1        |
| 100230  | T15 Star Drive Screwdriver shaft   | 1        |
| 1002310 | T10 Star Drive Screwdriver shaft   | 1        |
| 100226  | Hex Screwdriver AO QC1.5mm         | 1        |
| 100228  | Hex Screwdriver AO QC2.5mm         | 1        |
| 100254  | AO Screw Extractor SW1.2/T6        | 1        |
| 100255  | AO Screw Extractor SW1.5/T8        | 1        |
| 100256  | AO Screw Extractor SW2.5/T10       | 1        |
| 100253  | AO Screw Extractor SW3.5mm         | 1        |
| 100327  | High Speed Drill Bit 3             | 1        |
| 100328  | High Speed Drill Bit 4             | 1        |
| 100329  | High Speed Drill Bit 5             | 1        |
| 100330  | Small Animal Implants Removal Box  | 1        |

# Bone Models & Pre-Operative Planning



# Bone Models

|             |       |                     |
|-------------|-------|---------------------|
| Tibia Model |       | Veterinary Use Only |
| Code        | L     |                     |
| M0001       | 250mm |                     |




|            |       |                     |
|------------|-------|---------------------|
| Ulna Model |       | Veterinary Use Only |
| Code       | L     |                     |
| M0002      | 170mm |                     |



|              |       |                     |
|--------------|-------|---------------------|
| Radius Model |       | Veterinary Use Only |
| Code         | L     |                     |
| M0003        | 170mm |                     |



|                   |       |                     |
|-------------------|-------|---------------------|
| Pelvis Model Full |       | Veterinary Use Only |
| Code              | L     |                     |
| M0004             | 175mm |                     |



# Bone Models

| Femur Model |       | Veterinary<br>Use Only |
|-------------|-------|------------------------|
| Code        | L     |                        |
| M0005       | 210mm |                        |



| Humerus Model |       | Veterinary<br>Use Only |
|---------------|-------|------------------------|
| Code          | L     |                        |
| M0006         | 170mm |                        |



| Tubular model |       | Veterinary<br>Use Only |
|---------------|-------|------------------------|
| Code          | L     |                        |
| M0012         | 180mm |                        |



# Bone Models

| Scapula Model |       | Veterinary Use Only |
|---------------|-------|---------------------|
| Code          | L     |                     |
| M0028         | 110mm |                     |



| Posterior Limb+Pelvis+Hip Joint |  | Veterinary Use Only |
|---------------------------------|--|---------------------|
| Code                            |  |                     |
| N0001                           |  |                     |



| Femur Model |      | Veterinary Use Only |
|-------------|------|---------------------|
| Code        | L    |                     |
| N0002       | 78mm |                     |



| Pelvis Model |  | Veterinary Use Only |
|--------------|--|---------------------|
| Code         |  |                     |
| N0003        |  |                     |



# Bone Models

| Radioulna Model |      | Veterinary<br>Use Only |
|-----------------|------|------------------------|
| Code            | L    |                        |
| N0004           | 80mm |                        |



| Humerus Model |      | Veterinary<br>Use Only |
|---------------|------|------------------------|
| Code          | L    |                        |
| N0005         | 72mm |                        |



| Tibia Model |      | Veterinary<br>Use Only |
|-------------|------|------------------------|
| Code        | L    |                        |
| N0006       | 75mm |                        |



| Anterior limb Model |  | Veterinary<br>Use Only |
|---------------------|--|------------------------|
| Code                |  |                        |
| N0007               |  |                        |



# Bone Models

|                  |                        |
|------------------|------------------------|
| Knee-joint Model | Veterinary<br>Use Only |
| Code             |                        |
| N0008            |                        |



|             |                        |
|-------------|------------------------|
| Skull Model | Veterinary<br>Use Only |
| Code        |                        |
| M0014       |                        |



|             |                        |
|-------------|------------------------|
| Spine Model | Veterinary<br>Use Only |
| Code        |                        |
| L0002       |                        |



# Bone Models

## Anterior Limb Model

Veterinary  
Use Only

Code

L0004



## Posterior Limb Model

Veterinary  
Use Only

Code

L0003



## Horse Hoof Model

Veterinary  
Use Only

Code

L0005




# Pre Operative Planing Tools


| Surgical Measuring Ruler With Gauge Holes |       | Veterinary Use Only |
|-------------------------------------------|-------|---------------------|
| Code                                      | L     |                     |
| M0009                                     | 100mm |                     |



| X Ray Reference Ball |               | Veterinary Use Only |
|----------------------|---------------|---------------------|
| Code                 | Specification | Dia                 |
| M0011                | Single Ball   | 25mm                |
| M0011X               | Double Balls  | 10/20mm             |




| Orthopedic Surgery Planing Ruler |       | Veterinary Use Only |
|----------------------------------|-------|---------------------|
| Code                             | L     |                     |
| M0010                            | 360mm |                     |



# Veterinary Orthopaedic Screws



Standard Screws, Drill Bits and Taps for Veterinary Use

| SCREW DIAMETER (mm)                                                                               |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |
|---------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| Thread Diameter                                                                                   | 1.5                                                                               | 2.0                                                                               | 2.4                                                                               | 2.7                                                                               | 3.5                                                                               | 4.5                                                                               | 5.5                                                                               |
| Screw Type                                                                                        | Cortex                                                                            |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |
| Vet Part Number<br>Self-Tapping<br>None-Self-Tapping                                              | CSTT1505-<br>CSTT1520                                                             | CSTT2006-<br>CSTT2026                                                             | CSTT2408-<br>CSTT2430                                                             | CSTT2708-<br>CSTT2740                                                             | CSTT3510-<br>CSTT3560                                                             | CSST4520-<br>CSST4580                                                             | CSST5524-<br>CSST55100                                                            |
| DRILL BIT and TAP DIAMETER(mm)                                                                    |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |
| Drill Bit for Gliding Hole                                                                        | 1.5                                                                               | 2.0                                                                               | 2.4                                                                               | 2.7                                                                               | 3.5                                                                               | 4.5                                                                               | 5.5                                                                               |
| GLIDING HOLE<br>  |  |  |  |  |  |  |  |
|                                                                                                   |  |  |  |  |  |  |  |
| THREADED HOLE<br> |  |  |  |  |  |  |  |
| Drill Bit for Threaded Hole                                                                       | 1.1                                                                               | 1.5                                                                               | 1.8                                                                               | 2.0                                                                               | 2.5                                                                               | 3.2                                                                               | 4.0                                                                               |
| Tap Catalog Number                                                                                | 1.5<br>(100161)                                                                   | 2.0<br>(100162)                                                                   | 2.4<br>(100164)                                                                   | 2.7<br>(100165)                                                                   | 3.5<br>(100166)                                                                   | 4.5<br>(100168)                                                                   | 5.5                                                                               |
| Drive Type                                                                                        | T6 Torx                                                                           | T6 Torx                                                                           | T8 Torx                                                                           | T8 Torx                                                                           | T15 Torx                                                                          | 3.5mm<br>Hexagonal                                                                | 3.5mm<br>Hexagonal                                                                |


Locking Screws and Drill Bits for Veterinary Use

| SCREW DIAMETER (mm)                  |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|--------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Thread Diameter                      | 1.5                                                                                 | 2.0                                                                                 | 2.4                                                                                 | 2.7                                                                                 | 3.0                                                                                 | 3.5                                                                                 | 5.0                                                                                 |
| Screw Type                           | Locking Head                                                                        |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| Vet Part Number<br>None-Self-Tapping | LS1505-<br>LS1520                                                                   | LS2006-<br>LS2026                                                                   | LS2408-<br>LS2430                                                                   | LS2710-<br>LS2734                                                                   | LS3010-<br>LS3040                                                                   | LS3510-<br>LS3560                                                                   | LS5014-<br>LS5090                                                                   |
| DRILL BIT DIAMETER(mm)               |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|                                      |  |  |  |  |  |  |  |
|                                      |  |  |  |  |  |  |  |
| Drill Bit for Threaded Hole          | 1.1                                                                                 | 1.5                                                                                 | 1.8                                                                                 | 2.0                                                                                 | 2.5                                                                                 | 2.8                                                                                 | 4.3                                                                                 |
| Drive Type                           | T4 Torx                                                                             | T6 Torx                                                                             | T8 Torx                                                                             | T8 Torx                                                                             | T10 Torx                                                                            | T15 Torx                                                                            | T25 Torx                                                                            |

# Cortex Screws


| 1.5mm Cortex Self Tapping Screws |      | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|----------------------------------|------|------------------------|---------------------------|
| Code                             | L    | Code                   | L                         |
| VS105.05                         | 5mm  | VS105.13               | 13mm                      |
| VS105.06                         | 6mm  | VS105.14               | 14mm                      |
| VS105.07                         | 7mm  | VS105.16               | 16mm                      |
| VS105.08                         | 8mm  | VS105.18               | 18mm                      |
| VS105.09                         | 9mm  | VS105.20               | 20mm                      |
| VS105.10                         | 10mm | VS105.22               | 22mm                      |
| VS105.11                         | 11mm | VS105.24               | 24mm                      |
| VS105.12                         | 12mm |                        |                           |

● T4 Torx




| 1.5mm Cortex Self Tapping Screws |      | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|----------------------------------|------|------------------------|---------------------------|
| Code                             | L    | Code                   | L                         |
| CSTT1505                         | 5mm  | CSTT1512               | 12mm                      |
| CSTT1506                         | 6mm  | CSTT1514               | 14mm                      |
| CSTT1507                         | 7mm  | CSTT1516               | 16mm                      |
| CSTT1508                         | 8mm  | CSTT1518               | 18mm                      |
| CSTT1510                         | 10mm | CSTT1520               | 20mm                      |

● T6 Torx



| 2.0mm Cortex Self Tapping Screws |      | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|----------------------------------|------|------------------------|---------------------------|
| Code                             | L    | Code                   | L                         |
| CSTT2006                         | 6mm  | CSTT2016               | 16mm                      |
| CSTT2007                         | 7mm  | CSTT2018               | 18mm                      |
| CSTT2008                         | 8mm  | CSTT2020               | 20mm                      |
| CSTT2009                         | 9mm  | CSTT2022               | 22mm                      |
| CSTT2010                         | 10mm | CSTT2024               | 24mm                      |
| CSTT2012                         | 12mm | CSTT2026               | 26mm                      |
| CSTT2014                         | 14mm |                        |                           |


● T6 Torx



# Cortex Screws


| 2.4mm Cortex Self Tapping Screws |      | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|----------------------------------|------|------------------------|---------------------------|
| Code                             | L    | Code                   | L                         |
| CSTT2406                         | 6mm  | CSTT2422               | 22mm                      |
| CSTT2408                         | 8mm  | CSTT2424               | 24mm                      |
| CSTT2410                         | 10mm | CSTT2426               | 26mm                      |
| CSTT2411                         | 11mm | CSTT2428               | 28mm                      |
| CSTT2412                         | 12mm | CSTT2430               | 30mm                      |
| CSTT2413                         | 13mm | CSTT2432               | 32mm                      |
| CSTT2414                         | 14mm | CSTT2434               | 34mm                      |
| CSTT2416                         | 16mm | CSTT2436               | 36mm                      |
| CSTT2418                         | 18mm | CSTT2438               | 38mm                      |
| CSTT2420                         | 20mm | CSTT2440               | 40mm                      |

● T8 Torx




| 2.7mm Cortex Self Tapping Screws |      | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|----------------------------------|------|------------------------|---------------------------|
| Code                             | L    | Code                   | L                         |
| CSTT2708                         | 8mm  | CSTT2730               | 30mm                      |
| CSTT2710                         | 10mm | CSTT2732               | 32mm                      |
| CSTT2712                         | 12mm | CSTT2734               | 34mm                      |
| CSTT2714                         | 14mm | CSTT2736               | 36mm                      |
| CSTT2716                         | 16mm | CSTT2738               | 38mm                      |
| CSTT2718                         | 18mm | CSTT2740               | 40mm                      |
| CSTT2720                         | 20mm | CSTT2742               | 42mm                      |
| CSTT2722                         | 22mm | CSTT2744               | 44mm                      |
| CSTT2724                         | 24mm | CSTT2746               | 46mm                      |
| CSTT2726                         | 26mm | CSTT2748               | 48mm                      |
| CSTT2728                         | 28mm | CSTT2750               | 50mm                      |

● T8 Torx



| 3.5mm Cortex Self Tapping Screws |      | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|----------------------------------|------|------------------------|---------------------------|
| Code                             | L    | Code                   | L                         |
| CSTT3510                         | 10mm | CSTT3534               | 34mm                      |
| CSTT3512                         | 12mm | CSTT3536               | 36mm                      |
| CSTT3514                         | 14mm | CSTT3538               | 38mm                      |
| CSTT3516                         | 16mm | CSTT3540               | 40mm                      |
| CSTT3518                         | 18mm | CSTT3542               | 42mm                      |
| CSTT3520                         | 20mm | CSTT3544               | 44mm                      |
| CSTT3522                         | 22mm | CSTT3545               | 45mm                      |
| CSTT3524                         | 24mm | CSTT3546               | 46mm                      |
| CSTT3526                         | 26mm | CSTT3548               | 48mm                      |
| CSTT3528                         | 28mm | CSTT3550               | 50mm                      |
| CSTT3530                         | 30mm | CSTT3555               | 55mm                      |
| CSTT3532                         | 32mm | CSTT3560               | 60mm                      |


● T15 Torx



# Cortex Screws


| 4.5mm Cortex Self Tapping Screws |      | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|----------------------------------|------|------------------------|---------------------------|
| Code                             | L    | Code                   | L                         |
| CSST4520                         | 20mm | CSST4546               | 46mm                      |
| CSST4522                         | 22mm | CSST4548               | 48mm                      |
| CSST4524                         | 24mm | CSST4550               | 50mm                      |
| CSST4526                         | 26mm | CSST4552               | 52mm                      |
| CSST4528                         | 28mm | CSST4554               | 54mm                      |
| CSST4530                         | 30mm | CSST4556               | 56mm                      |
| CSST4532                         | 32mm | CSST4558               | 58mm                      |
| CSST4534                         | 34mm | CSST4560               | 60mm                      |
| CSST4536                         | 36mm | CSST4565               | 65mm                      |
| CSST4538                         | 38mm | CSST4570               | 70mm                      |
| CSST4540                         | 40mm | CSST4575               | 75mm                      |
| CSST4542                         | 42mm | CSST4580               | 80mm                      |
| CSST4544                         | 44mm |                        |                           |

● 3.5mm Hexagonal



| 5.5mm Cortex Self Tapping Screws |      | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|----------------------------------|------|------------------------|---------------------------|
| Code                             | L    | Code                   | L                         |
| CSST5524                         | 24mm | CSST5548               | 48mm                      |
| CSST5526                         | 26mm | CSST5550               | 50mm                      |
| CSST5528                         | 28mm | CSST5552               | 52mm                      |
| CSST5530                         | 30mm | CSST5554               | 54mm                      |
| CSST5532                         | 32mm | CSST5556               | 56mm                      |
| CSST5534                         | 34mm | CSST5558               | 58mm                      |
| CSST5536                         | 36mm | CSST5560               | 60mm                      |
| CSST5538                         | 38mm | CSST5564               | 64mm                      |
| CSST5540                         | 40mm | CSST5570               | 70mm                      |
| CSST5542                         | 42mm | CSST5580               | 80mm                      |
| CSST5544                         | 44mm | CSST5590               | 90mm                      |
| CSST5546                         | 46mm | CSST55100              | 100mm                     |

● 3.5mm Hexagonal



# Cancellous Screws

| 2.2mm Cancellous Screws |      | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|-------------------------|------|------------------------|---------------------------|
| Code                    | L    | Code                   | L                         |
| CAN2206                 | 6mm  | CAN2218                | 18mm                      |
| CAN2208                 | 8mm  | CAN2220                | 20mm                      |
| CAN2210                 | 10mm | CAN2222                | 22mm                      |
| CAN2212                 | 12mm | CAN2224                | 24mm                      |
| CAN2214                 | 14mm | CAN2226                | 26mm                      |
| CAN2216                 | 16mm | CAN2228                | 28mm                      |

- Full Thread, 1.5mm Hexagonal

| 2.2mm Titanium Cancellous Screws |      | Veterinary<br>Use Only | Titanium<br>Grade 5 |
|----------------------------------|------|------------------------|---------------------|
| Code                             | L    | Code                   | L                   |
| CAN2212T                         | 12mm | CAN2222T               | 22mm                |
| CAN2214T                         | 14mm | CAN2224T               | 24mm                |
| CAN2216T                         | 16mm | CAN2226T               | 26mm                |
| CAN2218T                         | 18mm | CAN2228T               | 28mm                |
| CAN2220T                         | 20mm | CAN2230T               | 30mm                |





- 1/3Partial Thread, T6 Torx

| 3.0mm Cancellous Screws |      | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|-------------------------|------|------------------------|---------------------------|
| Code                    | L    | Code                   | L                         |
| CAN3010                 | 10mm | CAN3024                | 24mm                      |
| CAN3012                 | 12mm | CAN3026                | 26mm                      |
| CAN3014                 | 14mm | CAN3028                | 28mm                      |
| CAN3016                 | 16mm | CAN3030                | 30mm                      |
| CAN3018                 | 18mm | CAN3032                | 32mm                      |
| CAN3020                 | 20mm | CAN3034                | 34mm                      |
| CAN3022                 | 22mm | CAN3036                | 36mm                      |

- Full Thread, 2.5mm Hexagonal

| 3.0mm Cancellous Screws |      | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|-------------------------|------|------------------------|---------------------------|
| Code                    | L    | Code                   | L                         |
| CAN3016H                | 16mm | CAN3030H               | 30mm                      |
| CAN3018H                | 18mm | CAN3032H               | 32mm                      |
| CAN3020H                | 20mm | CAN3034H               | 34mm                      |
| CAN3022H                | 22mm | CAN3036H               | 36mm                      |
| CAN3024H                | 24mm | CAN3038H               | 38mm                      |
| CAN3026H                | 26mm | CAN3040H               | 40mm                      |
| CAN3028H                | 28mm | CAN3045H               | 45mm                      |


- 1/3Partial Thread, 2.5mm Hexagonal




# Cancellous Screws

| 4.0mm Cancellous Screws |      | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|-------------------------|------|------------------------|---------------------------|
| Code                    | L    | Code                   | L                         |
| CNF4014                 | 14mm | CNF4028                | 28mm                      |
| CNF4016                 | 16mm | CNF4030                | 30mm                      |
| CNF4018                 | 18mm | CNF4035                | 35mm                      |
| CNF4020                 | 20mm | CNF4040                | 40mm                      |
| CNF4022                 | 22mm | CNF4045                | 45mm                      |
| CNF4024                 | 24mm | CNF4050                | 50mm                      |
| CNF4026                 | 26mm |                        |                           |

● Full Thread, 2.5mm Hexagonal



| Washers |             | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|---------|-------------|------------------------|---------------------------|
| Code    | For Screws  | Texture                | Specs                     |
| PW1115  | 1.1mm/1.5mm | Stainless              | 2-Pack                    |
| PW1520  | 1.5mm/2.0mm | Stainless              | 2-Pack                    |
| PW2224  | 2.2mm/2.4mm | Stainless              | 1-Pack                    |
| PW2730  | 2.7mm/3.0mm | Stainless              | 1-Pack                    |
| PW3540  | 3.5mm/4.0mm | Stainless              | 1-Pack                    |



# AO Standard Locking Screw

| 1.5mm Locking Self Tapping Screws |      | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|-----------------------------------|------|------------------------|---------------------------|
| Code                              | L    | Code                   | L                         |
| LS1505                            | 5mm  | LS1513                 | 13mm                      |
| LS1506                            | 6mm  | LS1514                 | 14mm                      |
| LS1507                            | 7mm  | LS1516                 | 16mm                      |
| LS1508                            | 8mm  | LS1518                 | 18mm                      |
| LS1509                            | 9mm  | LS1520                 | 20mm                      |
| LS1510                            | 10mm | LS1522                 | 22mm                      |
| LS1511                            | 11mm | LS1524                 | 24mm                      |
| LS1512                            | 12mm |                        |                           |

● T4 Torx

| 2.0mm Locking Self Tapping Screws |      | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|-----------------------------------|------|------------------------|---------------------------|
| Code                              | L    | Code                   | L                         |
| LS2006                            | 6mm  | LS2016                 | 16mm                      |
| LS2007                            | 7mm  | LS2018                 | 18mm                      |
| LS2008                            | 8mm  | LS2020                 | 20mm                      |
| LS2009                            | 9mm  | LS2022                 | 22mm                      |
| LS2010                            | 10mm | LS2024                 | 24mm                      |
| LS2011                            | 11mm | LS2026                 | 26mm                      |
| LS2012                            | 12mm | LS2028                 | 28mm                      |
| LS2013                            | 13mm | LS2030                 | 30mm                      |
| LS2014                            | 14mm |                        |                           |





● T6 Torx

| 2.4mm Locking Self Tapping Screws |      | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|-----------------------------------|------|------------------------|---------------------------|
| Code                              | L    | Code                   | L                         |
| LS2406                            | 6mm  | LS2422                 | 22mm                      |
| LS2408                            | 8mm  | LS2424                 | 24mm                      |
| LS2410                            | 10mm | LS2426                 | 26mm                      |
| LS2411                            | 11mm | LS2428                 | 28mm                      |
| LS2412                            | 12mm | LS2430                 | 30mm                      |
| LS2413                            | 13mm | LS2432                 | 32mm                      |
| LS2414                            | 14mm | LS2434                 | 34mm                      |
| LS2416                            | 16mm | LS2436                 | 36mm                      |
| LS2418                            | 18mm | LS2438                 | 38mm                      |
| LS2420                            | 20mm | LS2440                 | 40mm                      |

● T8 Torx

| 2.7mm Locking Self Tapping Screws |      | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|-----------------------------------|------|------------------------|---------------------------|
| Code                              | L    | Code                   | L                         |
| LS2708                            | 8mm  | LS2726                 | 26mm                      |
| LS2710                            | 10mm | LS2728                 | 28mm                      |
| LS2712                            | 12mm | LS2730                 | 30mm                      |
| LS2714                            | 14mm | LS2732                 | 32mm                      |
| LS2716                            | 16mm | LS2734                 | 34mm                      |
| LS2718                            | 18mm | LS2736                 | 36mm                      |
| LS2720                            | 20mm | LS2738                 | 38mm                      |
| LS2722                            | 22mm | LS2740                 | 40mm                      |
| LS2724                            | 24mm |                        |                           |

● T8 Torx



# AO Standard Locking Screw

| 3.0mm Locking Self Tapping Screws |      | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|-----------------------------------|------|------------------------|---------------------------|
| Code                              | L    | Code                   | L                         |
| LS3010                            | 10mm | LS3026                 | 26mm                      |
| LS3012                            | 12mm | LS3028                 | 28mm                      |
| LS3014                            | 14mm | LS3030                 | 30mm                      |
| LS3016                            | 16mm | LS3032                 | 32mm                      |
| LS3018                            | 18mm | LS3034                 | 34mm                      |
| LS3020                            | 20mm | LS3036                 | 36mm                      |
| LS3022                            | 22mm | LS3038                 | 38mm                      |
| LS3024                            | 24mm | LS3040                 | 40mm                      |




● T10 Torx

| 3.5mm Locking Self Tapping Screws |      | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|-----------------------------------|------|------------------------|---------------------------|
| Code                              | L    | Code                   | L                         |
| LS3510                            | 10mm | LS3534                 | 34mm                      |
| LS3512                            | 12mm | LS3536                 | 36mm                      |
| LS3514                            | 14mm | LS3538                 | 38mm                      |
| LS3516                            | 16mm | LS3540                 | 40mm                      |
| LS3518                            | 18mm | LS3542                 | 42mm                      |
| LS3520                            | 20mm | LS3544                 | 44mm                      |
| LS3522                            | 22mm | LS3546                 | 46mm                      |
| LS3524                            | 24mm | LS3548                 | 48mm                      |
| LS3526                            | 26mm | LS3550                 | 50mm                      |
| LS3528                            | 28mm | LS3555                 | 55mm                      |
| LS3530                            | 30mm | LS3560                 | 60mm                      |
| LS3532                            | 32mm |                        |                           |

● T15 Torx

| 5.0mm Locking Self Tapping Screws |      | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|-----------------------------------|------|------------------------|---------------------------|
| Code                              | L    | Code                   | L                         |
| LS5014                            | 14mm | LS5042                 | 42mm                      |
| LS5016                            | 16mm | LS5044                 | 44mm                      |
| LS5018                            | 18mm | LS5046                 | 46mm                      |
| LS5020                            | 20mm | LS5048                 | 48mm                      |
| LS5022                            | 22mm | LS5050                 | 50mm                      |
| LS5024                            | 24mm | LS5055                 | 55mm                      |
| LS5026                            | 26mm | LS5060                 | 60mm                      |
| LS5028                            | 28mm | LS5065                 | 65mm                      |
| LS5030                            | 30mm | LS5070                 | 70mm                      |
| LS5032                            | 32mm | LS5075                 | 75mm                      |
| LS5034                            | 34mm | LS5080                 | 80mm                      |
| LS5036                            | 36mm | LS5085                 | 85mm                      |
| LS5038                            | 38mm | LS5090                 | 90mm                      |
| LS5040                            | 40mm |                        |                           |

● T25 Torx



# Titanium Cortex Screw


| ø1.1mm Cortex Screw Self-tapping |     | Veterinary Use Only | Titanium Grade 5 |
|----------------------------------|-----|---------------------|------------------|
| Code                             | L   | Code                | L                |
| TCS1104                          | 4mm | TCS1108             | 8mm              |
| TCS1105                          | 5mm | TCS1109             | 9mm              |
| TCS1106                          | 6mm | TCS1110             | 10mm             |
| TCS1107                          | 7mm | TCS1112             | 12mm             |

● 1.5 Cruciform Matching with ALPS 3.5/4.2



| ø1.5mm Cortex Screw Self-tapping |      | Veterinary Use Only | Titanium Grade 5 |
|----------------------------------|------|---------------------|------------------|
| Code                             | L    | Code                | L                |
| TCS1506                          | 6mm  | TCS1518             | 18mm             |
| TCS1507                          | 7mm  | TCS1520             | 20mm             |
| TCS1508                          | 8mm  | TCS1522             | 22mm             |
| TCS1509                          | 9mm  | TCS1524             | 24mm             |
| TCS1510                          | 10mm | TCS1526             | 26mm             |
| TCS1512                          | 12mm | TCS1528             | 28mm             |
| TCS1514                          | 14mm | TCS1530             | 30mm             |
| TCS1516                          | 16mm |                     |                  |

● T6 Torx Matching with ALPS 5/6.5 and TTA System




| ø2.0mm Cortex Screw Self-tapping |      | Veterinary Use Only | Titanium Grade 5 |
|----------------------------------|------|---------------------|------------------|
| Code                             | L    | Code                | L                |
| TCS2006                          | 6mm  | TCS2016             | 16mm             |
| TCS2007                          | 7mm  | TCS2018             | 18mm             |
| TCS2008                          | 8mm  | TCS2020             | 20mm             |
| TCS2010                          | 10mm | TCS2022             | 22mm             |
| TCS2012                          | 12mm | TCS2024             | 24mm             |
| TCS2014                          | 14mm | TCS2026             | 26mm             |

● T6 Torx Matching with ALPS 5/6.5 and TTA System



| ø2.4mm Cortex Screw Self-tapping |      | Veterinary Use Only | Titanium Grade 5 |
|----------------------------------|------|---------------------|------------------|
| Code                             | L    | Code                | L                |
| TCS2408                          | 8mm  | TCS2422             | 22mm             |
| TCS2410                          | 10mm | TCS2424             | 24mm             |
| TCS2412                          | 12mm | TCS2426             | 26mm             |
| TCS2414                          | 14mm | TCS2428             | 28mm             |
| TCS2416                          | 16mm | TCS2430             | 30mm             |
| TCS2418                          | 18mm | TCS2432             | 32mm             |
| TCS2420                          | 20mm |                     |                  |

● T10 Torx Matching with ALPS 7.5/8.5 and TTA System



# Titanium Cortex Screw


| ø2.7mm Cortex Screw Self-tapping |      | Veterinary<br>Use Only | Titanium<br>Grade 5 |
|----------------------------------|------|------------------------|---------------------|
| Code                             | L    | Code                   | L                   |
| TCS2710                          | 10mm | TCS2724                | 24mm                |
| TCS2712                          | 12mm | TCS2726                | 26mm                |
| TCS2714                          | 14mm | TCS2728                | 28mm                |
| TCS2716                          | 16mm | TCS2730                | 30mm                |
| TCS2718                          | 18mm | TCS2732                | 32mm                |
| TCS2720                          | 20mm | TCS2734                | 34mm                |
| TCS2722                          | 22mm |                        |                     |

● T10 Torx Matching with ALPS 10/11.5 and TTA System



| ø3.5mm Cortex Screw Self-tapping |      | Veterinary<br>Use Only | Titanium<br>Grade 5 |
|----------------------------------|------|------------------------|---------------------|
| Code                             | L    | Code                   | L                   |
| TCS3512                          | 12mm | TCS3532                | 32mm                |
| TCS3514                          | 14mm | TCS3534                | 34mm                |
| TCS3516                          | 16mm | TCS3536                | 36mm                |
| TCS3518                          | 18mm | TCS3538                | 38mm                |
| TCS3520                          | 20mm | TCS3540                | 40mm                |
| TCS3522                          | 22mm | TCS3545                | 45mm                |
| TCS3524                          | 24mm | TCS3550                | 50mm                |
| TCS3526                          | 26mm | TCS3555                | 55mm                |
| TCS3528                          | 28mm | TCS3560                | 60mm                |
| TCS3530                          | 30mm |                        |                     |

● T15 Torx Matching with TTA System



# FKS Titanium Locking Screw

| ø1.3mm Micro FKS Locking |     | Veterinary<br>Use Only | Titanium<br>Grade 5 |
|--------------------------|-----|------------------------|---------------------|
| Code                     | L   | Code                   | L                   |
| FKS1306                  | 6mm | FKS1310                | 10mm                |
| FKS1307                  | 7mm | FKS1312                | 12mm                |
| FKS1308                  | 8mm | FKS1314                | 14mm                |
| FKS1309                  | 9mm | FKS1316                | 16mm                |

● T4 Torx



| ø1.7mm Micro FKS Locking |      | Veterinary<br>Use Only | Titanium<br>Grade 5 |
|--------------------------|------|------------------------|---------------------|
| Code                     | L    | Code                   | L                   |
| FKS1706                  | 6mm  | FKS1712                | 12mm                |
| FKS1707                  | 7mm  | FKS1714                | 14mm                |
| FKS1708                  | 8mm  | FKS1716                | 16mm                |
| FKS1709                  | 9mm  | FKS1718                | 18mm                |
| FKS1710                  | 10mm | FKS1720                | 20mm                |

● T4 Torx



| ø2.0mm FKS Locking Screw |      | Veterinary<br>Use Only | Titanium<br>Grade 5 |
|--------------------------|------|------------------------|---------------------|
| Code                     | L    | Code                   | L                   |
| FKS2006                  | 6mm  | FKS2012                | 12mm                |
| FKS2007                  | 7mm  | FKS2014                | 14mm                |
| FKS2008                  | 8mm  | FKS2016                | 16mm                |
| FKS2009                  | 9mm  | FKS2018                | 18mm                |
| FKS2010                  | 10mm |                        |                     |

● T8 Torx



| ø2.5mm FKS Locking Screw |      | Veterinary<br>Use Only | Titanium<br>Grade 5 |
|--------------------------|------|------------------------|---------------------|
| Code                     | L    | Code                   | L                   |
| FKS2510                  | 10mm | FKS2522                | 22mm                |
| FKS2512                  | 12mm | FKS2524                | 24mm                |
| FKS2514                  | 14mm | FKS2526                | 26mm                |
| FKS2516                  | 16mm | FKS2528                | 28mm                |
| FKS2518                  | 18mm | FKS2530                | 30mm                |
| FKS2520                  | 20mm |                        |                     |

● T8 Torx



# FKS Titanium Locking Screw

| ø3.0mm FKS Locking Screw |      | Veterinary<br>Use Only | Titanium<br>Grade 5 |
|--------------------------|------|------------------------|---------------------|
| Code                     | L    | Code                   | L                   |
| FKS3010                  | 10mm | FKS3022                | 22mm                |
| FKS3012                  | 12mm | FKS3024                | 24mm                |
| FKS3014                  | 14mm | FKS3026                | 26mm                |
| FKS3016                  | 16mm | FKS3028                | 28mm                |
| FKS3018                  | 18mm | FKS3030                | 30mm                |
| FKS3020                  | 20mm |                        |                     |

● T10 Torx



| ø3.5mm FKS Locking Screw |      | Veterinary<br>Use Only | Titanium<br>Grade 5 |
|--------------------------|------|------------------------|---------------------|
| Code                     | L    | Code                   | L                   |
| FKS3512                  | 12mm | FKS3532                | 32mm                |
| FKS3514                  | 14mm | FKS3534                | 34mm                |
| FKS3516                  | 16mm | FKS3536                | 36mm                |
| FKS3518                  | 18mm | FKS3538                | 38mm                |
| FKS3520                  | 20mm | FKS3542                | 42mm                |
| FKS3522                  | 22mm | FKS3546                | 46mm                |
| FKS3524                  | 24mm | FKS3550                | 50mm                |
| FKS3526                  | 26mm | FKS3554                | 54mm                |
| FKS3528                  | 28mm | FKS3558                | 58mm                |
| FKS3530                  | 30mm |                        |                     |

● T10 Torx



# Screw Caddy



## BIORTHO ALPS Screws Caddy

| Code   | Specification |
|--------|---------------|
| ALPS00 | 225X115X50mm  |

### 1.1mm Cortex Screw Selftapping 1.5mm Cruciform

| Code    | L    | Holes |
|---------|------|-------|
| TCS1104 | 4mm  | 6     |
| TCS1105 | 5mm  | 6     |
| TCS1106 | 6mm  | 6     |
| TCS1107 | 7mm  | 6     |
| TCS1108 | 8mm  | 3     |
| TCS1109 | 9mm  | 3     |
| TCS1110 | 10mm | 3     |
| TCS1112 | 12mm | 3     |

### 1.5mm Cortex Screw Selftapping T6 Torx

| Code    | L    | Holes |
|---------|------|-------|
| TCS1506 | 6mm  | 6     |
| TCS1507 | 7mm  | 6     |
| TCS1508 | 8mm  | 6     |
| TCS1510 | 10mm | 6     |
| TCS1512 | 12mm | 6     |
| TCS1514 | 14mm | 6     |
| TCS1516 | 16mm | 6     |
| TCS1518 | 18mm | 6     |
| TCS1520 | 20mm | 3     |
| TCS1522 | 22mm | 3     |
| TCS1524 | 24mm | 3     |
| TCS1526 | 26mm | 3     |
| TCS1528 | 28mm | 3     |
| TCS1530 | 30mm | 3     |

### 2.4mm Cortex Screw Selftapping T10 Torx

| Code    | L    | Holes |
|---------|------|-------|
| TCS2408 | 8mm  | 6     |
| TCS2410 | 10mm | 6     |
| TCS2412 | 12mm | 6     |
| TCS2414 | 14mm | 6     |
| TCS2416 | 16mm | 6     |
| TCS2418 | 18mm | 6     |
| TCS2420 | 20mm | 6     |
| TCS2422 | 22mm | 3     |
| TCS2424 | 24mm | 3     |
| TCS2426 | 26mm | 3     |
| TCS2428 | 28mm | 3     |
| TCS2430 | 30mm | 3     |
| TCS2432 | 32mm | 3     |

### 2.7mm Cortex Screw Selftapping T10 Torx

| Code    | L    | Holes |
|---------|------|-------|
| TCS2710 | 10mm | 3     |
| TCS2712 | 12mm | 3     |
| TCS2714 | 14mm | 6     |
| TCS2716 | 16mm | 6     |
| TCS2718 | 18mm | 6     |
| TCS2720 | 20mm | 6     |
| TCS2722 | 22mm | 6     |
| TCS2724 | 24mm | 6     |
| TCS2726 | 26mm | 6     |
| TCS2728 | 28mm | 3     |
| TCS2730 | 30mm | 3     |
| TCS2732 | 32mm | 3     |
| TCS2734 | 34mm | 3     |

### 1.6mm Locking Self Tapping Screws 1.5mm Cruciform

| Code  | L    | Holes |
|-------|------|-------|
| B1604 | 4mm  | 6     |
| B1605 | 5mm  | 6     |
| B1606 | 6mm  | 6     |
| B1607 | 7mm  | 6     |
| B1608 | 8mm  | 3     |
| B1610 | 10mm | 3     |

### 3.2mm Locking Self Tapping Screws T10 Torx

| Code  | L    | Holes |
|-------|------|-------|
| B3208 | 8mm  | 6     |
| B3210 | 10mm | 6     |
| B3212 | 12mm | 6     |
| B3214 | 14mm | 6     |
| B3216 | 16mm | 6     |
| B3218 | 18mm | 6     |
| B3220 | 20mm | 6     |
| B3222 | 22mm | 6     |
| B3224 | 24mm | 3     |
| B3226 | 26mm | 3     |
| B3228 | 28mm | 3     |
| B3230 | 30mm | 3     |
| B3232 | 32mm | 3     |
| B3234 | 34mm | 3     |

### 2.4mm Locking Self Tapping Screws T6 Torx

| Code  | L    | Holes |
|-------|------|-------|
| B2405 | 5mm  | 6     |
| B2406 | 6mm  | 6     |
| B2408 | 8mm  | 6     |
| B2410 | 10mm | 6     |
| B2412 | 12mm | 6     |
| B2414 | 14mm | 6     |
| B2416 | 16mm | 6     |
| B2418 | 18mm | 3     |
| B2420 | 20mm | 3     |
| B2422 | 22mm | 3     |
| B2424 | 24mm | 3     |

### 4.0mm Locking Self Tapping Screws T10 Torx

| Code  | L    | Holes |
|-------|------|-------|
| B4010 | 10mm | 3     |
| B4012 | 12mm | 3     |
| B4014 | 14mm | 6     |
| B4016 | 16mm | 6     |
| B4018 | 18mm | 6     |
| B4020 | 20mm | 6     |
| B4022 | 22mm | 6     |
| B4024 | 24mm | 6     |
| B4026 | 26mm | 6     |
| B4028 | 28mm | 6     |
| B4030 | 30mm | 3     |
| B4032 | 32mm | 3     |
| B4034 | 34mm | 3     |
| B4036 | 36mm | 3     |
| B4038 | 38mm | 3     |
| B4040 | 40mm | 3     |

# Screw Caddy



BIORTHO Standard Screw Caddy(1.5/2.0/2.4/2.7/3.5mm)

| Code   | Specification |
|--------|---------------|
| CSTT00 | 225X115X50mm  |

| 1.5mm Cortex Screw Selftapping<br>T6 Torx |      |       |  |
|-------------------------------------------|------|-------|--|
| Code                                      | L    | Holes |  |
| CSTT1505                                  | 5mm  | 8     |  |
| CSTT1506                                  | 6mm  | 8     |  |
| CSTT1507                                  | 7mm  | 8     |  |
| CSTT1508                                  | 8mm  | 8     |  |
| CSTT1510                                  | 10mm | 8     |  |
| CSTT1512                                  | 12mm | 8     |  |
| CSTT1514                                  | 14mm | 3     |  |
| CSTT1516                                  | 16mm | 3     |  |
| CSTT1518                                  | 18mm | 3     |  |
| CSTT1520                                  | 20mm | 3     |  |

| 3.5mm Cortex Screw Selftapping<br>T1.5 Torx |      |       |  |
|---------------------------------------------|------|-------|--|
| Code                                        | L    | Holes |  |
| CSTT3512                                    | 12mm | 6     |  |
| CSTT3514                                    | 14mm | 6     |  |
| CSTT3516                                    | 16mm | 6     |  |
| CSTT3518                                    | 18mm | 6     |  |
| CSTT3520                                    | 20mm | 6     |  |
| CSTT3522                                    | 22mm | 6     |  |
| CSTT3524                                    | 24mm | 6     |  |
| CSTT3526                                    | 26mm | 6     |  |
| CSTT3528                                    | 28mm | 6     |  |
| CSTT3530                                    | 30mm | 6     |  |
| CSTT3532                                    | 32mm | 6     |  |
| CSTT3534                                    | 34mm | 3     |  |
| CSTT3536                                    | 36mm | 3     |  |
| CSTT3538                                    | 38mm | 3     |  |
| CSTT3540                                    | 40mm | 3     |  |

| 2.0mm Cortex Screw Selftapping<br>T6 Torx |      |       |  |
|-------------------------------------------|------|-------|--|
| Code                                      | L    | Holes |  |
| CSTT2006                                  | 6mm  | 8     |  |
| CSTT2007                                  | 7mm  | 8     |  |
| CSTT2008                                  | 8mm  | 8     |  |
| CSTT2009                                  | 9mm  | 8     |  |
| CSTT2010                                  | 10mm | 8     |  |
| CSTT2012                                  | 12mm | 8     |  |
| CSTT2014                                  | 14mm | 8     |  |
| CSTT2016                                  | 16mm | 8     |  |
| CSTT2018                                  | 18mm | 8     |  |
| CSTT2020                                  | 20mm | 3     |  |
| CSTT2022                                  | 22mm | 3     |  |
| CSTT2024                                  | 24mm | 3     |  |
| CSTT2026                                  | 26mm | 3     |  |

| 2.4mm Cortex Screw Selftapping<br>T8 Torx |      |       |  |
|-------------------------------------------|------|-------|--|
| Code                                      | L    | Holes |  |
| CSTT2408                                  | 8mm  | 8     |  |
| CSTT2410                                  | 10mm | 8     |  |
| CSTT2412                                  | 12mm | 8     |  |
| CSTT2414                                  | 14mm | 8     |  |
| CSTT2416                                  | 16mm | 8     |  |
| CSTT2418                                  | 18mm | 8     |  |
| CSTT2420                                  | 20mm | 8     |  |
| CSTT2422                                  | 22mm | 8     |  |
| CSTT2424                                  | 24mm | 3     |  |
| CSTT2426                                  | 26mm | 3     |  |
| CSTT2428                                  | 28mm | 3     |  |
| CSTT2430                                  | 30mm | 3     |  |

| 2.7mm Cortex Screw Selftapping<br>T8 Torx |      |       |  |
|-------------------------------------------|------|-------|--|
| Code                                      | L    | Holes |  |
| CSTT2708                                  | 8mm  | 6     |  |
| CSTT2710                                  | 10mm | 6     |  |
| CSTT2712                                  | 12mm | 6     |  |
| CSTT2714                                  | 14mm | 6     |  |
| CSTT2716                                  | 16mm | 6     |  |
| CSTT2718                                  | 18mm | 6     |  |
| CSTT2720                                  | 20mm | 6     |  |
| CSTT2722                                  | 22mm | 6     |  |
| CSTT2724                                  | 24mm | 6     |  |
| CSTT2726                                  | 26mm | 6     |  |
| CSTT2728                                  | 28mm | 3     |  |
| CSTT2730                                  | 30mm | 3     |  |
| CSTT2732                                  | 32mm | 3     |  |
| CSTT2734                                  | 34mm | 3     |  |

# Screw Caddy



## Screw Caddy 1.5/2.0/2.4mm

| Code      | Specification |
|-----------|---------------|
| MINI.014A | 150X95X36mm   |

| 1.5mm Cortex Self Tapping Screws<br>T6 Torx |      |       |
|---------------------------------------------|------|-------|
| Code                                        | L    | Holes |
| CSTT1505                                    | 5mm  | 5     |
| CSTT1506                                    | 6mm  | 5     |
| CSTT1507                                    | 7mm  | 5     |
| CSTT1508                                    | 8mm  | 5     |
| CSTT1509                                    | 9mm  | 5     |
| CSTT1510                                    | 10mm | 5     |
| CSTT1511                                    | 11mm | 5     |
| CSTT1512                                    | 12mm | 5     |
| CSTT1514                                    | 14mm | 5     |
| CSTT1516                                    | 16mm | 5     |
| CSTT1518                                    | 18mm | 5     |
| CSTT1520                                    | 20mm | 5     |

| 2.0mm Cortex Self Tapping Screws<br>T6 Torx |      |       |
|---------------------------------------------|------|-------|
| Code                                        | L    | Holes |
| CSTT2006                                    | 6mm  | 6     |
| CSTT2007                                    | 7mm  | 6     |
| CSTT2008                                    | 8mm  | 6     |
| CSTT2009                                    | 9mm  | 6     |
| CSTT2010                                    | 10mm | 6     |
| CSTT2012                                    | 12mm | 6     |
| CSTT2014                                    | 14mm | 6     |
| CSTT2016                                    | 16mm | 6     |
| CSTT2018                                    | 18mm | 6     |
| CSTT2020                                    | 20mm | 6     |
| CSTT2022                                    | 22mm | 6     |
| CSTT2024                                    | 24mm | 6     |

| 2.4mm Cortex Self Tapping Screws<br>T8 Torx |      |       |
|---------------------------------------------|------|-------|
| Code                                        | L    | Holes |
| CSTT2408                                    | 8mm  | 6     |
| CSTT2410                                    | 10mm | 6     |
| CSTT2412                                    | 12mm | 6     |
| CSTT2414                                    | 14mm | 6     |
| CSTT2416                                    | 16mm | 6     |
| CSTT2418                                    | 18mm | 6     |
| CSTT2420                                    | 20mm | 6     |
| CSTT2422                                    | 22mm | 6     |
| CSTT2424                                    | 24mm | 6     |
| CSTT2426                                    | 26mm | 6     |
| CSTT2428                                    | 28mm | 6     |

# Screw Caddy



## Locking Screws Caddy 1.5/2.0/2.4mm

| Code    | Specification |
|---------|---------------|
| 025.009 | 180X100X40mm  |

### 1.5mm Locking Self Tapping Screws T4 Torx

| Code   | L    | Holes |
|--------|------|-------|
| LS1505 | 5mm  | 5     |
| LS1506 | 6mm  | 5     |
| LS1507 | 7mm  | 5     |
| LS1508 | 8mm  | 5     |
| LS1509 | 9mm  | 5     |
| LS1510 | 10mm | 5     |
| LS1511 | 11mm | 5     |
| LS1512 | 12mm | 5     |
| LS1513 | 13mm | 5     |
| LS1514 | 14mm | 5     |
| LS1516 | 16mm | 5     |
| LS1518 | 18mm | 2     |
| LS1520 | 20mm | 2     |
| LS1522 | 22mm | 2     |
| LS1524 | 24mm | 2     |

### 1.5mm Cortex Self Tapping Screws T4 Torx

| Code     | L    | Holes |
|----------|------|-------|
| VS105.05 | 5mm  | 3     |
| VS105.06 | 6mm  | 3     |
| VS105.07 | 7mm  | 3     |
| VS105.08 | 8mm  | 3     |
| VS105.09 | 9mm  | 3     |
| VS105.10 | 10mm | 3     |
| VS105.11 | 11mm | 3     |
| VS105.12 | 12mm | 3     |
| VS105.13 | 13mm | 3     |
| VS105.14 | 14mm | 3     |
| VS105.16 | 16mm | 3     |
| VS105.18 | 18mm | 2     |
| VS105.20 | 20mm | 2     |
| VS105.22 | 22mm | 1     |
| VS105.24 | 24mm | 1     |

### 2.4mm Locking Self Tapping Screws T8 Torx

| Code   | L    | Holes |
|--------|------|-------|
| LS2406 | 6mm  | 5     |
| LS2408 | 8mm  | 5     |
| LS2410 | 10mm | 5     |
| LS2411 | 11mm | 5     |
| LS2412 | 12mm | 5     |
| LS2413 | 13mm | 5     |
| LS2414 | 14mm | 5     |
| LS2416 | 16mm | 5     |
| LS2418 | 18mm | 5     |
| LS2420 | 20mm | 5     |
| LS2422 | 22mm | 5     |
| LS2424 | 24mm | 5     |
| LS2426 | 26mm | 2     |
| LS2428 | 28mm | 2     |
| LS2430 | 30mm | 2     |
| LS2432 | 32mm | 2     |
| LS2434 | 34mm | 2     |
| LS2436 | 36mm | 2     |
| LS2438 | 38mm | 2     |
| LS2440 | 40mm | 2     |

### 2.4mm Cortex Self Tapping Screws T8 Torx

| Code     | L    | Holes |
|----------|------|-------|
| CSTT2406 | 6mm  | 3     |
| CSTT2408 | 8mm  | 3     |
| CSTT2410 | 10mm | 3     |
| CSTT2411 | 11mm | 3     |
| CSTT2412 | 12mm | 3     |
| CSTT2413 | 13mm | 3     |
| CSTT2414 | 14mm | 3     |
| CSTT2416 | 16mm | 3     |
| CSTT2418 | 18mm | 3     |
| CSTT2420 | 20mm | 3     |
| CSTT2422 | 22mm | 3     |
| CSTT2424 | 24mm | 3     |
| CSTT2426 | 26mm | 2     |
| CSTT2428 | 28mm | 2     |
| CSTT2430 | 30mm | 2     |
| CSTT2432 | 32mm | 2     |
| CSTT2434 | 34mm | 1     |
| CSTT2436 | 36mm | 1     |
| CSTT2438 | 38mm | 1     |
| CSTT2440 | 40mm | 1     |

### 2.0mm Locking Self Tapping Screws T6 Torx

| Code   | L    | Holes |
|--------|------|-------|
| LS2006 | 6mm  | 5     |
| LS2007 | 7mm  | 5     |
| LS2008 | 8mm  | 5     |
| LS2009 | 9mm  | 5     |
| LS2010 | 10mm | 5     |
| LS2011 | 11mm | 5     |
| LS2012 | 12mm | 5     |
| LS2013 | 13mm | 5     |
| LS2014 | 14mm | 5     |
| LS2016 | 16mm | 5     |
| LS2018 | 18mm | 5     |
| LS2020 | 20mm | 5     |
| LS2022 | 22mm | 5     |
| LS2024 | 24mm | 2     |
| LS2026 | 26mm | 2     |
| LS2028 | 28mm | 2     |
| LS2030 | 30mm | 2     |

### 2.0mm Cortex Self Tapping Screws T6 Torx

| Code     | L    | Holes |
|----------|------|-------|
| CSTT2006 | 6mm  | 3     |
| CSTT2007 | 7mm  | 3     |
| CSTT2008 | 8mm  | 3     |
| CSTT2009 | 9mm  | 3     |
| CSTT2010 | 10mm | 3     |
| CSTT2011 | 11mm | 3     |
| CSTT2012 | 12mm | 3     |
| CSTT2013 | 13mm | 3     |
| CSTT2014 | 14mm | 3     |
| CSTT2016 | 16mm | 3     |
| CSTT2018 | 18mm | 3     |
| CSTT2020 | 20mm | 3     |
| CSTT2022 | 22mm | 3     |
| CSTT2024 | 24mm | 2     |
| CSTT2026 | 26mm | 2     |
| CSTT2028 | 28mm | 1     |
| CSTT2030 | 30mm | 1     |

# Screw Caddy



## Locking Screws Caddy 2.7/3.0/3.5mm

| Code                                          |      |       | Specification                                |      |       |
|-----------------------------------------------|------|-------|----------------------------------------------|------|-------|
| 025.010                                       |      |       | 235X125X73mm                                 |      |       |
| 2.7mm Locking Self Tapping Screws<br>T8 Torx  |      |       | 2.7mm Cortex Self Tapping Screws<br>T8 Torx  |      |       |
| Code                                          | L    | Holes | Code                                         | L    | Holes |
| LS2708                                        | 8mm  | 2     | CSTT2708                                     | 8mm  | 2     |
| LS2710                                        | 10mm | 2     | CSTT2710                                     | 10mm | 2     |
| LS2712                                        | 12mm | 4     | CSTT2712                                     | 12mm | 4     |
| LS2714                                        | 14mm | 4     | CSTT2714                                     | 14mm | 4     |
| LS2716                                        | 16mm | 4     | CSTT2716                                     | 16mm | 4     |
| LS2718                                        | 18mm | 4     | CSTT2718                                     | 18mm | 4     |
| LS2720                                        | 20mm | 4     | CSTT2720                                     | 20mm | 4     |
| LS2722                                        | 22mm | 4     | CSTT2722                                     | 22mm | 4     |
| LS2724                                        | 24mm | 4     | CSTT2724                                     | 24mm | 4     |
| LS2726                                        | 26mm | 4     | CSTT2726                                     | 26mm | 4     |
| LS2728                                        | 28mm | 4     | CSTT2728                                     | 28mm | 2     |
| LS2730                                        | 30mm | 4     | CSTT2730                                     | 30mm | 2     |
| LS2732                                        | 32mm | 4     | CSTT2732                                     | 32mm | 2     |
| LS2734                                        | 34mm | 2     | CSTT2734                                     | 34mm | 2     |
| LS2736                                        | 36mm | 2     | CSTT2736                                     | 36mm | 2     |
| LS2738                                        | 38mm | 2     | CSTT2738                                     | 38mm | 2     |
| LS2740                                        | 40mm | 2     | CSTT2740                                     | 40mm | 2     |
| 3.0mm Locking Self Tapping Screws<br>T10 Torx |      |       | CSTT2742                                     | 42mm | 2     |
| Code                                          | L    | Holes | CSTT2744                                     | 44mm | 2     |
| LS3010                                        | 10mm | 2     | CSTT2746                                     | 46mm | 2     |
| LS3012                                        | 12mm | 2     | CSTT2748                                     | 48mm | 2     |
| LS3014                                        | 14mm | 4     | CSTT2750                                     | 50mm | 2     |
| LS3016                                        | 16mm | 4     |                                              |      |       |
| LS3018                                        | 18mm | 4     |                                              |      |       |
| LS3020                                        | 20mm | 4     |                                              |      |       |
| LS3022                                        | 22mm | 4     |                                              |      |       |
| LS3024                                        | 24mm | 4     |                                              |      |       |
| LS3026                                        | 26mm | 4     |                                              |      |       |
| LS3028                                        | 28mm | 4     |                                              |      |       |
| LS3030                                        | 30mm | 4     |                                              |      |       |
| LS3032                                        | 32mm | 4     |                                              |      |       |
| LS3034                                        | 34mm | 4     |                                              |      |       |
| LS3036                                        | 36mm | 4     |                                              |      |       |
| LS3038                                        | 38mm | 2     |                                              |      |       |
| LS3040                                        | 40mm | 2     |                                              |      |       |
| 3.5mm Locking Self Tapping Screws<br>T15 Torx |      |       | 3.5mm Cortex Self Tapping Screws<br>T15 Torx |      |       |
| Code                                          | L    | Holes | Code                                         | L    | Holes |
| LS3510                                        | 10mm | 3     | CSTT3510                                     | 10mm | 2     |
| LS3512                                        | 12mm | 3     | CSTT3512                                     | 12mm | 2     |
| LS3514                                        | 14mm | 6     | CSTT3514                                     | 14mm | 4     |
| LS3516                                        | 16mm | 6     | CSTT3516                                     | 16mm | 4     |
| LS3518                                        | 18mm | 6     | CSTT3518                                     | 18mm | 4     |
| LS3520                                        | 20mm | 6     | CSTT3520                                     | 20mm | 4     |
| LS3522                                        | 22mm | 6     | CSTT3522                                     | 22mm | 4     |
| LS3524                                        | 24mm | 6     | CSTT3524                                     | 24mm | 4     |
| LS3526                                        | 26mm | 6     | CSTT3526                                     | 26mm | 4     |
| LS3528                                        | 28mm | 6     | CSTT3528                                     | 28mm | 4     |
| LS3530                                        | 30mm | 6     | CSTT3530                                     | 30mm | 4     |
| LS3532                                        | 32mm | 6     | CSTT3532                                     | 32mm | 4     |
| LS3534                                        | 34mm | 6     | CSTT3534                                     | 34mm | 4     |
| LS3536                                        | 36mm | 6     | CSTT3536                                     | 36mm | 4     |
| LS3538                                        | 38mm | 6     | CSTT3538                                     | 38mm | 4     |
| LS3540                                        | 40mm | 6     | CSTT3540                                     | 40mm | 2     |
| LS3542                                        | 42mm | 6     | CSTT3542                                     | 42mm | 2     |
| LS3544                                        | 44mm | 3     | CSTT3544                                     | 44mm | 2     |
| LS3546                                        | 46mm | 3     | CSTT3546                                     | 46mm | 2     |
| LS3548                                        | 48mm | 3     | CSTT3548                                     | 48mm | 2     |
| LS3550                                        | 50mm | 3     | CSTT3550                                     | 50mm | 2     |
| LS3555                                        | 55mm | 3     | CSTT3555                                     | 55mm | 2     |
| LS3560                                        | 60mm | 3     | CSTT3560                                     | 60mm | 2     |

# Screw Caddy



## 5.5mm Cortex Self Tapping Screws Set

| Code                                                |      |       | Specification                                       |      |       |                                                     |       |       |
|-----------------------------------------------------|------|-------|-----------------------------------------------------|------|-------|-----------------------------------------------------|-------|-------|
| 000017                                              |      |       | 360X160X110mm                                       |      |       |                                                     |       |       |
| 5.5mm Cortex Self Tapping Screws<br>3.5mm hexagonal |      |       | 5.5mm Cortex Self Tapping Screws<br>3.5mm hexagonal |      |       | 5.5mm Cortex Self Tapping Screws<br>3.5mm hexagonal |       |       |
| Code                                                | L    | Holes | Code                                                | L    | Holes | Code                                                | L     | Holes |
| CSST5524                                            | 24mm | 6     | CSST5540                                            | 40mm | 10    | CSST5556                                            | 56mm  | 10    |
| CSST5526                                            | 26mm | 6     | CSST5542                                            | 42mm | 10    | CSST5558                                            | 58mm  | 10    |
| CSST5528                                            | 28mm | 6     | CSST5544                                            | 44mm | 10    | CSST5560                                            | 60mm  | 10    |
| CSST5530                                            | 30mm | 10    | CSST5546                                            | 46mm | 10    | CSST5564                                            | 64mm  | 10    |
| CSST5532                                            | 32mm | 10    | CSST5548                                            | 48mm | 10    | CSST5570                                            | 70mm  | 10    |
| CSST5534                                            | 34mm | 10    | CSST5550                                            | 50mm | 10    | CSST5580                                            | 80mm  | 4     |
| CSST5536                                            | 36mm | 10    | CSST5552                                            | 52mm | 10    | CSST5590                                            | 90mm  | 4     |
| CSST5538                                            | 38mm | 10    | CSST5554                                            | 54mm | 10    | CSST55100                                           | 100mm | 4     |



## 5.0mm Locking Screws Set

| Code                                          |      |       | Specification                                 |      |       |
|-----------------------------------------------|------|-------|-----------------------------------------------|------|-------|
| 000018                                        |      |       | 360X160X110mm                                 |      |       |
| 5.0mm Locking Self Tapping Screws<br>T25 Torx |      |       | 5.0mm Locking Self Tapping Screws<br>T25 Torx |      |       |
| Code                                          | L    | Holes | Code                                          | L    | Holes |
| LS5014                                        | 14mm | 8     | LS5032                                        | 32mm | 10    |
| LS5016                                        | 16mm | 8     | LS5034                                        | 34mm | 10    |
| LS5018                                        | 18mm | 8     | LS5036                                        | 36mm | 10    |
| LS5020                                        | 20mm | 8     | LS5038                                        | 38mm | 10    |
| LS5022                                        | 22mm | 8     | LS5040                                        | 40mm | 10    |
| LS5024                                        | 24mm | 8     | LS5042                                        | 42mm | 10    |
| LS5026                                        | 26mm | 8     | LS5044                                        | 44mm | 10    |
| LS5028                                        | 28mm | 10    | LS5046                                        | 46mm | 10    |
| LS5030                                        | 30mm | 8     | LS5048                                        | 48mm | 10    |
| 5.0mm Locking Self Tapping Screws<br>T25 Torx |      |       | 5.0mm Locking Self Tapping Screws<br>T25 Torx |      |       |
| Code                                          | L    | Holes | Code                                          | L    | Holes |
| LS5050                                        | 50mm | 10    | LS5055                                        | 55mm | 10    |
| LS5060                                        | 60mm | 4     | LS5065                                        | 65mm | 4     |
| LS5070                                        | 70mm | 4     | LS5075                                        | 75mm | 4     |
| LS5080                                        | 80mm | 4     | LS5085                                        | 85mm | 4     |
| LS5090                                        | 90mm | 4     |                                               |      |       |

# Screw Caddy



## Locking Screws Rack 1.5/2.0/2.4mm

| Code     | Specification |
|----------|---------------|
| MC152024 | 225X110X50mm  |

### 1.5mm Locking Self Tapping Screws T4 Torx

| Code   | L    | Holes |
|--------|------|-------|
| LS1505 | 5mm  | 6     |
| LS1506 | 6mm  | 6     |
| LS1507 | 7mm  | 6     |
| LS1508 | 8mm  | 6     |
| LS1509 | 9mm  | 6     |
| LS1510 | 10mm | 6     |
| LS1511 | 11mm | 6     |
| LS1512 | 12mm | 6     |
| LS1514 | 14mm | 6     |
| LS1516 | 16mm | 6     |
| LS1518 | 18mm | 6     |
| LS1520 | 20mm | 6     |
| LS1522 | 22mm | 6     |
| LS1524 | 24mm | 6     |

### 1.5mm Cortex Self Tapping Screws T4 Torx

| Code     | L    | Holes |
|----------|------|-------|
| VS105.05 | 5mm  | 4     |
| VS105.06 | 6mm  | 4     |
| VS105.07 | 7mm  | 4     |
| VS105.08 | 8mm  | 4     |
| VS105.09 | 9mm  | 4     |
| VS105.10 | 10mm | 4     |
| VS105.11 | 11mm | 4     |
| VS105.12 | 12mm | 4     |
| VS105.14 | 14mm | 4     |
| VS105.16 | 16mm | 4     |
| VS105.18 | 18mm | 4     |
| VS105.20 | 20mm | 4     |
| VS105.22 | 22mm | 4     |
| VS105.24 | 24mm | 4     |

### 2.4mm Locking Self Tapping Screws T8 Torx

| Code   | L    | Holes |
|--------|------|-------|
| LS2406 | 6mm  | 6     |
| LS2408 | 8mm  | 6     |
| LS2410 | 10mm | 6     |
| LS2411 | 11mm | 6     |
| LS2412 | 12mm | 6     |
| LS2413 | 13mm | 6     |
| LS2414 | 14mm | 6     |
| LS2416 | 16mm | 6     |
| LS2418 | 18mm | 6     |
| LS2420 | 20mm | 6     |
| LS2422 | 22mm | 6     |
| LS2424 | 24mm | 6     |
| LS2426 | 26mm | 6     |
| LS2428 | 28mm | 6     |
| LS2430 | 30mm | 6     |
| LS2432 | 32mm | 6     |
| LS2434 | 34mm | 6     |
| LS2436 | 36mm | 6     |
| LS2438 | 38mm | 6     |
| LS2440 | 40mm | 6     |

### 2.4mm Cortex Self Tapping Screws T8 Torx

| Code     | L    | Holes |
|----------|------|-------|
| CSTT2406 | 6mm  | 4     |
| CSTT2408 | 8mm  | 4     |
| CSTT2410 | 10mm | 4     |
| CSTT2411 | 11mm | 4     |
| CSTT2412 | 12mm | 4     |
| CSTT2413 | 13mm | 4     |
| CSTT2414 | 14mm | 4     |
| CSTT2416 | 16mm | 4     |
| CSTT2418 | 18mm | 4     |
| CSTT2420 | 20mm | 4     |
| CSTT2422 | 22mm | 4     |
| CSTT2424 | 24mm | 4     |
| CSTT2426 | 26mm | 4     |
| CSTT2428 | 28mm | 4     |
| CSTT2430 | 30mm | 4     |
| CSTT2432 | 32mm | 4     |
| CSTT2434 | 34mm | 4     |
| CSTT2436 | 36mm | 4     |
| CSTT2438 | 38mm | 4     |
| CSTT2440 | 40mm | 4     |

### 2.0mm Locking Self Tapping Screws T6 Torx

| Code   | L    | Holes |
|--------|------|-------|
| LS2006 | 6mm  | 6     |
| LS2007 | 7mm  | 6     |
| LS2008 | 8mm  | 6     |
| LS2009 | 9mm  | 6     |
| LS2010 | 10mm | 6     |
| LS2011 | 11mm | 6     |
| LS2012 | 12mm | 6     |
| LS2014 | 14mm | 6     |
| LS2016 | 16mm | 6     |
| LS2018 | 18mm | 6     |
| LS2020 | 20mm | 6     |
| LS2022 | 22mm | 6     |
| LS2024 | 24mm | 6     |

### 2.0mm Cortex Self Tapping Screws T6 Torx

| Code     | L    | Holes |
|----------|------|-------|
| CSTT2006 | 6mm  | 4     |
| CSTT2007 | 7mm  | 4     |
| CSTT2008 | 8mm  | 4     |
| CSTT2009 | 9mm  | 4     |
| CSTT2010 | 10mm | 4     |
| CSTT2011 | 11mm | 4     |
| CSTT2012 | 12mm | 4     |
| CSTT2014 | 14mm | 4     |
| CSTT2016 | 16mm | 4     |
| CSTT2018 | 18mm | 4     |
| CSTT2020 | 20mm | 4     |
| CSTT2022 | 22mm | 4     |
| CSTT2024 | 24mm | 4     |

# Screw Caddy



## Locking Screws Rack 2.7/3.0/3.5mm

| Code     | Specification |
|----------|---------------|
| MC273035 | 225X120X80mm  |

### 2.7mm Locking Self Tapping Screws T8 Torx

| Code   | L    | Holes |
|--------|------|-------|
| LS2708 | 8mm  | 2     |
| LS2710 | 10mm | 2     |
| LS2712 | 12mm | 4     |
| LS2714 | 14mm | 8     |
| LS2716 | 16mm | 8     |
| LS2718 | 18mm | 8     |
| LS2720 | 20mm | 4     |
| LS2722 | 22mm | 4     |
| LS2724 | 24mm | 4     |
| LS2726 | 26mm | 4     |
| LS2728 | 28mm | 4     |
| LS2730 | 30mm | 4     |
| LS2732 | 32mm | 4     |
| LS2734 | 34mm | 2     |
| LS2736 | 36mm | 2     |
| LS2738 | 38mm | 2     |
| LS2740 | 40mm | 2     |

### 3.0mm Locking Self Tapping Screws T10 Torx

| Code   | L    | Holes |
|--------|------|-------|
| LS3010 | 10mm | 1     |
| LS3012 | 12mm | 1     |
| LS3014 | 14mm | 4     |
| LS3016 | 16mm | 4     |
| LS3018 | 18mm | 4     |
| LS3020 | 20mm | 4     |
| LS3022 | 22mm | 2     |
| LS3024 | 24mm | 2     |
| LS3026 | 26mm | 2     |
| LS3028 | 28mm | 2     |
| LS3030 | 30mm | 2     |
| LS3032 | 32mm | 2     |
| LS3034 | 34mm | 1     |
| LS3036 | 36mm | 1     |
| LS3038 | 38mm | 1     |
| LS3040 | 40mm | 1     |

### 2.7mm Cortex Self Tapping Screws T8 Torx

| Code     | L    | Holes |
|----------|------|-------|
| CSTT2708 | 8mm  | 1     |
| CSTT2710 | 10mm | 1     |
| CSTT2712 | 12mm | 2     |
| CSTT2714 | 14mm | 4     |
| CSTT2716 | 16mm | 4     |
| CSTT2718 | 18mm | 4     |
| CSTT2720 | 20mm | 4     |
| CSTT2722 | 22mm | 2     |
| CSTT2724 | 24mm | 2     |
| CSTT2726 | 26mm | 2     |
| CSTT2728 | 28mm | 2     |
| CSTT2730 | 30mm | 2     |
| CSTT2732 | 32mm | 2     |
| CSTT2734 | 34mm | 2     |
| CSTT2736 | 36mm | 2     |
| CSTT2738 | 38mm | 2     |
| CSTT2740 | 40mm | 1     |
| CSTT2742 | 42mm | 1     |
| CSTT2744 | 44mm | 1     |
| CSTT2746 | 46mm | 1     |
| CSTT2748 | 48mm | 1     |
| CSTT2750 | 50mm | 1     |

### 3.5mm Locking Self Tapping Screws T15 Torx

| Code   | L    | Holes |
|--------|------|-------|
| LS3510 | 10mm | 2     |
| LS3512 | 12mm | 3     |
| LS3514 | 14mm | 5     |
| LS3516 | 16mm | 5     |
| LS3518 | 18mm | 10    |
| LS3520 | 20mm | 10    |
| LS3522 | 22mm | 10    |
| LS3524 | 24mm | 10    |
| LS3526 | 26mm | 5     |
| LS3528 | 28mm | 5     |
| LS3530 | 30mm | 5     |
| LS3532 | 32mm | 5     |
| LS3534 | 34mm | 5     |
| LS3536 | 36mm | 5     |
| LS3538 | 38mm | 5     |
| LS3540 | 40mm | 5     |
| LS3542 | 42mm | 5     |
| LS3544 | 44mm | 5     |
| LS3546 | 46mm | 3     |
| LS3548 | 48mm | 2     |
| LS3550 | 50mm | 2     |
| LS3555 | 55mm | 2     |
| LS3560 | 60mm | 1     |

### 3.5mm Cortex Self Tapping Screws T15 Torx

| Code     | L    | Holes |
|----------|------|-------|
| CSTT3510 | 10mm | 3     |
| CSTT3512 | 12mm | 3     |
| CSTT3514 | 14mm | 3     |
| CSTT3516 | 16mm | 3     |
| CSTT3518 | 18mm | 3     |
| CSTT3520 | 20mm | 6     |
| CSTT3522 | 22mm | 9     |
| CSTT3524 | 24mm | 3     |
| CSTT3526 | 26mm | 3     |
| CSTT3528 | 28mm | 3     |
| CSTT3530 | 30mm | 3     |
| CSTT3532 | 32mm | 3     |
| CSTT3534 | 34mm | 3     |
| CSTT3536 | 36mm | 3     |
| CSTT3538 | 38mm | 3     |
| CSTT3540 | 40mm | 3     |
| CSTT3542 | 42mm | 3     |
| CSTT3544 | 44mm | 3     |
| CSTT3546 | 46mm | 2     |
| CSTT3548 | 48mm | 1     |
| CSTT3550 | 50mm | 1     |
| CSTT3555 | 55mm | 1     |
| CSTT3560 | 60mm | 1     |

# Veterinary Bone Plates



# Stainless Cuttable Plates

| 1.5mm Cuttable Plates |       |           |                | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|-----------------------|-------|-----------|----------------|------------------------|---------------------------|
| Code                  | Width | Thickness | Holes Distance | Holes                  | L                         |
| CP153827              | 3.8mm | 1.3mm     | 5mm            | 27                     | 150mm                     |

Matching Screws ● CSTT15

3+5Holes With Space 

4+5Holes With Space 





| 1.5mm Double T Head Cuttable<br>Malleable |       |           |                | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|-------------------------------------------|-------|-----------|----------------|------------------------|---------------------------|
| Code                                      | Width | Thickness | Holes Distance | Holes                  | L                         |
| MPT153830                                 | 3.8mm | 1.3mm     | 5mm            | 30                     | 160mm                     |

Matching Screws ● CSTT15



| 2.0mm Cuttable Plates |       |           |                | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|-----------------------|-------|-----------|----------------|------------------------|---------------------------|
| Code                  | Width | Thickness | Holes Distance | Holes                  | L                         |
| CP205533              | 5.5mm | 2.0mm     | 5.5mm          | 33                     | 215mm                     |

Matching Screws ● CSTT20, CSTT15

3+5Holes With Space 

6+5Holes With Space 

4+6Holes With Space 





| 2.4mm Cuttable Plates |       |           |                | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|-----------------------|-------|-----------|----------------|------------------------|---------------------------|
| Code                  | Width | Thickness | Holes Distance | Holes                  | L                         |
| CP246523              | 6.5mm | 1.8mm     | 6mm            | 23                     | 161mm                     |

Matching Screws ● CSTT24

3+5Holes With Space 

6+5Holes With Space 

 2+6Holes With Space





# Stainless Cuttable Malleable Plates

| 1.5mm Cuttable Malleable Plates |       |           |                | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|---------------------------------|-------|-----------|----------------|------------------------|---------------------------|
| Code                            | Width | Thickness | Holes Distance | Holes                  | L                         |
| CM154020                        | 4mm   | 1.3mm     | 5mm            | 20                     | 100mm                     |

Matching Screws ● CSTT15



| 2.0mm Cuttable Malleable Plates |       |           |                | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|---------------------------------|-------|-----------|----------------|------------------------|---------------------------|
| Code                            | Width | Thickness | Holes Distance | Holes                  | L                         |
| CM205020                        | 5.0mm | 1.5mm     | 5mm            | 20                     | 100mm                     |

Matching Screws ● CSTT20, CSTT15



| 2.4mm Cuttable Malleable Plates |       |           |                | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|---------------------------------|-------|-----------|----------------|------------------------|---------------------------|
| Code                            | Width | Thickness | Holes Distance | Holes                  | L                         |
| CM246525                        | 6.5mm | 2.0mm     | 6.5mm          | 25                     | 161mm                     |

Matching Screws ● CSTT24



| 2.7mm Cuttable Malleable Plates |       |           |                | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|---------------------------------|-------|-----------|----------------|------------------------|---------------------------|
| Code                            | Width | Thickness | Holes Distance | Holes                  | L                         |
| CM272020                        | 8mm   | 2.2mm     | 8mm            | 20                     | 160mm                     |

Matching Screws ● CSTT24, CSTT27



# Stainless Cuttable Malleable Plates

| 2.0mm High Strength Double Compression Plate |       |           |       | Veterinary Use Only | Stainless Steel 316LVM |
|----------------------------------------------|-------|-----------|-------|---------------------|------------------------|
| Code                                         | Width | Thickness | Holes | L                   |                        |
| DCP20180                                     | 5.5mm | 1.7mm     | 28    | 180mm               |                        |

Matching Screws ● CSTT20, CSTT15




| 2.4mm High Strength Double Compression Plate |       |           |                | Veterinary Use Only | Stainless Steel 316LVM |
|----------------------------------------------|-------|-----------|----------------|---------------------|------------------------|
| Code                                         | Width | Thickness | Holes Distance | Holes               | L                      |
| DCP24180                                     | 7mm   | 2.3mm     | 6mm            | 23                  | 180mm                  |

Matching Screws ● CSTT24



| 2.7mm High Strength Double Compression Plate |       |           |                | Veterinary Use Only | Stainless Steel 316LVM |
|----------------------------------------------|-------|-----------|----------------|---------------------|------------------------|
| Code                                         | Width | Thickness | Holes Distance | Holes               | L                      |
| DCP27180                                     | 8.5mm | 3mm       | 8mm            | 23                  | 180mm                  |

Matching Screws ● CSTT27




| 3.5mm Compression Cuttable Malleable |       |       |       | Veterinary Use Only | Stainless Steel 316LVM |
|--------------------------------------|-------|-------|-------|---------------------|------------------------|
| Code                                 | Width | Holes | L     |                     |                        |
| RC3522                               | 11mm  | 22    | 260mm |                     |                        |

Matching Screws ● CSTT35



# Stainless Steel Round Hole Plates

| ‘T’ Plates |                 |           |             |           | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|------------|-----------------|-----------|-------------|-----------|------------------------|---------------------------|
| Code       | Specification   | Head Wide | Shaft Width | Thickness | Holes                  | L                         |
| TP150304   | 1.5             | 8.0mm     | 3.8mm       | 1.5mm     | Head 2/Shaft 4         | 29mm                      |
| TP150205   | 1.5             | 8.0mm     | 3.8mm       | 1.5mm     | Head 2/Shaft 5         | 32mm                      |
| TP200204   | 2.0             | 12mm      | 5.2mm       | 1.5mm     | Head 2/Shaft 4         | 37mm                      |
| TP200203C  | Compression 2.0 | 8.8mm     | 5.2mm       | 1.5mm     | Head 2/Shaft 4         | 28mm                      |
| TP200205C  | Compression 2.0 | 8.8mm     | 5.2mm       | 1.5mm     | Head 2/Shaft 5         | 42mm                      |
| TP200303C  | Compression 2.0 | 8.8mm     | 5.2mm       | 1.5mm     | Head 3/Shaft 3         | 35mm                      |
| TP200304C  | Compression 2.0 | 8.8mm     | 5.2mm       | 1.5mm     | Head 3/Shaft 4         | 49mm                      |
| TP200308C  | Compression 2.0 | 8.8mm     | 5.2mm       | 1.5mm     | Head 3/Shaft 8         | 70mm                      |
| TP240307   | 2.4             | 11.5mm    | 6.5mm       | 2.0mm     | Head 3/Shaft 7         | 63mm                      |
| TP240208   | 2.4             | 14mm      | 6.5mm       | 2.0mm     | Head 2/Shaft 8         | 60mm                      |




# Acetabular Plates

| Acetabular Plates |           |       | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|-------------------|-----------|-------|------------------------|---------------------------|
| Code              | Use Screw | Holes |                        |                           |
| AP1504            | 1.5       | 4     |                        |                           |
| AP2004            | 2.0       | 4     |                        |                           |
| AP2406            | 2.4       | 6     |                        |                           |
| AP2706            | 2.7       | 6     |                        |                           |
| AP3506            | 3.5       | 6     |                        |                           |



| Butterfly Plate |           |       |      | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|-----------------|-----------|-------|------|------------------------|---------------------------|
| Code            | Thickness | Holes | L    |                        |                           |
| BTFP15414       | 1.5mm     | 4     | 14mm |                        |                           |
| BTFP15415       | 1.5mm     | 4     | 15mm |                        |                           |
| BTFP15619       | 1.5mm     | 6     | 19mm |                        |                           |
| BTFP20416       | 2.0mm     | 4     | 16mm |                        |                           |
| BTFP20417       | 2.0mm     | 4     | 17mm |                        |                           |
| BTFP20623       | 2.0mm     | 6     | 23mm |                        |                           |
| BTFP24418       | 2.4mm     | 4     | 18mm |                        |                           |
| BTFP24420       | 2.4mm     | 4     | 20mm |                        |                           |
| BTFP24626       | 2.4mm     | 6     | 26mm |                        |                           |
| BTFP27421       | 2.7mm     | 4     | 21mm |                        |                           |
| BTFP27425       | 2.7mm     | 4     | 25mm |                        |                           |
| BTFP27630       | 2.7mm     | 6     | 30mm |                        |                           |




# Supracondylar Plates


| Supracondylar Plates |               |             | Veterinary Use Only | Stainless Steel 316LVM |
|----------------------|---------------|-------------|---------------------|------------------------|
| Code                 | Specification | Shaft Width | Holes               | L                      |
| SP2016L              | 2.0mm Left    | 5.5mm       | 16                  | 75mm                   |
| SP2016R              | 2.0mm Right   | 5.5mm       | 16                  | 75mm                   |
| SP2410L              | 2.4mm Left    | 6.5mm       | 10                  | 75mm                   |
| SP2410R              | 2.4mm Right   | 6.5mm       | 10                  | 75mm                   |



| Partial Carpal Arthrodesis Plate |               |            | Veterinary Use Only | Stainless Steel 316LVM |
|----------------------------------|---------------|------------|---------------------|------------------------|
| Code                             | Specification | Head Width | Shaft Width         |                        |
| PCA1520                          | 1.5/2.0mm     | 8mm        | 5mm                 |                        |



| Pantarsal Arthrodesis Plate |                |            | Veterinary Use Only | Stainless Steel 316LVM |
|-----------------------------|----------------|------------|---------------------|------------------------|
| Code                        | Specification  | Left/Right |                     |                        |
| PAP1520R                    | 1.5/2.0mm 120° | Right      |                     |                        |
| PAP1520L                    | 1.5/2.0mm 120° | Left       |                     |                        |
| PAP2024R                    | 2.0/2.4mm 120° | Right      |                     |                        |
| PAP2024L                    | 2.0/2.4mm 120° | Left       |                     |                        |




# Compression Plates DCP

| 2.0mm DCP |       |           | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|-----------|-------|-----------|------------------------|---------------------------|
| Code      | Width | Thickness | Holes                  | L                         |
| 200.04    | 5mm   | 1.5mm     | 4                      | 23mm                      |
| 200.05    | 5mm   | 1.5mm     | 5                      | 28mm                      |
| 200.06    | 5mm   | 1.5mm     | 6                      | 33mm                      |
| 200.07    | 5mm   | 1.5mm     | 7                      | 38mm                      |
| 200.08    | 5mm   | 1.5mm     | 8                      | 43mm                      |
| 200.09    | 5mm   | 1.8mm     | 9                      | 48mm                      |
| 200.10    | 5mm   | 1.8mm     | 10                     | 53mm                      |
| 200.11    | 5mm   | 1.8mm     | 11                     | 58mm                      |
| 200.12    | 5mm   | 1.8mm     | 12                     | 63mm                      |
| 200.14    | 5mm   | 1.8mm     | 14                     | 73mm                      |



Matching Screws ● CSTT20

| 2.7mm DCP |       |           | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|-----------|-------|-----------|------------------------|---------------------------|
| Code      | Width | Thickness | Holes                  | L                         |
| 270.04    | 8mm   | 2mm       | 4                      | 37mm                      |
| 270.05    | 8mm   | 2mm       | 5                      | 45mm                      |
| 270.06    | 8mm   | 2mm       | 6                      | 53mm                      |
| 270.07    | 8mm   | 2mm       | 7                      | 61mm                      |
| 270.08    | 8mm   | 2mm       | 8                      | 69mm                      |
| 270.09    | 8mm   | 2mm       | 9                      | 77mm                      |
| 270.10    | 8mm   | 2mm       | 10                     | 85mm                      |
| 270.11    | 8mm   | 2mm       | 11                     | 93mm                      |
| 270.12    | 8mm   | 2mm       | 12                     | 101mm                     |
| 270.14    | 8mm   | 2mm       | 14                     | 117mm                     |



Matching Screws ● CSTT27

| 3.5mm DCP-Narrow |       |           | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|------------------|-------|-----------|------------------------|---------------------------|
| Code             | Width | Thickness | Holes                  | L                         |
| 35N.06           | 10mm  | 2.8mm     | 6                      | 77mm                      |
| 35N.07           | 10mm  | 2.8mm     | 7                      | 89mm                      |
| 35N.08           | 10mm  | 2.8mm     | 8                      | 101mm                     |
| 35N.09           | 10mm  | 2.8mm     | 9                      | 113mm                     |
| 35N.10           | 10mm  | 2.8mm     | 10                     | 125mm                     |
| 35N.12           | 10mm  | 2.8mm     | 12                     | 149mm                     |
| 35N.14           | 10mm  | 2.8mm     | 14                     | 173mm                     |



Matching Screws ● CSTT35

| 3.5mm DCP-Broad |       |           | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|-----------------|-------|-----------|------------------------|---------------------------|
| Code            | Width | Thickness | Holes                  | L                         |
| 35B.08          | 12mm  | 3.3mm     | 8                      | 116mm                     |
| 35B.10          | 12mm  | 3.3mm     | 10                     | 144mm                     |
| 35B.12          | 12mm  | 3.3mm     | 12                     | 172mm                     |
| 35B.14          | 12mm  | 3.3mm     | 14                     | 200mm                     |




Matching Screws ● CSTT35

# Limited Contact Compression Plates LC-DCP

| 2.0mm/1.5mm LC-DCP |       |           |                | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|--------------------|-------|-----------|----------------|------------------------|---------------------------|
| Code               | Width | Thickness | Holes Distance | Holes                  | L                         |
| 3011.05            | 5mm   | 1.8mm     | 6mm            | 5                      | 31mm                      |
| 3011.06            | 5mm   | 1.8mm     | 6mm            | 6                      | 37mm                      |
| 3011.07            | 5mm   | 1.8mm     | 6mm            | 7                      | 43mm                      |
| 3011.08            | 5mm   | 1.8mm     | 6mm            | 8                      | 49mm                      |
| 3011.09            | 5mm   | 1.8mm     | 6mm            | 9                      | 55mm                      |
| 3011.10            | 5mm   | 1.8mm     | 6mm            | 10                     | 61mm                      |
| 3011.12            | 5mm   | 1.8mm     | 6mm            | 12                     | 73mm                      |
| 3011.14            | 5mm   | 1.8mm     | 6mm            | 14                     | 85mm                      |

Matching Screws ● CSTT20



| 2.4mm/2.0mm LC-DCP |       |           |                | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|--------------------|-------|-----------|----------------|------------------------|---------------------------|
| Code               | Width | Thickness | Holes Distance | Holes                  | L                         |
| 3021.04            | 6.5mm | 2.5mm     | 8mm            | 4                      | 41mm                      |
| 3021.05            | 6.5mm | 2.5mm     | 8mm            | 5                      | 45mm                      |
| 3021.06            | 6.5mm | 2.5mm     | 8mm            | 6                      | 49mm                      |
| 3021.07            | 6.5mm | 2.5mm     | 8mm            | 7                      | 57mm                      |
| 3021.08            | 6.5mm | 2.5mm     | 8mm            | 8                      | 65mm                      |
| 3021.09            | 6.5mm | 2.5mm     | 8mm            | 9                      | 73mm                      |
| 3021.10            | 6.5mm | 2.5mm     | 8mm            | 10                     | 81mm                      |
| 3021.12            | 6.5mm | 2.5mm     | 8mm            | 12                     | 97mm                      |
| 3021.14            | 6.5mm | 2.5mm     | 8mm            | 14                     | 113mm                     |

Matching Screws ● CSTT20, CSTT24



| 2.7mm LC-DCP |       |           |                | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|--------------|-------|-----------|----------------|------------------------|---------------------------|
| Code         | Width | Thickness | Holes Distance | Holes                  | L                         |
| 3031.04      | 8mm   | 2.5mm     | 9mm            | 4                      | 46mm                      |
| 3031.05      | 8mm   | 2.5mm     | 9mm            | 5                      | 46mm                      |
| 3031.06      | 8mm   | 2.5mm     | 9mm            | 6                      | 55mm                      |
| 3031.07      | 8mm   | 2.5mm     | 9mm            | 7                      | 64mm                      |
| 3031.08      | 8mm   | 2.5mm     | 9mm            | 8                      | 73mm                      |
| 3032.09      | 8mm   | 3mm       | 9mm            | 9                      | 82mm                      |
| 3032.10      | 8mm   | 3mm       | 9mm            | 10                     | 91mm                      |
| 3032.11      | 8mm   | 3mm       | 9mm            | 11                     | 100mm                     |
| 3032.12      | 8mm   | 3mm       | 9mm            | 12                     | 109mm                     |
| 3032.14      | 8mm   | 3mm       | 9mm            | 14                     | 127mm                     |
| 3032.16      | 8mm   | 3mm       | 9mm            | 16                     | 145mm                     |


Matching Screws ● CSTT27



# Limited Contact Compression Plates LC-DCP

| 3.5mm LC-DCP |       |           |                | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|--------------|-------|-----------|----------------|------------------------|---------------------------|
| Code         | Width | Thickness | Holes Distance | Holes                  | L                         |
| 3041.06      | 11mm  | 3.2mm     | 13mm           | 6                      | 80mm                      |
| 3041.07      | 11mm  | 3.2mm     | 13mm           | 7                      | 93mm                      |
| 3041.08      | 11mm  | 3.2mm     | 13mm           | 8                      | 106mm                     |
| 3041.09      | 11mm  | 3.2mm     | 13mm           | 9                      | 119mm                     |
| 3041.10      | 11mm  | 3.2mm     | 13mm           | 10                     | 132mm                     |
| 3041.11      | 11mm  | 3.2mm     | 13mm           | 11                     | 145mm                     |
| 3041.12      | 11mm  | 3.2mm     | 13mm           | 12                     | 158mm                     |
| 3041.14      | 11mm  | 3.2mm     | 13mm           | 14                     | 184mm                     |
| 3041.16      | 11mm  | 3.2mm     | 13mm           | 16                     | 210mm                     |

Matching Screws ● CSTT35



# Locking Compression Plates LCP


| 1.5mm LCP |       |           |     | Veterinary<br>Use Only | Stainless Steel<br>316LVM |      |
|-----------|-------|-----------|-----|------------------------|---------------------------|------|
| Code      | Width | Thickness | HD  | CHD                    | Holes                     | L    |
| 4011.05   | 4mm   | 1.5mm     | 6mm | 4mm                    | 5                         | 30mm |
| 4011.06   | 4mm   | 1.5mm     | 6mm | 4mm                    | 6                         | 36mm |
| 4011.07   | 4mm   | 1.5mm     | 6mm | 4mm                    | 7                         | 42mm |
| 4011.08   | 4mm   | 1.5mm     | 6mm | 4mm                    | 8                         | 48mm |
| 4011.09   | 4mm   | 1.5mm     | 6mm | 4mm                    | 9                         | 54mm |
| 4011.10   | 4mm   | 1.5mm     | 6mm | 4mm                    | 10                        | 60mm |
| 4011.11   | 4mm   | 1.5mm     | 6mm | 4mm                    | 11                        | 66mm |
| 4011.12   | 4mm   | 1.5mm     | 6mm | 4mm                    | 12                        | 72mm |
| 4011.14   | 4mm   | 1.5mm     | 6mm | 4mm                    | 14                        | 84mm |

Matching Screws ● LS15, CSTT15



| 2.0mm LCP |       |           |     | Veterinary<br>Use Only | Stainless Steel<br>316LVM |       |
|-----------|-------|-----------|-----|------------------------|---------------------------|-------|
| Code      | Width | Thickness | HD  | CHD                    | Holes                     | L     |
| 4012.05   | 5mm   | 1.5mm     | 7mm | 5mm                    | 5                         | 34mm  |
| 4012.06   | 5mm   | 1.5mm     | 7mm | 5mm                    | 6                         | 41mm  |
| 4012.07   | 5mm   | 1.5mm     | 7mm | 5mm                    | 7                         | 48mm  |
| 4012.08   | 5mm   | 1.5mm     | 7mm | 5mm                    | 8                         | 55mm  |
| 4012.09   | 5mm   | 1.8mm     | 7mm | 5mm                    | 9                         | 62mm  |
| 4012.10   | 5mm   | 1.8mm     | 7mm | 5mm                    | 10                        | 69mm  |
| 4012.11   | 5mm   | 1.8mm     | 7mm | 5mm                    | 11                        | 76mm  |
| 4012.12   | 5mm   | 1.8mm     | 7mm | 5mm                    | 12                        | 83mm  |
| 4012.14   | 5mm   | 1.8mm     | 7mm | 5mm                    | 14                        | 97mm  |
| 4012.16   | 5mm   | 1.8mm     | 7mm | 5mm                    | 16                        | 111mm |

Matching Screws ● LS20, CSTT20



| 2.4mm LCP |       |           |     | Veterinary<br>Use Only | Stainless Steel<br>316LVM |       |
|-----------|-------|-----------|-----|------------------------|---------------------------|-------|
| Code      | Width | Thickness | HD  | CHD                    | Holes                     | L     |
| 4021.05   | 6.5mm | 2.2mm     | 8mm | 6mm                    | 5                         | 40mm  |
| 4021.06   | 6.5mm | 2.2mm     | 8mm | 6mm                    | 6                         | 48mm  |
| 4021.07   | 6.5mm | 2.2mm     | 8mm | 6mm                    | 7                         | 56mm  |
| 4021.08   | 6.5mm | 2.2mm     | 8mm | 6mm                    | 8                         | 64mm  |
| 4022.09   | 6.5mm | 2.5mm     | 8mm | 6mm                    | 9                         | 72mm  |
| 4022.10   | 6.5mm | 2.5mm     | 8mm | 6mm                    | 10                        | 80mm  |
| 4022.11   | 6.5mm | 2.5mm     | 8mm | 6mm                    | 11                        | 88mm  |
| 4022.12   | 6.5mm | 2.5mm     | 8mm | 6mm                    | 12                        | 96mm  |
| 4022.14   | 6.5mm | 2.5mm     | 8mm | 6mm                    | 14                        | 112mm |
| 4022.16   | 6.5mm | 2.5mm     | 8mm | 6mm                    | 16                        | 128mm |

Matching Screws ● LS24, CSTT20, CSTT24



# Locking Compression Plates LCP

| 2.7mm LCP |       |           |     | Veterinary<br>Use Only | Stainless Steel<br>316LVM |       |
|-----------|-------|-----------|-----|------------------------|---------------------------|-------|
| Code      | Width | Thickness | HD  | CHD                    | Holes                     | L     |
| 4031.05   | 8mm   | 2.5mm     | 9mm | 6mm                    | 5                         | 45mm  |
| 4031.06   | 8mm   | 2.5mm     | 9mm | 6mm                    | 6                         | 54mm  |
| 4031.07   | 8mm   | 2.5mm     | 9mm | 6mm                    | 7                         | 63mm  |
| 4031.08   | 8mm   | 2.5mm     | 9mm | 6mm                    | 8                         | 72mm  |
| 4031.09   | 8mm   | 2.5mm     | 9mm | 6mm                    | 9                         | 81mm  |
| 4031.10   | 8mm   | 2.5mm     | 9mm | 6mm                    | 10                        | 90mm  |
| 4031.11   | 8mm   | 2.5mm     | 9mm | 6mm                    | 11                        | 99mm  |
| 4031.12   | 8mm   | 2.5mm     | 9mm | 6mm                    | 12                        | 108mm |
| 4031.14   | 8mm   | 2.5mm     | 9mm | 6mm                    | 14                        | 126mm |
| 4031.16   | 8mm   | 2.5mm     | 9mm | 6mm                    | 16                        | 144mm |

Matching Screws ● LS27, CSTT27



| 3.5mm LCP Narrow |       |           |      | Veterinary<br>Use Only | Stainless Steel<br>316LVM |       |
|------------------|-------|-----------|------|------------------------|---------------------------|-------|
| Code             | Width | Thickness | HD   | CHD                    | Holes                     | L     |
| 4041.06          | 11mm  | 3.2mm     | 13mm | 9.5mm                  | 6                         | 79mm  |
| 4041.07          | 11mm  | 3.2mm     | 13mm | 9.5mm                  | 7                         | 92mm  |
| 4041.08          | 11mm  | 3.2mm     | 13mm | 9.5mm                  | 8                         | 105mm |
| 4041.09          | 11mm  | 3.2mm     | 13mm | 9.5mm                  | 9                         | 118mm |
| 4041.10          | 11mm  | 3.2mm     | 13mm | 9.5mm                  | 10                        | 131mm |
| 4041.11          | 11mm  | 3.2mm     | 13mm | 9.5mm                  | 11                        | 144mm |
| 4041.12          | 11mm  | 3.2mm     | 13mm | 9.5mm                  | 12                        | 157mm |
| 4041.13          | 11mm  | 3.2mm     | 13mm | 9.5mm                  | 13                        | 170mm |
| 4041.14          | 11mm  | 3.2mm     | 13mm | 9.5mm                  | 14                        | 183mm |
| 4041.15          | 11mm  | 3.2mm     | 13mm | 9.5mm                  | 15                        | 196mm |
| 4041.16          | 11mm  | 3.2mm     | 13mm | 9.5mm                  | 16                        | 209mm |
| 4041.18          | 11mm  | 3.2mm     | 13mm | 9.5mm                  | 18                        | 235mm |

Matching Screws ● LS35, CSTT35, CAN40



| 3.5mm LCP Broad |        |           |      | Veterinary<br>Use Only | Stainless Steel<br>316LVM |       |
|-----------------|--------|-----------|------|------------------------|---------------------------|-------|
| Code            | Width  | Thickness | HD   | CHD                    | Holes                     | L     |
| 4045.08         | 13.5mm | 4mm       | 13mm | 9.5mm                  | 8                         | 107mm |
| 4045.09         | 13.5mm | 4mm       | 13mm | 9.5mm                  | 9                         | 120mm |
| 4045.10         | 13.5mm | 4mm       | 13mm | 9.5mm                  | 10                        | 133mm |
| 4045.11         | 13.5mm | 4mm       | 13mm | 9.5mm                  | 11                        | 146mm |
| 4045.12         | 13.5mm | 4mm       | 13mm | 9.5mm                  | 12                        | 159mm |
| 4045.13         | 13.5mm | 4mm       | 13mm | 9.5mm                  | 13                        | 172mm |
| 4045.14         | 13.5mm | 4mm       | 13mm | 9.5mm                  | 14                        | 185mm |
| 4045.15         | 13.5mm | 4mm       | 13mm | 9.5mm                  | 15                        | 198mm |
| 4045.16         | 13.5mm | 4mm       | 13mm | 9.5mm                  | 16                        | 211mm |
| 4045.18         | 13.5mm | 4mm       | 13mm | 9.5mm                  | 18                        | 237mm |


Matching Screws ● LS35, CSTT35, CAN40



# Locking Compression Plates LCP


| 4.5mm LCP Narrow |        |           |      |        |       | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|------------------|--------|-----------|------|--------|-------|------------------------|---------------------------|
| Code             | Width  | Thickness | HD   | CHD    | Holes | L                      |                           |
| 4051.03          | 13.5mm | 4.2mm     | 18mm | 12.8mm | 3     | 66mm                   |                           |
| 4051.06          | 13.5mm | 4.2mm     | 18mm | 12.8mm | 6     | 107mm                  |                           |
| 4051.07          | 13.5mm | 4.2mm     | 18mm | 12.8mm | 7     | 125mm                  |                           |
| 4051.08          | 13.5mm | 4.2mm     | 18mm | 12.8mm | 8     | 143mm                  |                           |
| 4051.09          | 13.5mm | 4.2mm     | 18mm | 12.8mm | 9     | 161mm                  |                           |
| 4051.10          | 13.5mm | 4.2mm     | 18mm | 12.8mm | 10    | 179mm                  |                           |
| 4051.11          | 13.5mm | 4.2mm     | 18mm | 12.8mm | 11    | 197mm                  |                           |
| 4051.12          | 13.5mm | 4.2mm     | 18mm | 12.8mm | 12    | 215mm                  |                           |
| 4051.14          | 13.5mm | 4.2mm     | 18mm | 12.8mm | 14    | 251mm                  |                           |
| 4051.16          | 13.5mm | 4.2mm     | 18mm | 12.8mm | 16    | 287mm                  |                           |

Matching Screws ● LS50, CSST45/CSTT45, CAN6.5



| 4.5mm LCP Broad |        |           |      |        |       | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|-----------------|--------|-----------|------|--------|-------|------------------------|---------------------------|
| Code            | Width  | Thickness | HD   | CHD    | Holes | L                      |                           |
| 4061.08         | 17.5mm | 5.2mm     | 18mm | 12.8mm | 8     | 143mm                  |                           |
| 4061.09         | 17.5mm | 5.2mm     | 18mm | 12.8mm | 9     | 161mm                  |                           |
| 4061.10         | 17.5mm | 5.2mm     | 18mm | 12.8mm | 10    | 179mm                  |                           |
| 4061.11         | 17.5mm | 5.2mm     | 18mm | 12.8mm | 11    | 197mm                  |                           |
| 4061.12         | 17.5mm | 5.2mm     | 18mm | 12.8mm | 12    | 215mm                  |                           |
| 4061.13         | 17.5mm | 5.2mm     | 18mm | 12.8mm | 13    | 233mm                  |                           |
| 4061.14         | 17.5mm | 5.2mm     | 18mm | 12.8mm | 14    | 251mm                  |                           |
| 4061.15         | 17.5mm | 5.2mm     | 18mm | 12.8mm | 15    | 269mm                  |                           |
| 4061.16         | 17.5mm | 5.2mm     | 18mm | 12.8mm | 16    | 287mm                  |                           |
| 4061.18         | 17.5mm | 5.2mm     | 18mm | 12.8mm | 18    | 323mm                  |                           |

Matching Screws ● LS50, CSST45/CSTT4.5, CAN65



| 5.5mm LCP Broad |        |           |      |        |       | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|-----------------|--------|-----------|------|--------|-------|------------------------|---------------------------|
| Code            | Width  | Thickness | HD   | CHD    | Holes | L                      |                           |
| 4071.10         | 17.5mm | 6mm       | 18mm | 12.8mm | 10    | 180mm                  |                           |
| 4071.11         | 17.5mm | 6mm       | 18mm | 12.8mm | 11    | 198mm                  |                           |
| 4071.12         | 17.5mm | 6mm       | 18mm | 12.8mm | 12    | 216mm                  |                           |
| 4071.13         | 17.5mm | 6mm       | 18mm | 12.8mm | 13    | 234mm                  |                           |
| 4071.14         | 17.5mm | 6mm       | 18mm | 12.8mm | 14    | 252mm                  |                           |
| 4071.15         | 17.5mm | 6mm       | 18mm | 12.8mm | 15    | 270mm                  |                           |
| 4071.16         | 17.5mm | 6mm       | 18mm | 12.8mm | 16    | 288mm                  |                           |
| 4071.17         | 17.5mm | 6mm       | 18mm | 12.8mm | 17    | 306mm                  |                           |
| 4071.18         | 17.5mm | 6mm       | 18mm | 12.8mm | 18    | 324mm                  |                           |

Matching Screws ● LS50, CSST45/CSTT45, CSST55/CSTT55, CAN65




# Locking Compression Plates LCP

| Pancarpal Arthrodesis Locking Plate |               |       | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|-------------------------------------|---------------|-------|------------------------|---------------------------|
| Code                                | Specification | Holes | L                      |                           |
| 4301.10                             | 1.5/2.0mm     | 12    | 69mm                   |                           |
| 4301.11                             | 2.0/2.4mm     | 10    | 88mm                   |                           |
| 4301.13                             | 2.0/2.7mm     | 12    | 110mm                  |                           |
| 4301.12                             | 2.7/3.5mm     | 12    | 151mm                  |                           |

- Matching Screws ● 4301.10 Use LS15/LS20, CSTT15/CSTT20
- 4301.11 Use LS20/LS24, CSTT20/CSTT24
  - 4301.13 Use LS20/LS27, CSTT20/CSTT27
  - 4301.12 Use LS27/LS35, CSTT27/CSTT35




| Pantarsal Arthrodesis Locking Plate |                |            | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|-------------------------------------|----------------|------------|------------------------|---------------------------|
| Code                                | Specification  | Left/Right |                        |                           |
| 4501.L                              | 1.5/2.0mm 120° | Left       |                        |                           |
| 4501.R                              | 1.5/2.0mm 120° | Right      |                        |                           |
| 4502.L                              | 2.0/2.4mm 120° | Left       |                        |                           |
| 4502.R                              | 2.0/2.4mm 120° | Right      |                        |                           |
| 4507.L                              | 1.5/2.4mm 135° | Left       |                        |                           |
| 4507.R                              | 1.5/2.4mm 135° | Right      |                        |                           |
| 4503.L                              | 2.0/2.7mm 135° | Left       |                        |                           |
| 4503.R                              | 2.0/2.7mm 135° | Right      |                        |                           |
| 4504.L                              | 2.4/3.0mm 135° | Left       |                        |                           |
| 4504.R                              | 2.4/3.0mm 135° | Right      |                        |                           |
| 4505.L                              | 2.4/3.5mm 135° | Left       |                        |                           |
| 4505.R                              | 2.4/3.5mm 135° | Right      |                        |                           |
| 4506.L                              | 2.7/3.5mm 135° | Left       |                        |                           |
| 4506.R                              | 2.7/3.5mm 135° | Right      |                        |                           |



# Locking Compression Plates LCP

| Dorsal Tarsal Arthrodesis Locking Plate |                | Veterinary Use Only | Stainless Steel 316LVM |
|-----------------------------------------|----------------|---------------------|------------------------|
| Code                                    | Specification  | L                   |                        |
| FP4603                                  | 2.7/3.5mm 140° | 80+73mm             |                        |
| FP4602                                  | 2.0/2.7mm 140° | 56+51mm             |                        |



# Bio-Glass Injectable Bone Graft Putty

| Bio-Glass Injectable Bone Graft Putty |               | Veterinary Use Only |
|---------------------------------------|---------------|---------------------|
| Code                                  | Specification |                     |
| VBG015                                | 1.5ml         |                     |



- Comminuted fracture gaps
- TTA / TPLO
- Void filling / Osteotomy sites
- Putty withstands irrigation
- Convenient delivery




# Locking Compression Plates LCP

| 'T' Locking Plates |               |        |        |           | Veterinary Use Only | Stainless Steel 316LVM |
|--------------------|---------------|--------|--------|-----------|---------------------|------------------------|
| Code               | Specification | HW     | SW     | Thickness | Holes               | L                      |
| 4002.06            | 1.5           | 7.2mm  | 3.8mm  | 1.5mm     | Head2/Shaft4        | 33mm                   |
| 4002.08            | 1.5           | 7.2mm  | 3.8mm  | 1.5mm     | Head3/Shaft5        | 42mm                   |
| 4620.02            | 2.0           | 8.0mm  | 5.0mm  | 1.8mm     | Head2/Shaft4        | 38mm                   |
| 4620.03            | 2.0           | 8.0mm  | 5.0mm  | 1.8mm     | Head3/Shaft5        | 50mm                   |
| 4624.02            | 2.4/2.7       | 10.8mm | 6.8mm  | 2.5mm     | Head2/Shaft4        | 50mm                   |
| 4624.03            | 2.4/2.7       | 10.8mm | 6.8mm  | 2.5mm     | Head3/Shaft5        | 63mm                   |
| 4630.02            | 3.0           | 14.0mm | 8.5mm  | 3.0mm     | Head2/Shaft4        | 59mm                   |
| 4630.03            | 3.0           | 14.0mm | 8.5mm  | 3.0mm     | Head3/Shaft5        | 75mm                   |
| 4635.02            | 3.5           | 18.0mm | 10.5mm | 3.3mm     | Head2/Shaft4        | 73mm                   |
| 4635.03            | 3.5           | 18.0mm | 10.5mm | 3.3mm     | Head3/Shaft5        | 96mm                   |

- Matching Screws ● 4002.06/4002.08 Use LS15, CSTT15  
● 4620.02/4620.03 Use LS20, CSTT20  
● 4624.02/4624.03 Use LS24/LS27, CSTT24/CSTT27  
● 4630.02/4630.03 Use LS30, CSTT27  
● 4635.02/4635.03 Use LS35, CSTT35



| Distal Femoral Polyaxial Locking Plate |               |      |           | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|----------------------------------------|---------------|------|-----------|------------------------|---------------------------|
| Code                                   | Specification | SW   | Thickness | Holes                  | L                         |
| 4720.L                                 | 2.0           | 5mm  | 2.0mm     | 16                     | 85mm                      |
| 4720.R                                 | 2.0           | 5mm  | 2.0mm     | 16                     | 85mm                      |
| 4724.L                                 | 2.4/2.7       | 7mm  | 2.5mm     | 16                     | 105mm                     |
| 4724.R                                 | 2.4/2.7       | 7mm  | 2.5mm     | 16                     | 105mm                     |
| 4730.L                                 | 3.0           | 9mm  | 3.0mm     | 16                     | 135mm                     |
| 4730.R                                 | 3.0           | 9mm  | 3.0mm     | 16                     | 135mm                     |
| 4735.L                                 | 3.5           | 11mm | 3.7mm     | 16                     | 160mm                     |
| 4735.R                                 | 3.5           | 11mm | 3.7mm     | 16                     | 160mm                     |



# Locking Bridging Plates



| Lengthening Locking Plates |       |           |       |      | Veterinary Use Only | Stainless Steel 316LVM |
|----------------------------|-------|-----------|-------|------|---------------------|------------------------|
| Code                       | Width | Thickness | Holes | L    |                     |                        |
| LLP20540                   | 5mm   | 1.8mm     | 5     | 40mm |                     |                        |
| LLP20650                   | 5mm   | 1.8mm     | 6     | 50mm |                     |                        |
| LLP20660                   | 5mm   | 1.8mm     | 6     | 60mm |                     |                        |
| LLP20670                   | 5mm   | 1.8mm     | 6     | 70mm |                     |                        |
| LLP20890                   | 5mm   | 1.8mm     | 8     | 90mm |                     |                        |

Matching Screws ● LS20 The Reconstruction Plate End Can Be Side Contoured Inside 15°

| Lengthening Locking Plates |       |           |       |       | Veterinary Use Only | Stainless Steel 316LVM |
|----------------------------|-------|-----------|-------|-------|---------------------|------------------------|
| Code                       | Width | Thickness | Holes | L     |                     |                        |
| LLP24555                   | 6mm   | 2.3mm     | 5     | 55mm  |                     |                        |
| LLP24670                   | 6mm   | 2.3mm     | 6     | 70mm  |                     |                        |
| LLP24685                   | 6mm   | 2.3mm     | 6     | 85mm  |                     |                        |
| LLP247100                  | 6mm   | 2.3mm     | 7     | 100mm |                     |                        |
| LLP248120                  | 6mm   | 2.3mm     | 8     | 120mm |                     |                        |

Matching Screws ● LS24 The Reconstruction Plate End Can Be Side Contoured Inside 15°

| Lengthening Locking Plates |       |           |       |       | Veterinary Use Only | Stainless Steel 316LVM |
|----------------------------|-------|-----------|-------|-------|---------------------|------------------------|
| Code                       | Width | Thickness | Holes | L     |                     |                        |
| LLP27565                   | 7.5mm | 2.6mm     | 5     | 65mm  |                     |                        |
| LLP27680                   | 7.5mm | 2.6mm     | 6     | 80mm  |                     |                        |
| LLP276100                  | 7.5mm | 2.6mm     | 6     | 100mm |                     |                        |
| LLP277120                  | 7.5mm | 2.6mm     | 7     | 120mm |                     |                        |
| LLP278140                  | 7.5mm | 2.6mm     | 8     | 140mm |                     |                        |

Matching Screws ● LS27 The Reconstruction Plate End Can Be Side Contoured Inside 15°

| Lengthening Locking Plates |       |           |       |       | Veterinary Use Only | Stainless Steel 316LVM |
|----------------------------|-------|-----------|-------|-------|---------------------|------------------------|
| Code                       | Width | Thickness | Holes | L     |                     |                        |
| LLP30580                   | 9mm   | 3.2mm     | 5     | 80mm  |                     |                        |
| LLP306100                  | 9mm   | 3.2mm     | 6     | 100mm |                     |                        |
| LLP306120                  | 9mm   | 3.2mm     | 6     | 120mm |                     |                        |
| LLP307140                  | 9mm   | 3.2mm     | 7     | 140mm |                     |                        |
| LLP308160                  | 9mm   | 3.2mm     | 8     | 160mm |                     |                        |

Matching Screws ● LS30 The Reconstruction Plate End Can Be Side Contoured Inside 15°

| Lengthening Locking Plates |       |           |       |       | Veterinary Use Only | Stainless Steel 316LVM |
|----------------------------|-------|-----------|-------|-------|---------------------|------------------------|
| Code                       | Width | Thickness | Holes | L     |                     |                        |
| LLP35590                   | 11mm  | 3.7mm     | 5     | 90mm  |                     |                        |
| LLP356105                  | 11mm  | 3.7mm     | 6     | 105mm |                     |                        |
| LLP356120                  | 11mm  | 3.7mm     | 6     | 125mm |                     |                        |
| LLP357140                  | 11mm  | 3.7mm     | 7     | 140mm |                     |                        |
| LLP358160                  | 11mm  | 3.7mm     | 8     | 160mm |                     |                        |
| LLP358200                  | 11mm  | 3.7mm     | 8     | 200mm |                     |                        |

Matching Screws ● LS35 The Reconstruction Plate End Can Be Side Contoured Inside 15°

# Cuttable Malleable Locking Plates

| Double T Cuttable Locking Plates |       |           |       | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|----------------------------------|-------|-----------|-------|------------------------|---------------------------|
| Code                             | Width | Thickness | HD    | Holes                  | L                         |
| DTL1532                          | 4.0mm | 1.5mm     | 5.0mm | 32                     | 167mm                     |
| DTL2034                          | 5.0mm | 1.5mm     | 5.0mm | 34                     | 198mm                     |
| DTL2434                          | 6.5mm | 2.0mm     | 6.5mm | 34                     | 235mm                     |

Matching Screws ● LS15/LS20/LS24



| Acetabular Plates |           |       | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|-------------------|-----------|-------|------------------------|---------------------------|
| Code              | Use Screw | Holes |                        |                           |
| AP2004L           | 2.0       | 4     |                        |                           |
| AP2406L           | 2.4       | 6     |                        |                           |
| AP2706L           | 2.7       | 6     |                        |                           |

Matching Screws ● LS20/LS24/LS27



# DFO Distal Femur Locking Plate

| DFO Distal Femur Locking Plate |       |           |       | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|--------------------------------|-------|-----------|-------|------------------------|---------------------------|
| Code                           | Width | Thickness | Holes | L                      |                           |
| 4408.L3                        | 11mm  | 3.2mm     | 7     | 89mm                   |                           |
| 4408.R3                        | 11mm  | 3.2mm     | 7     | 89mm                   |                           |
| 4409.L3                        | 11mm  | 3.2mm     | 8     | 101mm                  |                           |
| 4409.R3                        | 11mm  | 3.2mm     | 8     | 101mm                  |                           |

Matching Screws ● LS35 CSTT35



- Anatomic contour matches the surface of the femur.
- Distal locking screw trajectories targeted to avoid the intercondylar notch and stifle joint.
- Tapered design minimizes soft tissue interference.
- Proximal end with reconstruction design for easier contouring

| 3.5mm DPO/TPO Locking Plates |               | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|------------------------------|---------------|------------------------|---------------------------|
| Code                         | Specification |                        |                           |
| 4601.L7                      | 20° Left      |                        |                           |
| 4601.R7                      | 20° Right     |                        |                           |
| 4602.L7                      | 25° Left      |                        |                           |
| 4602.R7                      | 25° Right     |                        |                           |
| 4603.L7                      | 30° Left      |                        |                           |
| 4603.R7                      | 30° Right     |                        |                           |

Matching Screws ● LS35, CSTT35



# LCP Locking Instrument

## Drill Bits

Veterinary  
Use Only


| Code   | Specification | L     |
|--------|---------------|-------|
| A32A11 | 1.1mm         | 85mm  |
| A32A15 | 1.5mm         | 125mm |
| A32A18 | 1.8mm         | 150mm |
| A32A20 | 2.0mm         | 150mm |
| A32A25 | 2.5mm         | 150mm |
| A32A28 | 2.8mm         | 150mm |
| A32A32 | 3.2mm         | 150mm |
| A32A43 | 4.3mm         | 280mm |



## Drill Bits-AO Quick Coupling

Veterinary  
Use Only

| Code    | Specification | L     |
|---------|---------------|-------|
| A32QC11 | 1.1mm         | 60mm  |
| A32QC15 | 1.5mm         | 110mm |
| A32QC18 | 1.8mm         | 125mm |
| A32QC20 | 2.0mm         | 125mm |
| A32QC25 | 2.5mm         | 125mm |
| A32QC28 | 2.8mm         | 165mm |
| A32QC32 | 3.2mm         | 150mm |
| A32QC43 | 4.3mm         | 280mm |



## Star Drive Insert AO QC

Veterinary  
Use Only

| Code   | Specification | Use Screw                |
|--------|---------------|--------------------------|
| 110232 | T4            | 1.5mm Locking Screws     |
| 100232 | T6            | 2.0mm Locking Screws     |
| 100231 | T8            | 2.4/2.7mm Locking Screws |
| 100230 | T15           | 3.5mm Locking Screws     |
| 110230 | T25           | 5.0mm Locking Screws     |



## Hex Screwdriver AO QC

Veterinary  
Use Only

| Code   | Specification | Use Screw                       |
|--------|---------------|---------------------------------|
| 100226 | 1.5mm         | 1.5/2.0/2.4mm Cortex Screws     |
| 100228 | 2.5mm         | 2.7/3.0/3.5/4.0mm Cortex Screws |
| 100229 | 3.5mm         | 4.0/5.5mm Cortex Screws         |



## Ratcheting Screwdriver Handle

Veterinary  
Use Only

| Code   |
|--------|
| 120160 |



# LCP Locking Common Instrument


| Locking Threaded Drill Guide |               |                         | Veterinary<br>Use Only |
|------------------------------|---------------|-------------------------|------------------------|
| Code                         | Specification | Use Screw               |                        |
| 110189                       | 0.8/1.0mm     | AO 1.0mm Locking Screws |                        |
| 110188                       | 1.1/1.5mm     | AO 1.5mm Locking Screws |                        |
| 110187                       | 1.5/2.0mm     | AO 2.0mm Locking Screws |                        |
| 100186                       | 1.8/2.4mm     | AO 2.4mm Locking Screws |                        |
| 100185                       | 2.0/2.7mm     | AO 2.7mm Locking Screws |                        |
| 110180                       | 2.5/3.0mm     | AO 3.0mm Locking Screws |                        |
| 100184                       | 2.8/3.5mm     | AO 3.5mm Locking Screws |                        |
| 110183                       | 4.3/5.0mm     | AO 5.0mm Locking Screws |                        |




| Torque Limiting Attachment |               | Veterinary<br>Use Only |
|----------------------------|---------------|------------------------|
| Code                       | Specification |                        |
| 511777                     | AO QC 0.4Nm   |                        |
| 511776                     | AO QC 0.8Nm   |                        |
| 511773                     | AO QC 1.5Nm   |                        |



| Thread Bender |               | Veterinary<br>Use Only |
|---------------|---------------|------------------------|
| Code          | Specification |                        |
| 114003        | 1.5mm         |                        |
| 329921        | 2.0mm         |                        |
| 329922        | 2.4/2.7mm     |                        |
| 324023        | 3.5mm         |                        |



| Push-Pull Reduction Device |               | Veterinary<br>Use Only |
|----------------------------|---------------|------------------------|
| Code                       | Specification |                        |
| 5006                       | 3.5mm         |                        |
| 6006                       | 5.0mm         |                        |



# LCP Instrument Set



## 1.5/2.0/2.4mm Lock Instruments Set

| Code    | Products Name                                | Quantity |
|---------|----------------------------------------------|----------|
| 000018  | 1.5/2.0/2.4mm Lock Instruments Set           |          |
| 110188  | 1.5mm Locking Threaded Drill Guide           | 2        |
| 110187  | 2.0mm Locking Threaded Drill Guide           | 2        |
| 100186  | 2.4mm Locking Threaded Drill Guide           | 2        |
| PRW125  | Small Temporary Plate Holding Pins           | 2        |
| A32QC11 | 1.1mm AO Quick Fit Drill Bits                | 1        |
| A32QC15 | 1.5mm AO Quick Fit Drill Bits                | 1        |
| A32QC18 | 1.8mm AO Quick Fit Drill Bits                | 1        |
| A32QC20 | 2.0mm AO Quick Fit Drill Bits                | 1        |
| 110232  | T4 Star Drive Insert AO QC                   | 1        |
| 100232  | T6 Star Drive Insert AO QC                   | 1        |
| 100231  | T8 Star Drive Insert AO QC                   | 1        |
| 100226  | Screwdriver AO QC                            | 1        |
| 100217  | Screwholding Sleeve For 1.5/2.0/2.4mm Screws | 1        |
| 100239b | Φ3mm Countersink AO Quick Fit Coupling       | 1        |
| 100240  | Φ4mm Countersink AO Quick Fit Coupling       | 1        |
| 100170  | AO Quick Coupling Taps                       | 1        |
| 100171  | AO Quick Coupling Taps                       | 1        |
| 100172  | AO Quick Coupling Taps                       | 1        |
| 329921  | 2.0mm Thread Bender                          | 2        |
| 329922  | 2.4/2.7mm Thread Bender                      | 2        |
| 100178  | 1.1/1.5mm Combination Drill                  | 1        |
| 100179  | 1.5/2.0mm Combination Drill                  | 1        |
| 100180  | 1.8/2.4mm Combination Drill                  | 1        |
| 100188  | 1.5/2.0mm Universal Drill Guide              | 1        |
| 100189  | 1.8/2.4mm Universal Drill Guide              | 1        |
| 100236  | Depth gauge 0-30mm                           | 1        |
| 100159  | AO T Tap Handle                              | 1        |
| 110160  | AO QC Handle                                 | 1        |
| 511777  | 0.4Nm Torque Limiting Aachment               | 1        |
| 511776  | 0.8Nm Torque Limiting Aachment               | 1        |
| 100234  | Screw Holding Forceps                        | 1        |
| 18.02   | Mini LCP Instrument Sterilization Case       | 1        |

## 2.7/3.5mm Lock Instruments Set

| Code    | Products Name                                    | Quantity |
|---------|--------------------------------------------------|----------|
| 000019  | 2.7/3.5mm Lock Instruments Set                   |          |
| 100185  | 2.7mm Locking Threaded Drill Guide               | 2        |
| 100184  | 3.5mm Locking Threaded Drill Guide               | 2        |
| PRW150  | Large Temporary Plate Holding Pins               | 2        |
| A32QC20 | 2.0mm AO Quick Fit Drill Bits                    | 1        |
| A32QC25 | 2.5mm AO Quick Fit Drill Bits                    | 1        |
| A32QC28 | 2.8mm AO Quick Fit Drill Bits                    | 1        |
| A32QC35 | 3.5mm AO Quick Fit Drill Bits                    | 1        |
| 100231  | T8 StarDrive Screwdriver shaft                   | 1        |
| 100230  | T15 StarDrive Screwdriver shaft                  | 1        |
| 100228  | 2.5mm Hex Screwdriver AO QC                      | 1        |
| 100220  | Screwholding Sleeve For 2.7/3.0/3.5/4.0mm Screws | 1        |
| 100242  | Countersink AO Quick Fit Coupling                | 1        |
| 100173  | AO Quick Coupling Taps                           | 1        |
| 100174  | AO Quick Coupling Taps                           | 1        |
| 324023  | 3.5mm Thread Bender                              | 2        |
| 329922  | 2.4/2.7mm Thread Bender                          | 2        |
| 100181  | 2.0/2.7mm Combination Drill                      | 1        |
| 100192  | 2.0mm Parallel Drill Guide And Drill Sleeve      | 1        |
| 100182  | 2.5/3.5mm Combination Drill                      | 1        |
| 100190  | 2.0/2.7mm Universal Drill Guide                  | 1        |
| 100191  | 2.5/3.5mm Universal Drill Guide                  | 1        |
| 100237  | Depth gauge 0-50mm                               | 1        |
| 511773  | 1.5Nm Torque Limiting Aachment                   | 1        |
| 511776  | 0.8Nm Torque Limiting Aachment                   | 1        |
| 100159  | AO T Tap Handle                                  | 1        |
| 110160  | AO QC Handle                                     | 1        |
| 100066  | 2.7/3.5mm Bending Iron                           | 1        |
| 5006    | 3.5mm Push-Pull Reduction Device                 | 1        |
| 100233  | Screw Holding Forceps                            | 1        |
| 19.02   | Small LCP Instrument Sterilization Case          | 1        |

# LCP Plates Set



LCP Plates Set 2.0/2.4/2.7/3.5mm

| Code    | Products Name                        | Quantity |
|---------|--------------------------------------|----------|
|         | LCP Plates Set 2.0/2.4/2.7/3.5mm     |          |
| 4012.06 | 2.0mm LCP Bone Plates 6 Holes 41mm   | 1        |
| 4012.07 | 2.0mm LCP Bone Plates 7 Holes 48mm   | 1        |
| 4012.08 | 2.0mm LCP Bone Plates 8 Holes 55mm   | 1        |
| 4012.09 | 2.0mm LCP Bone Plates 9 Holes 62mm   | 1        |
| 4012.10 | 2.0mm LCP Bone Plates 10 Holes 69mm  | 1        |
| 4012.12 | 2.0mm LCP Bone Plates 12 Holes 83mm  | 1        |
| 4012.14 | 2.0mm LCP Bone Plates 14 Holes 97mm  | 1        |
| 4021.06 | 2.4mm LCP Bone Plates 6 Holes 48mm   | 1        |
| 4021.07 | 2.4mm LCP Bone Plates 7 Holes 56mm   | 1        |
| 4021.08 | 2.4mm LCP Bone Plates 8 Holes 64mm   | 1        |
| 4022.09 | 2.4mm LCP Bone Plates 9 Holes 72mm   | 1        |
| 4022.10 | 2.4mm LCP Bone Plates 10 Holes 80mm  | 1        |
| 4022.12 | 2.4mm LCP Bone Plates 12 Holes 96mm  | 1        |
| 4022.14 | 2.4mm LCP Bone Plates 14 Holes 112mm | 1        |
| 4031.06 | 2.7mm LCP Bone Plates 6 Holes 54mm   | 1        |
| 4031.07 | 2.7mm LCP Bone Plates 7 Holes 63mm   | 1        |
| 4031.08 | 2.7mm LCP Bone Plates 8 Holes 72mm   | 1        |
| 4031.09 | 2.7mm LCP Bone Plates 9 Holes 81mm   | 1        |
| 4031.10 | 2.7mm LCP Bone Plates 10 Holes 90mm  | 1        |
| 4031.12 | 2.7mm LCP Bone Plates 12 Holes 108mm | 1        |
| 4031.14 | 2.7mm LCP Bone Plates 14 Holes 126mm | 1        |



LCP Plates Set 2.0/2.4/2.7/3.5mm

| Code    | Products Name                               | Quantity |
|---------|---------------------------------------------|----------|
| 4031.16 | 2.7mm LCP Bone Plates 16 Holes 144mm        | 1        |
| 4041.06 | 3.5mm LCP Bone Plates Narrow 6 Holes 79mm   | 1        |
| 4041.07 | 3.5mm LCP Bone Plates Narrow 7 Holes 92mm   | 1        |
| 4041.08 | 3.5mm LCP Bone Plates Narrow 8 Holes 105mm  | 1        |
| 4041.09 | 3.5mm LCP Bone Plates Narrow 9 Holes 118mm  | 1        |
| 4041.10 | 3.5mm LCP Bone Plates Narrow 10 Holes 131mm | 1        |
| 4041.11 | 3.5mm LCP Bone Plates Narrow 11 Holes 144mm | 1        |
| 4041.12 | 3.5mm LCP Bone Plates Narrow 12 Holes 157mm | 1        |
| 4041.14 | 3.5mm LCP Bone Plates Narrow 14 Holes 183mm | 1        |
| 4041.16 | 3.5mm LCP Bone Plates Narrow 16 Holes 209mm | 1        |
| 4045.08 | 3.5mm LCP Bone Plates Broad 8 Holes 107mm   | 1        |
| 4045.09 | 3.5mm LCP Bone Plates Broad 9 Holes 120mm   | 1        |
| 4045.10 | 3.5mm LCP Bone Plates Broad 10 Holes 133mm  | 1        |
| 4045.11 | 3.5mm LCP Bone Plates Broad 11 Holes 146mm  | 1        |
| 4045.12 | 3.5mm LCP Bone Plates Broad 12 Holes 159mm  | 1        |
| 4045.13 | 3.5mm LCP Bone Plates Broad 13 Holes 172mm  | 1        |
| 4045.14 | 3.5mm LCP Bone Plates Broad 14 Holes 185mm  | 1        |
| 4045.16 | 3.5mm LCP Bone Plates Broad 16 Holes 211mm  | 1        |
| 4045.18 | 3.5mm LCP Bone Plates Broad 18 Holes 237mm  | 1        |
| 21.02   | LCP Plates Set Sterilization Case           | 1        |

# Titanium Mini Plates


| 1.1mm 'T' Plates |               |           |       | Veterinary<br>Use Only | Titanium<br>Grade 5 |
|------------------|---------------|-----------|-------|------------------------|---------------------|
| Code             | Specification | Thickness | Holes | L                      |                     |
| T101016          | A             | 1.0mm     | 5     | 16mm                   |                     |
| T101020          | A             | 1.0mm     | 6     | 20mm                   |                     |
| T101024          | A             | 1.0mm     | 7     | 24mm                   |                     |
| T101018          | B             | 1.0mm     | 5     | 18mm                   |                     |
| T101022          | B             | 1.0mm     | 6     | 22mm                   |                     |
| T101026          | B             | 1.0mm     | 7     | 26mm                   |                     |
| T101021          | C             | 1.0mm     | 6     | 21mm                   |                     |
| T101027          | C             | 1.0mm     | 7     | 27mm                   |                     |

Matching Screws ● TCS11




| 1.1mm Cuttable Plate |       |           |       | Veterinary<br>Use Only | Titanium<br>Grade 5 |
|----------------------|-------|-----------|-------|------------------------|---------------------|
| Code                 | Width | Thickness | Holes | L                      |                     |
| CP10390              | 3mm   | 1mm       | 30    | 90mm                   |                     |
| CP10391              | 3mm   | 1mm       | 23    | 91mm                   |                     |
| CP1039027            | 3mm   | 1mm       | 27    | 90mm                   |                     |
| CP1039120            | 3mm   | 1mm       | 20    | 91mm                   |                     |

Matching Screws ● TCS11




| 1.1mm Cuttable Malleable Plate |       |           |       | Veterinary<br>Use Only | Titanium<br>Grade 5 |
|--------------------------------|-------|-----------|-------|------------------------|---------------------|
| Code                           | Width | Thickness | Holes | L                      |                     |
| CM10390                        | 3mm   | 1mm       | 30    | 90mm                   |                     |

Matching Screws ● TCS11



| 1.1mm Double T Head Cuttable |       |           |       | Veterinary<br>Use Only | Titanium<br>Grade 5 |
|------------------------------|-------|-----------|-------|------------------------|---------------------|
| Code                         | Width | Thickness | Holes | L                      |                     |
| MPT1039030                   | 3mm   | 1mm       | 30    | 90mm                   |                     |

Matching Screws ● TCS11



# 1.1mm Micro Plating System

| 1.1mm Cruciform Screwdriver |                             | Veterinary Use Only |
|-----------------------------|-----------------------------|---------------------|
| Code                        | Products Name               |                     |
| SDIN11                      | 1.1mm Cruciform Screwdriver |                     |



| 1.1mm Micro Plating System |                                                   |          |
|----------------------------|---------------------------------------------------|----------|
| Code                       | Products Name                                     | Quantity |
| 000010                     | ALPS-3 Titanium Locking System                    |          |
| A32A08                     | Φ0.8 Drill Bit                                    | 2        |
| A32A11                     | Φ1.1 Drill Bit                                    | 2        |
| 10.02                      | Φ1.1mm Locking Drill Guide                        | 1        |
| 100187                     | Φ0.8/1.1mm Netrual Drill Guide                    | 1        |
| SDIN11                     | 1.1mm Cruciform Screwdriver                       | 1        |
| T101016                    | 1.1mm 'T' Plates5H 16mm                           | 1        |
| T101020                    | 1.1mm 'T' Plates6H 20mm                           | 1        |
| T101024                    | 1.1mm 'T' Plates7H 24mm                           | 1        |
| T101018                    | 1.1mm 'T' Plates5H 18mm                           | 1        |
| T101022                    | 1.1mm 'T' Plates6H 22mm                           | 1        |
| T101026                    | 1.1mm 'T' Plates7H 26mm                           | 1        |
| T101021                    | 1.1mm 'T' Plates6H 21mm                           | 1        |
| T101027                    | 1.1mm 'T' Plates7H 27mm                           | 1        |
| CP10390                    | Cutttable Plate 1.1mm 30 Holes 90mm Long          | 1        |
| CP10391                    | Cutttable Plate 1.1mm 23 Holes 91mm Long          | 1        |
| CM10390                    | Cutttable Malleable Plate 1.1mm 30Holes 90mm Long | 1        |
| CP1039027                  | Cutttable Plate 1.1mm 27 Holes 90mm Long          | 1        |

| 1.1mm Micro Plating System |                                                      |          |
|----------------------------|------------------------------------------------------|----------|
| Code                       | Products Name                                        | Quantity |
| ALPS35                     | Locking Plate 3.5mm Width 1.2mm Thick 30H 135mm Long | 1        |
| ALPS42                     | Locking Plate 4.2mm Width 1.5mm Thick 26H 130mm Long | 1        |
| B1604                      | B1.6X4mm Locking Screw                               | 6-10 PCS |
| B1605                      | B1.6X5mm Locking Screw                               | 6-10 PCS |
| B1606                      | B1.6X6mm Locking Screw                               | 6-10 PCS |
| B1607                      | B1.6X7mm Locking Screw                               | 6-10 PCS |
| B1608                      | B1.6X8mm Locking Screw                               | 6-10 PCS |
| B1610                      | B1.6X10mm Locking Screw                              | 6-10 PCS |
| TCS1104                    | 1.1X4mm Cortical Screws Self-Tapping                 | 6-10 PCS |
| TCS1105                    | 1.1X5mm Cortical Screws Self-Tapping                 | 6-10 PCS |
| TCS1106                    | 1.1X6mm Cortical Screws Self-Tapping                 | 6-10 PCS |
| TCS1107                    | 1.1X7mm Cortical Screws Self-Tapping                 | 6-10 PCS |
| TCS1108                    | 1.1X8mm Cortical Screws Self-Tapping                 | 6-10 PCS |
| TCS1109                    | 1.1X9mm Cortical Screws Self-Tapping                 | 6-10 PCS |
| TCS1110                    | 1.1X10mm Cortical Screws Self-Tapping                | 6-10 PCS |
| TCS1112                    | 1.1X12mm Cortical Screws Self-Tapping                | 6-10 PCS |
| 10.01                      | Caddy                                                | 1        |



TPLO Plate System

# TPLO Plate System

| 2.0mm TPLO Plates |               |                      | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|-------------------|---------------|----------------------|------------------------|---------------------------|
| Code              | Specification | Holes                | Thickness              | L                         |
| 4405.L3           | 2.0 Left      | Near End 3 Far End 3 | 2.3mm                  | 30mm                      |
| 4405.R3           | 2.0 Right     | Near End 3 Far End 3 | 2.3mm                  | 30mm                      |



| 2.4mm TPLO Plates |               |                      | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|-------------------|---------------|----------------------|------------------------|---------------------------|
| Code              | Specification | Holes                | Thickness              | L                         |
| 4404.L3           | 2.4 Left      | Near End 3 Far End 3 | 2.3mm                  | 35mm                      |
| 4404.R3           | 2.4 Right     | Near End 3 Far End 3 | 2.3mm                  | 35mm                      |




| 2.7mm TPLO Plates |               |                      | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|-------------------|---------------|----------------------|------------------------|---------------------------|
| Code              | Specification | Holes                | Thickness              | L                         |
| 4400.L3           | 2.7 Left      | Near End 3 Far End 3 | 2.5mm                  | 46mm                      |
| 4400.R3           | 2.7 Right     | Near End 3 Far End 3 | 2.5mm                  | 46mm                      |



# TPLO Plate System

| 3.5mm Small TPLO Plate |               |                      |           |      | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|------------------------|---------------|----------------------|-----------|------|------------------------|---------------------------|
| Code                   | Specification | Holes                | Thickness | L    |                        |                           |
| 4403.L3                | 3.5 Left      | Near End 3 Far End 3 | 3.7mm     | 55mm |                        |                           |
| 4403.R3                | 3.5 Right     | Near End 3 Far End 3 | 3.7mm     | 55mm |                        |                           |



| 3.5mm TPLO Plate |               |                      |           |      | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|------------------|---------------|----------------------|-----------|------|------------------------|---------------------------|
| Code             | Specification | Holes                | Thickness | L    |                        |                           |
| 4401.L3          | 3.5 Left      | Near End 3 Far End 3 | 3.7mm     | 64mm |                        |                           |
| 4401.R3          | 3.5 Right     | Near End 3 Far End 3 | 3.7mm     | 64mm |                        |                           |




| 3.5mm Broad TPLO Plate |               |                      |           |      | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|------------------------|---------------|----------------------|-----------|------|------------------------|---------------------------|
| Code                   | Specification | Holes                | Thickness | L    |                        |                           |
| 4402.L4                | 3.5 Left      | Near End 4 Far End 4 | 3.7mm     | 80mm |                        |                           |
| 4402.R4                | 3.5 Right     | Near End 4 Far End 4 | 3.7mm     | 80mm |                        |                           |



# TPLO Plate System

| 5.0mm JUMBO TPLO Plate |               |                      |           | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|------------------------|---------------|----------------------|-----------|------------------------|---------------------------|
| Code                   | Specification | Holes                | Thickness | L                      |                           |
| 4407.L4                | 5.0           | Near End 4 Far End 4 | 4.8mm     | 110mm                  |                           |
| 4407.R4                | 5.0           | Near End 4 Far End 4 | 4.8mm     | 110mm                  |                           |




| Tibial Plateau Reduction Threaded Pin |                  |          |       | Veterinary<br>Use Only |
|---------------------------------------|------------------|----------|-------|------------------------|
| Code                                  | Shaft/Thread Dia | Thread L | L     |                        |
| B1003.15                              | 1.5mm            | 45mm     | 150mm |                        |
| B1203.15                              | 2.0mm            | 65mm     | 200mm |                        |



# TPLO Surgery Instruments

| Standard TPLO Jig |               |               | Veterinary Use Only |
|-------------------|---------------|---------------|---------------------|
| Code              | Products Name | Specification |                     |
| B0001.00          | TPLO JIG      | Standard      |                     |



| Standard TPLO Jig |                        |               | Veterinary Use Only |
|-------------------|------------------------|---------------|---------------------|
| Code              | Products Name          | Specification |                     |
| B0001.01          | TPLO Jig Straight Legs | Standard      |                     |



| Standard TPLO Jig |               |               | Veterinary Use Only |
|-------------------|---------------|---------------|---------------------|
| Code              | Products Name | Specification |                     |
| B0001.24          | Saw Guides    | 24mm          |                     |
| B0001.27          | Saw Guides    | 27mm          |                     |
| B0001.30          | Saw Guides    | 30mm          |                     |



| Standard TPLO Jig |                         |  | Veterinary Use Only |
|-------------------|-------------------------|--|---------------------|
| Code              | Products Name           |  |                     |
| B0001.02          | Replacement Hinge Screw |  |                     |



| Standard TPLO Jig |                             |  | Veterinary Use Only |
|-------------------|-----------------------------|--|---------------------|
| Code              | Products Name               |  |                     |
| B0001.03          | Replacement Saw Guide Screw |  |                     |



| Standard TPLO Jig |                                |  | Veterinary Use Only |
|-------------------|--------------------------------|--|---------------------|
| Code              | Products Name                  |  |                     |
| B0001.04          | Long Replacement Jig Pin Screw |  |                     |



# TPLO Surgery Instruments

| Mini TPLO Jig |               |               | Veterinary<br>Use Only |
|---------------|---------------|---------------|------------------------|
| Code          | Products Name | Specification |                        |
| B0002.00      | TPLO Jig      | Mini          |                        |



| Mini TPLO JIG |                        |               | Veterinary<br>Use Only |
|---------------|------------------------|---------------|------------------------|
| Code          | Products Name          | Specification |                        |
| B0002.01      | TPLO Jig Straight Legs | Mini          |                        |



| Slocum TPLO JIG |                 |               | Veterinary<br>Use Only |
|-----------------|-----------------|---------------|------------------------|
| Code            | Products Name   | Specification |                        |
| 100323          | Slocum TPLO JIG | Small         |                        |
| 100322          | Slocum TPLO JIG | Large         |                        |



| TPLO Rotary Measuring Device |               |        | Veterinary<br>Use Only |
|------------------------------|---------------|--------|------------------------|
| Code                         | Specification | Range  |                        |
| M0013                        | Small         | 0-20mm |                        |
| M0035                        | Large         | 0-40mm |                        |



| TPLO Reduction Forceps |       |         | Veterinary<br>Use Only |
|------------------------|-------|---------|------------------------|
| Code                   | L     | Range   |                        |
| 100331                 | 215mm | 0-100mm |                        |



# TPLO SAW

|          |                        |
|----------|------------------------|
| TPLO Saw | Veterinary<br>Use Only |
| Code     |                        |
| 001.204  |                        |



|              |                        |
|--------------|------------------------|
| TPLO Battery | Veterinary<br>Use Only |
| Code         |                        |
| 532.104      |                        |



|                      |                        |
|----------------------|------------------------|
| TPLO Battery Charger | Veterinary<br>Use Only |
| Code                 |                        |
| 532.010              |                        |




|                            |                        |
|----------------------------|------------------------|
| TPLO Saw Sterilization Box | Veterinary<br>Use Only |
| Code                       |                        |
| 532.026                    |                        |



|                                     |                        |
|-------------------------------------|------------------------|
| Wrench For Saw Blade Tightening Nut | Veterinary<br>Use Only |
| Code                                |                        |
| 532.027                             |                        |



|                           |                        |
|---------------------------|------------------------|
| Replacement Jig Pin Screw | Veterinary<br>Use Only |
| Code                      |                        |
| B0002.04                  |                        |



# TPLO Related Instruments

| TPLO Saw Blades |              | Veterinary Use Only |
|-----------------|--------------|---------------------|
| Code            | Specilaation |                     |
| 000.390         | 8mm Radius   |                     |
| 000.391         | 10mm Radius  |                     |
| 000.392         | 12mm Radius  |                     |
| 000.393         | 15mm Radius  |                     |
| 000.394         | 18mm Radius  |                     |
| 000.395         | 21mm Radius  |                     |
| 000.396         | 24mm Radius  |                     |
| 000.397         | 27mm Radius  |                     |

| TPLO Saw Blades |              | Veterinary Use Only |
|-----------------|--------------|---------------------|
| Code            | Specilaation |                     |
| 000.389         | 6mm Radius   |                     |
| 000.341         | 7mm Radius   |                     |
| 000.340         | 9mm Radius   |                     |
| 000.398         | 30mm Radius  |                     |
| 000.399         | 33mm Radius  |                     |



| TPLO Saw Blade Adpater |  | Veterinary Use Only |
|------------------------|--|---------------------|
| Code                   |  |                     |
| 100332                 |  |                     |

- Designed to couple BIORTHIO TPLO saw blades to Synthes Colibri Tplo saw.
- To use this adaptor ,requires Star drive T15 or hexgonal 3.0mm (532.027) allen key.



# TPLO Set



TPLO Set

| Code     | Products Name/Specification     | Quantity |
|----------|---------------------------------|----------|
|          | TPLO Plates Set                 |          |
| B0002.00 | Mini TPLO Jig                   | 1        |
| B0002.01 | Mini TPLO Jig Straight Legs     | 1        |
| B0001.00 | Standard TPLO jig               | 1        |
| B0001.01 | Standard TPLO Jig Straight Legs | 1        |
| B0001.24 | Saw Guides 24mm                 | 1        |
| B0001.27 | Saw Guides 27mm                 | 1        |
| B0001.30 | Saw Guides 30mm                 | 1        |
| 4405.L3  | 2.0mm TPLO Plates L             | 1        |
| 4405.R3  | 2.0mm TPLO Plates R             | 1        |
| 4404.L3  | 2.4mm TPLO Plates L             | 1        |
| 4404.R3  | 2.4mm TPLO Plates R             | 1        |
| 4400.L3  | 2.7mm TPLO Plates L             | 1        |
| 4400.R3  | 2.7mm TPLO Plates R             | 1        |
| 4401.L3  | 3.5mm TPLO Plates L             | 1        |
| 4401.R3  | 3.5mm TPLO Plates R             | 1        |
| 4402.L4  | 3.5mm Broad TPLO Plates L       | 1        |
| 4402.R4  | 3.5mm Broad TPLO Plates R       | 1        |
| 4403.L3  | 3.5mm Small TPLO Plates L       | 1        |
| 4403.R3  | 3.5mm Small TPLO Plates R       | 1        |
| 20.02    | TPLO Sterilization Box          | 1        |

# 3.0mm TPLO Set



## 3.0mm TPLO Set

| Code   | Products Name/Specification | Specification |
|--------|-----------------------------|---------------|
| TPLO30 | 3.0mm TPLO Implants Caddy   | 235X125X52mm  |


## 3.0mm TPLO Set

| Code     | Products Name                                   | Quantity |
|----------|-------------------------------------------------|----------|
| A32QC20  | 2.0mm AO Style Quick Coupling Drill Bits        | 1        |
| A32QC25  | 2.5mm AO Style Quick Coupling Drill Bits        | 1        |
| A32QC27  | 2.7mm AO Style Quick Coupling Drill Bits        | 1        |
| 100231   | T8 Torx Drive Screwdriver shaft                 | 1        |
| 1002310  | T10 Torx Drive Screwdriver shaft                | 1        |
| TPLO30L  | 3.0mm SISU TPLO Plates L                        | 2        |
| TPLO30R  | 3.0mm SISU TPLO Plates R                        | 2        |
| 100181   | 2.0/2.7mm Double Drill Guide                    | 1        |
| 100190   | 2.0/2.7mm Universal Drill Guide                 | 1        |
| 110180   | 2.5/3.0mm Locking Threaded Drill Guide          | 2        |
| 100336   | Three Scales Depth Gauge Range 0-30mm           | 1        |
| 100160   | QC Handle 110mm                                 | 1        |
| TPLO30   | 3.0mm TPLO Implants Caddy 235X125X52mm          | 1        |
| CSTT2708 | 2.7mm Cortex Self Tapping Screws T8 Torx,L.8mm  | 3        |
| CSTT2710 | 2.7mm Cortex Self Tapping Screws T8 Torx,L.10mm | 3        |
| CSTT2712 | 2.7mm Cortex Self Tapping Screws T8 Torx,L.12mm | 6        |
| CSTT2714 | 2.7mm Cortex Self Tapping Screws T8 Torx,L.14mm | 6        |
| CSTT2716 | 2.7mm Cortex Self Tapping Screws T8 Torx,L.16mm | 6        |
| CSTT2718 | 2.7mm Cortex Self Tapping Screws T8 Torx,L.18mm | 6        |
| CSTT2720 | 2.7mm Cortex Self Tapping Screws T8 Torx,L.20mm | 6        |
| CSTT2722 | 2.7mm Cortex Self Tapping Screws T8 Torx,L.22mm | 3        |
| CSTT2724 | 2.7mm Cortex Self Tapping Screws T8 Torx,L.24mm | 3        |
| CSTT2726 | 2.7mm Cortex Self Tapping Screws T8 Torx,L.26mm | 3        |

## 3.0mm TPLO Set

| Code     | Products Name                                     | Quantity |
|----------|---------------------------------------------------|----------|
| CSTT2728 | 2.7mm Cortex Self Tapping Screws T8 Torx,L.28mm   | 3        |
| CSTT2730 | 2.7mm Cortex Self Tapping Screws T8 Torx,L.30mm   | 3        |
| CSTT2732 | 2.7mm Cortex Self Tapping Screws T8 Torx,L.32mm   | 3        |
| CSTT2734 | 2.7mm Cortex Self Tapping Screws T8 Torx,L.34mm   | 3        |
| CSTT2736 | 2.7mm Cortex Self Tapping Screws T8 Torx,L.36mm   | 3        |
| CSTT2738 | 2.7mm Cortex Self Tapping Screws T8 Torx,L.38mm   | 3        |
| CSTT2740 | 2.7mm Cortex Self Tapping Screws T8 Torx,L.40mm   | 3        |
| LS3010   | 3.0mm Locking Self Tapping Screws,T10 Torx,L.10mm | 4        |
| LS3012   | 3.0mm Locking Self Tapping Screws,T10 Torx,L.12mm | 4        |
| LS3014   | 3.0mm Locking Self Tapping Screws,T10 Torx,L.14mm | 4        |
| LS3016   | 3.0mm Locking Self Tapping Screws,T10 Torx,L.16mm | 4        |
| LS3018   | 3.0mm Locking Self Tapping Screws,T10 Torx,L.18mm | 4        |
| LS3020   | 3.0mm Locking Self Tapping Screws,T10 Torx,L.20mm | 8        |
| LS3022   | 3.0mm Locking Self Tapping Screws,T10 Torx,L.22mm | 8        |
| LS3024   | 3.0mm Locking Self Tapping Screws,T10 Torx,L.24mm | 8        |
| LS3026   | 3.0mm Locking Self Tapping Screws,T10 Torx,L.26mm | 8        |
| LS3028   | 3.0mm Locking Self Tapping Screws,T10 Torx,L.28mm | 8        |
| LS3030   | 3.0mm Locking Self Tapping Screws,T10 Torx,L.30mm | 8        |
| LS3032   | 3.0mm Locking Self Tapping Screws,T10 Torx,L.32mm | 4        |
| LS3034   | 3.0mm Locking Self Tapping Screws,T10 Torx,L.34mm | 4        |
| LS3036   | 3.0mm Locking Self Tapping Screws,T10 Torx,L.36mm | 4        |
| LS3038   | 3.0mm Locking Self Tapping Screws,T10 Torx,L.38mm | 4        |
| LS3040   | 3.0mm Locking Self Tapping Screws,T10 Torx,L.40mm | 4        |

# 5.0mm TPLO Set



## 5.0mm TPLO Set

| Code     | Products Name                                     | Quantity |
|----------|---------------------------------------------------|----------|
| CSST4528 | 4.5mm Cortex Screws,L.28mm                        | 3        |
| CSST4530 | 4.5mm Cortex Screws,L.30mm                        | 3        |
| CSST4532 | 4.5mm Cortex Screws,L.32mm                        | 3        |
| CSST4534 | 4.5mm Cortex Screws,L.34mm                        | 3        |
| CSST4536 | 4.5mm Cortex Screws,L.36mm                        | 3        |
| CSST4538 | 4.5mm Cortex Screws,L.38mm                        | 3        |
| CSST4540 | 4.5mm Cortex Screws,L.40mm                        | 3        |
| CSST4542 | 4.5mm Cortex Screws,L.42mm                        | 3        |
| CSST4544 | 4.5mm Cortex Screws,L.44mm                        | 3        |
| CSST4546 | 4.5mm Cortex Screws,L.46mm                        | 3        |
| CSST4548 | 4.5mm Cortex Screws,L.48mm                        | 3        |
| CSST4550 | 4.5mm Cortex Screws,L.50mm                        | 3        |
| CSST4552 | 4.5mm Cortex Screws,L.52mm                        | 3        |
| CSST4554 | 4.5mm Cortex Screws,L.54mm                        | 3        |
| CSST4556 | 4.5mm Cortex Screws,L.56mm                        | 3        |
| CSST4558 | 4.5mm Cortex Screws,L.58mm                        | 3        |
| CSST4560 | 4.5mm Cortex Screws,L.60mm                        | 3        |
| CSST4562 | 4.5mm Cortex Screws,L.62mm                        | 3        |
| LS5014   | 5.0mm Locking Self Tapping Screws, T25 Tox,L.14mm | 8        |
| LS5016   | 5.0mm Locking Self Tapping Screws, T25 Tox,L.16mm | 8        |
| LS5018   | 5.0mm Locking Self Tapping Screws, T25 Tox,L.18mm | 8        |
| LS5020   | 5.0mm Locking Self Tapping Screws, T25 Tox,L.20mm | 8        |
| LS5022   | 5.0mm Locking Self Tapping Screws, T25 Tox,L.22mm | 8        |
| LS5024   | 5.0mm Locking Self Tapping Screws, T25 Tox,L.24mm | 8        |
| LS5026   | 5.0mm Locking Self Tapping Screws, T25 Tox,L.26mm | 8        |
| LS5028   | 5.0mm Locking Self Tapping Screws, T25 Tox,L.28mm | 8        |
| LS5030   | 5.0mm Locking Self Tapping Screws, T25 Tox,L.30mm | 8        |
| LS5032   | 5.0mm Locking Self Tapping Screws, T25 Tox,L.32mm | 10       |
| LS5034   | 5.0mm Locking Self Tapping Screws, T25 Tox,L.34mm | 10       |
| LS5036   | 5.0mm Locking Self Tapping Screws, T25 Tox,L.36mm | 10       |
| LS5038   | 5.0mm Locking Self Tapping Screws, T25 Tox,L.38mm | 10       |

## 5.0mm TPLO Set


| Code    | Products Name                                     | Quantity |
|---------|---------------------------------------------------|----------|
| LS5038  | 5.0mm Locking Self Tapping Screws, T25 Tox,L.38mm | 10       |
| LS5042  | 5.0mm Locking Self Tapping Screws, T25 Tox,L.42mm | 10       |
| LS5044  | 5.0mm Locking Self Tapping Screws, T25 Tox,L.44mm | 10       |
| LS5046  | 5.0mm Locking Self Tapping Screws, T25 Tox,L.46mm | 10       |
| LS5048  | 5.0mm Locking Self Tapping Screws, T25 Tox,L.48mm | 10       |
| LS5050  | 5.0mm Locking Self Tapping Screws, T25 Tox,L.50mm | 10       |
| LS5055  | 5.0mm Locking Self Tapping Screws, T25 Tox,L.55mm | 10       |
| LS5060  | 5.0mm Locking Self Tapping Screws, T25 Tox,L.60mm | 4        |
| LS5065  | 5.0mm Locking Self Tapping Screws, T25 Tox,L.65mm | 4        |
| LS5070  | 5.0mm Locking Self Tapping Screws, T25 Tox,L.70mm | 4        |
| LS5075  | 5.0mm Locking Self Tapping Screws, T25 Tox,L.75mm | 4        |
| LS5080  | 5.0mm Locking Self Tapping Screws, T25 Tox,L.80mm | 4        |
| LS5085  | 5.0mm Locking Self Tapping Screws, T25 Tox,L.85mm | 4        |
| LS5090  | 5.0mm Locking Self Tapping Screws, T25 Tox,L.90mm | 4        |
| 000018  | 5.0mm Locking Screws Case                         | 1        |
| 200005  | Instruments Sterilization Basket 265*120*70mm     | 1        |
| 4407.L4 | 5.0mm JUMBO TPLO Plate L                          | 3        |
| 4407.R4 | 5.0mm JUMBO TPLO Plate R                          | 3        |
| 511.773 | Torque Limiting Aachment 4.0NM                    | 1        |
| 100239  | Depth gauge 90mm For 4.5mm&6.0mm Screws           | 1        |
| 110160  | Straight Handle AO QC 160mm                       | 1        |
| 100229  | Hex Screwdriver AO QC 3.5mm                       | 1        |
| 100176  | AO Quick Coupling Taps 4.5mm Cancellous Tap       | 1        |
| 110183  | Locking Threaded Drill Guide 4.3/5.0mm            | 2        |
| A32QC32 | AO QC Drill Bits 3.2mm                            | 2        |
| 110230  | Star Drive Insert AO QC T25                       | 1        |
| A32QC43 | AO QC Drill Bits 4.3mm                            | 2        |
| 100191  | Universal Drill Guide 3.2/4.5mm                   | 1        |
|         | AO Quick Coupling Taps Locking 5.0mm              | 1        |
| 100159  | AOT Tap Handle 75mm                               | 1        |

TPLO Rotation. Quick Reference Chart.



Rotation Calculation Intended to Leave 5 degrees

| TPA Angle | TPLO Blade Size (mm) |      |      |      |      |      |       |       |       |       |       |       |       |
|-----------|----------------------|------|------|------|------|------|-------|-------|-------|-------|-------|-------|-------|
|           | 6                    | 7    | 8    | 9    | 10   | 12   | 15    | 18    | 21    | 24    | 27    | 30    | 33    |
| 10        | 0.52                 | 0.61 | 0.70 | 0.79 | 0.87 | 1.05 | 1.31  | 1.57  | 1.83  | 2.09  | 2.36  | 2.62  | 2.88  |
| 11        | 0.63                 | 0.73 | 0.84 | 0.94 | 1.05 | 1.26 | 1.57  | 1.88  | 2.20  | 2.51  | 2.83  | 3.14  | 3.46  |
| 12        | 0.73                 | 0.86 | 0.98 | 1.10 | 1.22 | 1.47 | 1.83  | 2.20  | 2.57  | 2.93  | 3.30  | 3.67  | 4.03  |
| 13        | 0.84                 | 0.98 | 1.12 | 1.26 | 1.40 | 1.68 | 2.09  | 2.51  | 2.93  | 3.35  | 3.77  | 4.19  | 4.61  |
| 14        | 0.94                 | 1.10 | 1.26 | 1.41 | 1.57 | 1.88 | 2.36  | 2.83  | 3.30  | 3.77  | 4.24  | 4.71  | 5.18  |
| 15        | 1.05                 | 1.22 | 1.40 | 1.57 | 1.75 | 2.09 | 2.62  | 3.14  | 3.67  | 4.19  | 4.71  | 5.24  | 5.76  |
| 16        | 1.15                 | 1.34 | 1.54 | 1.73 | 1.92 | 2.30 | 2.88  | 3.46  | 4.03  | 4.61  | 5.18  | 5.76  | 6.34  |
| 17        | 1.26                 | 1.47 | 1.68 | 1.88 | 2.09 | 2.51 | 3.14  | 3.77  | 4.40  | 5.03  | 5.65  | 6.28  | 6.91  |
| 18        | 1.36                 | 1.59 | 1.82 | 2.04 | 2.27 | 2.72 | 3.40  | 4.08  | 4.76  | 5.45  | 6.13  | 6.81  | 7.49  |
| 19        | 1.47                 | 1.71 | 1.95 | 2.20 | 2.44 | 2.93 | 3.67  | 4.40  | 5.13  | 5.86  | 6.60  | 7.33  | 8.06  |
| 20        | 1.57                 | 1.83 | 2.09 | 2.36 | 2.62 | 3.14 | 3.93  | 4.71  | 5.50  | 6.28  | 7.07  | 7.85  | 8.64  |
| 21        | 1.68                 | 1.95 | 2.23 | 2.51 | 2.79 | 3.35 | 4.19  | 5.03  | 5.86  | 6.70  | 7.54  | 8.38  | 9.22  |
| 22        | 1.78                 | 2.08 | 2.37 | 2.67 | 2.97 | 3.56 | 4.45  | 5.34  | 6.23  | 7.12  | 8.01  | 8.90  | 9.79  |
| 23        | 1.88                 | 2.20 | 2.51 | 2.83 | 3.14 | 3.77 | 4.71  | 5.65  | 6.60  | 7.54  | 8.48  | 9.42  | 10.37 |
| 24        | 1.99                 | 2.32 | 2.65 | 2.98 | 3.32 | 3.98 | 4.97  | 5.97  | 6.96  | 7.96  | 8.95  | 9.95  | 10.94 |
| 25        | 2.09                 | 2.44 | 2.79 | 3.14 | 3.49 | 4.19 | 5.24  | 6.28  | 7.33  | 8.38  | 9.42  | 10.47 | 11.52 |
| 26        | 2.20                 | 2.57 | 2.93 | 3.30 | 3.67 | 4.40 | 5.50  | 6.60  | 7.70  | 8.80  | 9.90  | 11.00 | 12.10 |
| 27        | 2.30                 | 2.69 | 3.07 | 3.46 | 3.84 | 4.61 | 5.76  | 6.91  | 8.06  | 9.22  | 10.37 | 11.52 | 12.67 |
| 28        | 2.41                 | 2.81 | 3.21 | 3.61 | 4.01 | 4.82 | 6.02  | 7.23  | 8.43  | 9.63  | 10.84 | 12.04 | 13.25 |
| 29        | 2.51                 | 2.93 | 3.35 | 3.77 | 4.19 | 5.03 | 6.28  | 7.54  | 8.80  | 10.05 | 11.31 | 12.57 | 13.82 |
| 30        | 2.62                 | 3.05 | 3.49 | 3.93 | 4.36 | 5.24 | 6.54  | 7.85  | 9.16  | 10.47 | 11.78 | 13.09 | 14.40 |
| 31        | 2.72                 | 3.18 | 3.63 | 4.08 | 4.54 | 5.45 | 6.81  | 8.17  | 9.53  | 10.89 | 12.25 | 13.61 | 14.97 |
| 32        | 2.83                 | 3.30 | 3.77 | 4.24 | 4.71 | 5.65 | 7.07  | 8.48  | 9.90  | 11.31 | 12.72 | 14.14 | 15.55 |
| 33        | 2.93                 | 3.42 | 3.91 | 4.40 | 4.89 | 5.86 | 7.33  | 8.80  | 10.26 | 11.73 | 13.19 | 14.66 | 16.13 |
| 34        | 3.04                 | 3.54 | 4.05 | 4.56 | 5.06 | 6.07 | 7.59  | 9.11  | 10.63 | 12.15 | 13.67 | 15.18 | 16.70 |
| 35        | 3.14                 | 3.67 | 4.19 | 4.71 | 5.24 | 6.28 | 7.85  | 9.42  | 11.00 | 12.57 | 14.14 | 15.71 | 17.28 |
| 36        | 3.25                 | 3.79 | 4.33 | 4.87 | 5.41 | 6.49 | 8.12  | 9.74  | 11.36 | 12.99 | 14.61 | 16.23 | 17.85 |
| 37        | 3.35                 | 3.91 | 4.47 | 5.03 | 5.59 | 6.70 | 8.38  | 10.05 | 11.73 | 13.40 | 15.08 | 16.76 | 18.43 |
| 38        | 3.46                 | 4.03 | 4.61 | 5.18 | 5.76 | 6.91 | 8.64  | 10.37 | 12.10 | 13.82 | 15.55 | 17.28 | 19.01 |
| 39        | 3.56                 | 4.15 | 4.75 | 5.34 | 5.93 | 7.12 | 8.90  | 10.68 | 12.46 | 14.24 | 16.02 | 17.80 | 19.58 |
| 40        | 3.67                 | 4.28 | 4.89 | 5.50 | 6.11 | 7.33 | 9.16  | 11.00 | 12.83 | 14.66 | 16.49 | 18.33 | 20.16 |
| 41        | 3.77                 | 4.40 | 5.03 | 5.65 | 6.28 | 7.54 | 9.42  | 11.31 | 13.19 | 15.08 | 16.96 | 18.85 | 20.73 |
| 42        | 3.87                 | 4.52 | 5.17 | 5.81 | 6.46 | 7.75 | 9.69  | 11.62 | 13.56 | 15.50 | 17.44 | 19.37 | 21.31 |
| 43        | 3.98                 | 4.64 | 5.31 | 5.97 | 6.63 | 7.96 | 9.95  | 11.94 | 13.93 | 15.92 | 17.91 | 19.90 | 21.89 |
| 44        | 4.08                 | 4.76 | 5.45 | 6.13 | 6.81 | 8.17 | 10.21 | 12.25 | 14.29 | 16.34 | 18.38 | 20.42 | 22.46 |
| 45        | 4.19                 | 4.89 | 5.59 | 6.28 | 6.98 | 8.38 | 10.47 | 12.57 | 14.66 | 16.76 | 18.85 | 20.94 | 23.04 |



| HCS Headless Compression Screw Instruments Set |                                       |          |
|------------------------------------------------|---------------------------------------|----------|
| Code                                           | Products Name/Specilaiaation          | Quantity |
| HCS0001                                        | HCS Compression Screw Instruments Set |          |
| 301007                                         | Large Aiming Forceps                  | 1        |
| 301107                                         | Large Aiming Device                   | 1        |
| 301104                                         | Φ1.8mm Drill Sleeve                   | 1        |
| 301105                                         | Φ2.0mm Drill Sleeve                   | 1        |
| 301108                                         | Φ2.5mm Drill Sleeve                   | 1        |
| HCS0002                                        | 2.4/3.0 HCS Compression Screwdriver   | 1        |
| HCS0003                                        | 3.0/4.0 HCS Compression Screwdriver   | 1        |
| A32CAN04                                       | Φ2.0 Cannulated Screw Jacob QC        | 1        |
| HCS004                                         | HCS Cannulated Countersink AO QC      | 1        |
| 100160                                         | AO Straight Handle QC                 | 1        |
| HCS005                                         | Cannulated Screw Measuring Device     | 1        |
| SS4010                                         | 1.0mm Guide Wire                      | 2        |
| 100227                                         | SW 2.0 Screwdiver Hexagonal AO QC     | 1        |
| 100233                                         | Screw Holding Forceps                 | 1        |
| 2.4mm HCS Titanium Compression Screw           |                                       |          |
| HCS243012                                      | 12mm L                                | 4        |
| HCS243014                                      | 14mm L                                | 4        |
| HCS243016                                      | 16mm L                                | 4        |
| HCS243018                                      | 18mm L                                | 4        |
| HCS243020                                      | 20mm L                                | 4        |

| HCS Headless Compression Screw Instruments Set |                             |          |
|------------------------------------------------|-----------------------------|----------|
| Code                                           | Products Name/Specilaaation | Quantity |
| HCS243022                                      | 22mm L                      | 4        |
| HCS243024                                      | 24mm L                      | 4        |
| HCS243026                                      | 26mm L                      | 4        |
| HCS243028                                      | 28mm L                      | 4        |
| HCS243030                                      | 30mm L                      | 4        |
| 3.0mm HCS Titanium Compression Screw           |                             |          |
| HCS304012                                      | 12mm L                      | 4        |
| HCS304014                                      | 14mm L                      | 4        |
| HCS304016                                      | 16mm L                      | 4        |
| HCS304018                                      | 18mm L                      | 4        |
| HCS304020                                      | 20mm L                      | 4        |
| HCS304022                                      | 22mm L                      | 4        |
| HCS304024                                      | 24mm L                      | 4        |
| HCS304026                                      | 26mm L                      | 4        |
| HCS304028                                      | 28mm L                      | 4        |
| HCS304030                                      | 30mm L                      | 4        |
| HCS304032                                      | 32mm L                      | 4        |
| HCS304034                                      | 34mm L                      | 4        |
| HCS304036                                      | 36mm L                      | 4        |
| HCS304038                                      | 38mm L                      | 4        |
| HCS304040                                      | 40mm L                      | 4        |

# Titanium Headless Compression Screw

| 2.4/3.0 HCS Titanium<br>Compression Screw | Veterinary<br>Use Only | Titanium<br>Grade 5 |
|-------------------------------------------|------------------------|---------------------|
| Code                                      | L                      |                     |
| HCS243012                                 | 12mm                   |                     |
| HCS243014                                 | 14mm                   |                     |
| HCS243016                                 | 16mm                   |                     |
| HCS243018                                 | 18mm                   |                     |
| HCS243020                                 | 20mm                   |                     |
| HCS243022                                 | 22mm                   |                     |
| HCS243024                                 | 24mm                   |                     |
| HCS243026                                 | 26mm                   |                     |
| HCS243028                                 | 28mm                   |                     |
| HCS243030                                 | 30mm                   |                     |
| HCS243032                                 | 32mm                   |                     |
| HCS243034                                 | 34mm                   |                     |
| HCS243036                                 | 36mm                   |                     |
| HCS243038                                 | 38mm                   |                     |
| HCS243040                                 | 40mm                   |                     |



| 3.0/4.0 HCS Titanium<br>Compression Screw | Veterinary<br>Use Only | Titanium<br>Grade 5 |
|-------------------------------------------|------------------------|---------------------|
| Code                                      | L                      |                     |
| HCS304012                                 | 12mm                   |                     |
| HCS304014                                 | 14mm                   |                     |
| HCS304016                                 | 16mm                   |                     |
| HCS304018                                 | 18mm                   |                     |
| HCS304020                                 | 20mm                   |                     |
| HCS304022                                 | 22mm                   |                     |
| HCS304024                                 | 24mm                   |                     |
| HCS304026                                 | 26mm                   |                     |
| HCS304028                                 | 28mm                   |                     |
| HCS304030                                 | 30mm                   |                     |
| HCS304032                                 | 32mm                   |                     |
| HCS304034                                 | 34mm                   |                     |
| HCS304036                                 | 36mm                   |                     |
| HCS304038                                 | 38mm                   |                     |
| HCS304040                                 | 40mm                   |                     |



# Joint And Sports Medicine






# Universal Aim Device



| Universal Aim Device Set |                                         |          |
|--------------------------|-----------------------------------------|----------|
| Code                     | Products Name/Specilaation              | Quantity |
| Universal Aim Device Set |                                         |          |
| UAD0001                  | Universal Aim Device                    | 1        |
| UAD0015                  | Drill Sleeve 1.5mm                      | 1        |
| UAD0018                  | Drill Sleeve 1.8mm                      | 1        |
| UAD0020                  | Drill Sleeve 2.0mm                      | 1        |
| UAD0025                  | Drill Sleeve 2.5mm                      | 1        |
| UAD0027                  | Drill Sleeve 2.7mm                      | 1        |
| UAD0030                  | Drill Sleeve 3.0mm                      | 1        |
| UAD0035                  | Drill Sleeve 3.5mm                      | 1        |
| UAD0045                  | Drill Sleeve 4.5mm                      | 1        |
| SS4015                   | Guide Pin 1.5mm                         | 2        |
| A32A15                   | 1.5X85mm Drill Bits                     | 1        |
| A32A18                   | 1.8X100mm Drill Bits                    | 1        |
| A32A20                   | 2.0X100mm Drill Bits                    | 1        |
| A32A25                   | 2.5X115mm Drill Bits                    | 1        |
| A32A27                   | 2.7X165mm Drill Bits                    | 1        |
| A32A30                   | 3.0X150mm Drill Bits                    | 1        |
| A32A35                   | 3.5X150mm Drill Bits                    | 1        |
| A32A45                   | 4.5X150mm Drill Bits                    | 1        |
| UAD0003                  | Universal Aim Device Sterilization Case | 1        |

## Coxofemoral Luxation Repair Surgical Procedure



# Suture And Anchor System

## Gelpi Self Retaining Retractor

Veterinary  
Use Only

| Code   | L     |
|--------|-------|
| 100152 | 140mm |



## Large Stifle Distractor

Veterinary  
Use Only

| Code    | Specification | L     |
|---------|---------------|-------|
| 300001  | Large         | 180mm |
| 300001a | Small         | 135mm |



## Crimping Forceps

Veterinary  
Use Only

| Code   |
|--------|
| 300002 |



# Suture And Anchor System

| Nylon Lateral Suture Scissor |       | Veterinary Use Only |
|------------------------------|-------|---------------------|
| Code                         | L     |                     |
| 300003                       | 145mm |                     |




| Ligament Tensioning Forceps |       | Veterinary Use Only |
|-----------------------------|-------|---------------------|
| Code                        | L     |                     |
| 300008                      | 170mm |                     |



| Titanium Button |                            | Veterinary Use Only | Titanium Grade 5 |
|-----------------|----------------------------|---------------------|------------------|
| Code            | Products Name              |                     |                  |
| TSB20           | Two Holes Titanium Button  |                     |                  |
| TSB40           | Four Holes Titanium Button |                     |                  |



| Hip Toggle |           | Veterinary Use Only      | Titanium Grade 5 |
|------------|-----------|--------------------------|------------------|
| Code       | L         | Match with Ultra Sutures |                  |
| TOG20      | Ø2.0*15mm | #2 / #2 Double Loops     |                  |
| TOG25      | Ø2.5*20mm | #5 / #5 Double Loops     |                  |
| TOG30      | Ø3.0*25mm | #5 Double Loops          |                  |




| Nylon Lateral Suture |                                          | Veterinary Use Only |
|----------------------|------------------------------------------|---------------------|
| Code                 | L                                        |                     |
| AL060                | Nylon Lateral Suture 60lb*Cramping 60mm  |                     |
| AL100                | Nylon Lateral Suture 100lb*Cramping 60mm |                     |




# Suture And Anchor System


| Ligment Sutures Passer |           | Veterinary Use Only |
|------------------------|-----------|---------------------|
| Code                   | L         |                     |
| 300004                 | 1.2X200mm |                     |




| Flexible Ligment Sutures Passer |           | Veterinary Use Only |
|---------------------------------|-----------|---------------------|
| Code                            | L         |                     |
| 300009                          | 0.7X450mm |                     |



| Suture Anchor Pin |       | Veterinary Use Only | Titanium Grade 5 |
|-------------------|-------|---------------------|------------------|
| Code              | L     |                     |                  |
| SAP25             | 2.5mm |                     |                  |
| SAP30             | 3.0mm |                     |                  |
| SAP40             | 4.0mm |                     |                  |




| Canine Patellar Block |        | Veterinary Use Only | Titanium Grade 5 |
|-----------------------|--------|---------------------|------------------|
| Code                  | L      |                     |                  |
| E070                  | 7mm    |                     |                  |
| E080                  | 8mm    |                     |                  |
| E090                  | 9mm    |                     |                  |
| E100                  | 10mm   |                     |                  |
| E115                  | 11.5mm |                     |                  |
| E130                  | 13mm   |                     |                  |




# Suture And Anchor System

| EasyLock Ultra UHMWPE Sutures |                 |               | Veterinary<br>Use Only |
|-------------------------------|-----------------|---------------|------------------------|
| Code                          | Products Name   | Speciliaation |                        |
| SAS9520                       | Ultra PE Suture | #2-0          |                        |
| SAS9502                       | Ultra PE Suture | #2            |                        |
| SAS9505                       | Ultra PE Suture | #5            |                        |

• Sterilized by EO



| Easy Lock Anchor |               |                         | Veterinary<br>Use Only |
|------------------|---------------|-------------------------|------------------------|
| Code             | Speciliaation | Matchwith Ultra Sutures |                        |
| SAS1805          | 1.8X5mm       | #2-0                    |                        |
| SAS1807          | 1.8X7mm       | #2-0                    |                        |
| SAS2307          | 2.3X7mm       | #2                      |                        |
| SAS2309          | 2.3X9mm       | #2                      |                        |
| SAS2808          | 2.8X8mm       | #2                      |                        |
| SAS2810          | 2.8X10mm      | #2                      |                        |
| SAS3710          | 3.7X10mm      | #5                      |                        |
| SAS3712          | 3.7X12mm      | #5                      |                        |
| SAS4712          | 4.7X12mm      | #5                      |                        |
| SAS4716          | 4.7X16mm      | #5                      |                        |




| Anchor Driver |                      |                     | Veterinary<br>Use Only |
|---------------|----------------------|---------------------|------------------------|
| Code          | Products Name        | Speciliaation       |                        |
| SAS003        | Anchor Driver Small  | Use 1.8 Anchors     |                        |
| SAS001        | Anchor Driver Medium | Use 2.3/2.8 Anchors |                        |
| SAS002        | Anchor Driver Large  | Use 3.7/4.7 Anchors |                        |




| Anchors Rack |                     | Veterinary<br>Use Only |
|--------------|---------------------|------------------------|
| Code         | Speciliaation       |                        |
| SAS000       | 1.8/2.3/2.8/3.7/4.7 |                        |



# Canine Cranial Cruciate Ligament Repair Surgical Procedure



# Intramedullary Pin System



# Small Animals Interlocking Nail I-LOCK Set



Small Animals Interlocking Nail I-LOCK Set

| Code   | Products Name/Specification                                      | Quantity |
|--------|------------------------------------------------------------------|----------|
|        | Small Animals Interlocking Nail I-LOCK Set                       |          |
| 22.001 | Aiming Device For Interlocking Nail                              | 1        |
| 22.002 | Guiding Rod For Aiming Device                                    | 1        |
| 22.003 | Screwdriver For Locking Bolt T6                                  | 1        |
| 22.004 | Reamer For Proximal End                                          | 1        |
| 100042 | Small Jacobs Chuck With Straight Handle 0-4mm                    | 1        |
| 22.006 | Sleeve For Temporary Position Pin                                | 4        |
| 22.007 | Protection Sleeve For Intramedullary Reaming                     | 1        |
| 22.008 | Protection Sleeve For Locking Bolt Inserting $\Phi 3.5\text{mm}$ | 4        |
| 22.009 | Drill Sleeve For Locking Bolt $\Phi 1.5/3.5\text{mm}$            | 2        |
| 22.010 | Drill Sleeve For Locking Bolt $\Phi 2.0/3.5\text{mm}$            | 2        |
| 22.011 | Allen Key SW4.0                                                  | 1        |
| 22.012 | Intramedullary Reamer $\Phi 3.0\text{mm}$                        | 1        |
| 22.013 | Intramedullary Reamer $\Phi 4.0\text{mm}$                        | 1        |
| A32A15 | Drill Bits 1.5mm                                                 | 1        |
| A32A20 | Drill Bits 2.0mm                                                 | 1        |
| 22.016 | Screw Rack For Locking Bolt                                      | 1        |
| 22.017 | Sterilization Box For Interlocking Nail System                   | 1        |
| 22.018 | $\Phi 3.0\text{mm}$ Interlocking Nail,Length 60mm                | 1        |
| 22.019 | $\Phi 3.0\text{mm}$ Interlocking Nail,Length 78mm                | 1        |
| 22.020 | $\Phi 3.0\text{mm}$ Interlocking Nail,Length 96mm                | 1        |
| 22.021 | $\Phi 3.0\text{mm}$ Interlocking Nail,Length 114mm               | 1        |
| 22.022 | $\Phi 4.0\text{mm}$ Interlocking Nail,Length 78mm                | 1        |
| 22.023 | $\Phi 4.0\text{mm}$ Interlocking Nail,Length 96mm                | 1        |
| 22.024 | $\Phi 4.0\text{mm}$ Interlocking Nail,Length 114mm               | 1        |
| 22.025 | $\Phi 4.0\text{mm}$ Interlocking Nail,Length 132mm               | 1        |
| 22.026 | Locking Bolt $\Phi 1.5/2.0\text{mm}$                             | 6        |
| 22.027 | Locking Bolt $\Phi 2.0/2.7\text{mm}$                             | 6        |

# Interlocking Nail I-LOCK System

| Protection Sleeve For Locking Bolt Inserting |        | Veterinary Use Only |
|----------------------------------------------|--------|---------------------|
| Code                                         | Dia    |                     |
| 22.008                                       | Φ3.5mm |                     |



| Drill Sleeve For Locking Bolt |            | Veterinary Use Only |
|-------------------------------|------------|---------------------|
| Code                          | Dia        |                     |
| 22.009                        | Φ1.5/3.5mm |                     |
| 22.010                        | Φ2.0/3.5mm |                     |



| Interlocking Nail |        | Veterinary Use Only | Titanium Grade 5 |
|-------------------|--------|---------------------|------------------|
| Code              | Dia    | L                   |                  |
| 22.018            | Φ3.0mm | 60mm                |                  |
| 22.019            | Φ3.0mm | 78mm                |                  |
| 22.020            | Φ3.0mm | 96mm                |                  |
| 22.021            | Φ3.0mm | 114mm               |                  |
| 22.022            | Φ4.0mm | 78mm                |                  |
| 22.023            | Φ4.0mm | 96mm                |                  |
| 22.024            | Φ4.0mm | 114mm               |                  |
| 22.025            | Φ4.0mm | 132mm               |                  |



| Locking Bolt |            | Veterinary Use Only | Titanium Grade 5 |
|--------------|------------|---------------------|------------------|
| Code         | Dia        |                     |                  |
| 22.026       | Φ1.5/2.0mm |                     |                  |
| 22.027       | Φ2.0/2.7mm |                     |                  |



# AO Style Small Animal Rush Pin Instruments Set

## Open Awl

Veterinary  
Use Only

| Code    | L     |
|---------|-------|
| ASEN002 | 180mm |




## Elastic Nail

Veterinary  
Use Only

Titanium  
Grade 5

| Code   | Specilaation |
|--------|--------------|
| 110015 | 1.5mm        |
| 110018 | 1.8mm        |
| 110020 | 2.0mm        |
| 110025 | 2.5mm        |
| 110030 | 3.0mm        |
| 110035 | 3.5mm        |
| 110040 | 4.0mm        |



无锡金诚陈努医生



# Spinal Neurosurgery System




# Skull Titanium Mesh System

| Titanium Mesh |           | Veterinary Use Only | Titanium Grade 5 |
|---------------|-----------|---------------------|------------------|
| Code          | Thickness | L                   |                  |
| 604050        | 0.6mm     | 40mmX50mm           |                  |
| 605060        | 0.6mm     | 50mmX60mm           |                  |
| 606070        | 0.6mm     | 60mmX70mm           |                  |


Application Of Titanium Mesh In Craniotomy



| 3D Titanium Mesh |           | Veterinary Use Only | Titanium Grade 5 |
|------------------|-----------|---------------------|------------------|
| Code             | Thickness | L                   |                  |
| 609090           | 0.6mm     | 90mmX90mm           |                  |



| Titanium Mesh Screw |              | Veterinary Use Only | Titanium Grade 5 |
|---------------------|--------------|---------------------|------------------|
| Code                | Speciliation |                     |                  |
| 601504              | 1.5mmX4.0mm  |                     |                  |
| 601505              | 1.5mmX5.0mm  |                     |                  |
| 601506              | 1.5mmX6.0mm  |                     |                  |



# Skull Titanium Mesh System

| Safety Limited Depth Drill Bit |               | Veterinary Use Only |
|--------------------------------|---------------|---------------------|
| Code                           | Speciliaation |                     |
| 100402                         | 1.1mmX4mm     |                     |
| 100403                         | 1.1mmX5mm     |                     |
| 100404                         | 1.1mmX6mm     |                     |



| AO QC Cruciform Screwdriver |                              | Veterinary Use Only |
|-----------------------------|------------------------------|---------------------|
| Code                        | Speciliaation                |                     |
| 600075                      | Titanium Mesh Nail Dedicated |                     |



| Mini AO QC Handle Screwdriver |                                  |       | Veterinary Use Only |
|-------------------------------|----------------------------------|-------|---------------------|
| Code                          | Products Name                    | L     |                     |
| 100399                        | Mini AO QC Handle                | 100mm |                     |
| 100401                        | Mini AO QC Cruciform Screwdriver | 55mm  |                     |



| Titanium Mesh Bending Forceps |       | Veterinary Use Only |
|-------------------------------|-------|---------------------|
| Code                          | L     |                     |
| 600076                        | 240mm |                     |



# Skull Titanium Mesh System

| Titanium Mesh Cutter |       | Veterinary Use Only |
|----------------------|-------|---------------------|
| Code                 | L     |                     |
| 600077               | 140mm |                     |




| Cranial Titanium Mesh Sterilization Caddy |               |
|-------------------------------------------|---------------|
| Code                                      | Specification |
| 600078                                    | 105X170X20mm  |



| Cranial Titanium Mesh System Kit |                                           |          |
|----------------------------------|-------------------------------------------|----------|
| Code                             | Products Name/Specification               | Quantity |
| 600079                           | Cranial Titanium Mesh System Kit          |          |
| 609090                           | 3D Titanium Mesh 0.6mmX90mmX90mm          | 1        |
| 601504                           | Titanium Mesh Screw 1.5mmX4.0mm           | 16       |
| 601505                           | Titanium Mesh Screw 1.5mmX5.0mm           | 16       |
| 601506                           | Titanium Mesh Screw 1.5mmX6.0mm           | 16       |
| 100402                           | Safety Limited Depth Drill Bit 1.1mmX4mm  | 1        |
| 100403                           | Safety Limited Depth Drill Bit 1.1mmX5mm  | 1        |
| 100404                           | Safety Limited Depth Drill Bit 1.1mmX6mm  | 1        |
| 600075                           | AO QC Cruciform Screwdriver               | 1        |
| 600078                           | Cranial Titanium Mesh Sterilization Caddy | 1        |

# VSS Spinal Fixation System

| VSS Polyaxial Pedicle Screws |       |        |         | Veterinary<br>Use Only |
|------------------------------|-------|--------|---------|------------------------|
| Code                         | Dia   | Head L | Shaft L |                        |
| 601608                       | 1.6mm | 6.5mm  | 8mm     |                        |
| 601610                       | 1.6mm | 6.5mm  | 10mm    |                        |
| 601612                       | 1.6mm | 6.5mm  | 12mm    |                        |
| 601614                       | 1.6mm | 6.5mm  | 14mm    |                        |
| 602214                       | 2.2mm | 6.5mm  | 14mm    |                        |
| 602216                       | 2.2mm | 6.5mm  | 16mm    |                        |
| 602218                       | 2.2mm | 6.5mm  | 18mm    |                        |
| 602220                       | 2.2mm | 6.5mm  | 20mm    |                        |
| 602818                       | 2.8mm | 9.5mm  | 18mm    |                        |
| 602821                       | 2.8mm | 9.5mm  | 21mm    |                        |
| 602824                       | 2.8mm | 9.5mm  | 24mm    |                        |
| 602827                       | 2.8mm | 9.5mm  | 27mm    |                        |
| 603524                       | 3.5mm | 9.5mm  | 24mm    |                        |
| 603527                       | 3.5mm | 9.5mm  | 27mm    |                        |
| 603530                       | 3.5mm | 9.5mm  | 30mm    |                        |
| 603533                       | 3.5mm | 9.5mm  | 33mm    |                        |



| SPF Connecting Rod |       |       | Veterinary<br>Use Only |
|--------------------|-------|-------|------------------------|
| Code               | Dia   | L     |                        |
| SPF2218            | 2.2mm | 18mm  |                        |
| SPF2224            | 2.2mm | 24mm  |                        |
| SPF2230            | 2.2mm | 30mm  |                        |
| SPF2236            | 2.2mm | 36mm  |                        |
| SPF2242            | 2.2mm | 42mm  |                        |
| SPF2248            | 2.2mm | 48mm  |                        |
| SPF2270            | 2.2mm | 70mm  |                        |
| SPF3228            | 3.2mm | 28mm  |                        |
| SPF3236            | 3.2mm | 36mm  |                        |
| SPF3244            | 3.2mm | 44mm  |                        |
| SPF3252            | 3.2mm | 52mm  |                        |
| SPF3260            | 3.2mm | 60mm  |                        |
| SPF3268            | 3.2mm | 68mm  |                        |
| SPF3299            | 3.2mm | 100mm |                        |



# VSS Spinal Fixation System

| VSS Spinal Fixation Screw Caddy |                                 | Veterinary Use Only |
|---------------------------------|---------------------------------|---------------------|
| Code                            | Products Name                   |                     |
| 600051                          | VSS Spinal Fixation Screw Caddy |                     |



## VSS Spinal Fixation Set

| Code    | Products Name/Specification                        | Quantity |
|---------|----------------------------------------------------|----------|
| VSS000  | VSS Spinal Fixation Set                            |          |
| 600045  | Feeler for Screw Channel, Straight L 240mm         | 1        |
| 100160  | Straight Quick Couple Handle L 110mm               | 1        |
| 600101  | Screwdriver for Polyaxial Pedicle Screw T6         | 1        |
| 600102  | Screwdriver for Polyaxial Pedicle Screw T8         | 1        |
| 511.776 | Torque Limiting Attachment 0.8Nm                   | 1        |
| 511.773 | Torque Limiting Attachment 1.5Nm                   | 1        |
| 100231  | Star Drive Insert AO QC T8                         | 1        |
| 100230  | Star Drive Insert AO QC T15                        | 1        |
| 600103  | In-Situ Bending Iron Left/Right                    | 1        |
| ASEN002 | Open Awl L 180mm                                   | 1        |
| 600105  | Rod Pusher 2.2mm                                   | 1        |
| 600106  | Rod Pusher 3.2mm                                   | 1        |
| 600107  | Counter Torque 2.5mm                               | 1        |
| 600108  | Counter Torque 3.5mm                               | 1        |
| 600035  | Retractor Forceps Opening Range 50-0mm / L 230mm   | Optional |
| 600036  | Compression Forceps Opening Range 0-45mm / L 210mm | Optional |
| 600052  | VSS Spinal Fixation System Sterilization Box       | 1        |

# Spinal Polyaxial Fixation System

| Feeler for Screw Channel, Straight |       | Veterinary Use Only |
|------------------------------------|-------|---------------------|
| Code                               | L     |                     |
| 600045                             | 240mm |                     |



| Straight Quick Couple Handle |       | Veterinary Use Only |
|------------------------------|-------|---------------------|
| Code                         | L     |                     |
| 100160                       | 110mm |                     |



| Screwdriver for Polyaxial Pedicle Screw |               |  |
|-----------------------------------------|---------------|--|
| Code                                    | Specification |  |
| 600101                                  | T6            |  |
| 600102                                  | T8            |  |




| Torque Limiting Attachment |               | Veterinary Use Only |
|----------------------------|---------------|---------------------|
| Code                       | Specification |                     |
| 511.776                    | AO QC 0.8Nm   |                     |
| 511.773                    | AO QC 1.5Nm   |                     |



| Star Drive Insert AO QC |               |                          | Veterinary Use Only |
|-------------------------|---------------|--------------------------|---------------------|
| Code                    | Specification | Use Screw                |                     |
| 100231                  | T8            | 2/4/2.7mm Locking Screws |                     |
| 100230                  | T15           | 3.5mm Locking Screws     |                     |



| In-Situ Bending Iron |               | Veterinary Use Only |
|----------------------|---------------|---------------------|
| Code                 | Specification |                     |
| 600103               | Left/Right    |                     |



# Spinal Polyaxial Fixation System


| Open Awl |       | Veterinary Use Only |
|----------|-------|---------------------|
| Code     | L     |                     |
| ASEN002  | 180mm |                     |



| Rod Pusher |               | Veterinary Use Only |
|------------|---------------|---------------------|
| Code       | Specification |                     |
| 600105     | 2.2mm         |                     |
| 600106     | 3.2mm         |                     |



| Counter Torque |               | Veterinary Use Only |
|----------------|---------------|---------------------|
| Code           | Specification |                     |
| 600107         | 2.5mm         |                     |
| 600108         | 3.5mm         |                     |



| Retractor Forceps (Optional) |               |       | Veterinary Use Only |
|------------------------------|---------------|-------|---------------------|
| Code                         | Opening Range | L     |                     |
| 600035                       | 50-0mm        | 230mm |                     |




| Compression Forceps (Optional) |               |       | Veterinary Use Only |
|--------------------------------|---------------|-------|---------------------|
| Code                           | Opening Range | L     |                     |
| 600036                         | 0-45mm        | 210mm |                     |




# Spinal Neuro Surgical Instruments


| Freer Periosteal Elevator |               |       | Veterinary<br>Use Only |
|---------------------------|---------------|-------|------------------------|
| Code                      | Specification | L     |                        |
| 600001                    | 5mm           | 185mm |                        |



| Very Fine Periosteal Elevator |               |       | Veterinary<br>Use Only |
|-------------------------------|---------------|-------|------------------------|
| Code                          | Specification | L     |                        |
| 600002                        | 2/3mm         | 180mm |                        |




| Spinal Hook With Ball Tip |       |  | Veterinary<br>Use Only |
|---------------------------|-------|--|------------------------|
| Code                      | L     |  |                        |
| 600003                    | 150mm |  |                        |




# Spinal Neuro Surgical Instruments


| Freer Periosteal |       | Veterinary Use Only |
|------------------|-------|---------------------|
| Code             | L     |                     |
| 600004           | 160mm |                     |



| Bone Curette |               | Veterinary Use Only |
|--------------|---------------|---------------------|
| Code         | Specification | L                   |
| 600005       | Large 3mm     | 150mm               |
| 600006       | Medium 2mm    | 150mm               |
| 600007       | Small 1mm     | 150mm               |




| Bone Tamper |               | Veterinary Use Only |
|-------------|---------------|---------------------|
| Code        | Specification | L                   |
| 600008      | Large 2mm     | 150mm               |
| 600009      | Small 1mm     | 150mm               |




# Spinal Neuro Surgical Instruments

| Spinal Hook |               |       | Veterinary<br>Use Only |
|-------------|---------------|-------|------------------------|
| Code        | Specification | L     |                        |
| 600010      | Large         | 220mm |                        |
| 600011      | Small         | 180mm |                        |



| Rosen Mobiliser |       |  | Veterinary<br>Use Only |
|-----------------|-------|--|------------------------|
| Code            | L     |  |                        |
| 600012          | 160mm |  |                        |



| Intervertebral Disc Distractor |       |  | Veterinary<br>Use Only |
|--------------------------------|-------|--|------------------------|
| Code                           | Depth |  |                        |
| 600013                         | 90mm  |  |                        |




# Spinal Neuro Surgical Instruments

| Cervical Disc Distractor |               | Veterinary<br>Use Only |
|--------------------------|---------------|------------------------|
| Code                     | Specification |                        |
| 600026                   | 0-100mm       |                        |


For use with Dia 3mm Distraction Screws.



| Gelpi With Odd Legs |            |          |       | Veterinary<br>Use Only |
|---------------------|------------|----------|-------|------------------------|
| Code                | Open Depth | Quantity | L     |                        |
| 600270              | 20X30mm    | 1 Pair   | 140mm |                        |
| 600272              | 25X40mm    | 1 Pair   | 180mm |                        |




| Gelpi With Safe Insertion Legs |       |       | Veterinary<br>Use Only |
|--------------------------------|-------|-------|------------------------|
| Code                           | Leg L | L     |                        |
| 600280                         | 20mm  | 100mm |                        |
| 600281                         | 30mm  | 135mm |                        |
| 600282                         | 40mm  | 160mm |                        |
| 600284                         | 50mm  | 180mm |                        |
| 600285                         | 60mm  | 200mm |                        |



# Spinal Neuro Surgical Instruments

| Spike&Shield Odd Leg Retractor |               |          |       | Veterinary<br>Use Only |
|--------------------------------|---------------|----------|-------|------------------------|
| Code                           | Specification | Quantity | L     |                        |
| 600014                         | 22X22mmShield | 1 Pair   | 180mm |                        |
| 600015                         | 12X12mmShield | 1 Pair   | 125mm |                        |



| Bone Cement |               | Veterinary<br>Use Only |
|-------------|---------------|------------------------|
| Code        | Specilication |                        |
| 600025      | 40g           |                        |



| Kerrison Rongeur |            |       | Veterinary<br>Use Only |
|------------------|------------|-------|------------------------|
| Code             | Incision L | L     |                        |
| 600016           | 1mm        | 200mm |                        |
| 600017           | 2mm        | 200mm |                        |
| 600018           | 3mm        | 200mm |                        |
| 600019           | 4mm        | 200mm |                        |
| 600020           | 5mm        | 200mm |                        |



# Spinal Neuro Surgical Instruments

## Micro Spine Rongeur


Veterinary  
Use Only

| Code   | Specification | Cutting Width | L     |
|--------|---------------|---------------|-------|
| 600072 | STR           | 1.75mm        | 135mm |
| 600073 | Angular       | 1.75mm        | 135mm |
| 600074 | CVD           | 1.75mm        | 135mm |



## BIORTHO Rotating Kerrison Rongeur Handle


| Code   | Products Name                            |
|--------|------------------------------------------|
| 600033 | BIORTHO Rotating Kerrison Rongeur Handle |



## Rotating Kerrison Rongeur

Veterinary  
Use Only


| Code   | Angle | Cutting Width | L     |
|--------|-------|---------------|-------|
| 600027 | 90°   | 1mm           | 240mm |
| 600028 | 90°   | 1.5mm         | 240mm |
| 600029 | 90°   | 2mm           | 240mm |



## Rotating Kerrison Rongeur

Veterinary  
Use Only

| Code   | Angle | Cutting Width | L     |
|--------|-------|---------------|-------|
| 600030 | 130°  | 1mm           | 240mm |
| 600031 | 130°  | 1.5mm         | 240mm |
| 600032 | 130°  | 2mm           | 240mm |



# Pin And Wire



# Pin And Wire


| Cerclage Wire |       | Veterinary<br>Use Only | Stainless Steel<br>316LVM |
|---------------|-------|------------------------|---------------------------|
| Code          | Dia   |                        |                           |
| OW0310        | 0.3mm |                        |                           |
| OW0510        | 0.5mm |                        |                           |
| OW0810        | 0.8mm |                        |                           |
| OW1010        | 1.0mm |                        |                           |
| OW1210        | 1.2mm |                        |                           |



| Wire Passers |      |               | Veterinary<br>Use Only |
|--------------|------|---------------|------------------------|
| Code         | Dia  | Hole Diameter |                        |
| 100047       | 20mm | 0.8mm         |                        |
| 100048       | 30mm | 1.2mm         |                        |




| Wire Tightener With Two Cranks |       | Veterinary<br>Use Only |
|--------------------------------|-------|------------------------|
| Code                           | L     |                        |
| 100050                         | 260mm |                        |



# Pin And Wire

| Cerclage Wire<br>Twisters/Tighteners/Cutter |       | Veterinary<br>Use Only |
|---------------------------------------------|-------|------------------------|
| Code                                        | L     |                        |
| 100051                                      | 150mm |                        |



| K Wire Pin Punch |               |           |       | Veterinary<br>Use Only |
|------------------|---------------|-----------|-------|------------------------|
| Code             | Specification | Range     | L     |                        |
| 100052           | Small         | 1.5-2.5mm | 135mm |                        |
| 100053           | Very Small    | 0.6-1.6mm | 135mm |                        |



| K Wire Bending Iron |               |         |           | Veterinary<br>Use Only |
|---------------------|---------------|---------|-----------|------------------------|
| Code                | Specification | Range   |           |                        |
| 100338              | Small         | 0.8/1.0 | 1.2/1.5mm |                        |
| 100339              | Large         | 1.6/1.8 | 2.0/2.5mm |                        |





# Pin And Wire

| Kirschner Wire(Titanium) |       | Veterinary<br>Use Only |
|--------------------------|-------|------------------------|
| Code                     | Dia   |                        |
| PT08                     | 0.8mm |                        |
| PT10                     | 1.0mm |                        |
| PT12                     | 1.2mm |                        |
| PT15                     | 1.5mm |                        |
| PT20                     | 2.0mm |                        |
| PT25                     | 2.5mm |                        |
| PT30                     | 3.0mm |                        |
| PT35                     | 3.5mm |                        |



| Kirschner Wire - 5Pcs/Pack<br>(Medical stainless steel 316L) |                   | Veterinary<br>Use Only |
|--------------------------------------------------------------|-------------------|------------------------|
| Code                                                         | Products Name     | Dia                    |
| PS0825                                                       | Single Head Sharp | 0.8mm                  |
| PS1025                                                       | Single Head Sharp | 1.0mm                  |
| PS1225                                                       | Single Head Sharp | 1.2mm                  |
| PS1525                                                       | Single Head Sharp | 1.5mm                  |
| PS1625                                                       | Single Head Sharp | 1.6mm                  |
| PS1825                                                       | Single Head Sharp | 1.8mm                  |
| PS2025                                                       | Single Head Sharp | 2.0mm                  |
| PS2525                                                       | Single Head Sharp | 2.5mm                  |
| PS3025                                                       | Single Head Sharp | 3.0mm                  |
| PS3525                                                       | Single Head Sharp | 3.5mm                  |
| PS4025                                                       | Single Head Sharp | 4.0mm                  |



| Kirschner Wire - 5Pcs/Pack<br>(Medical stainless steel 316L) |                   | Veterinary<br>Use Only |
|--------------------------------------------------------------|-------------------|------------------------|
| Code                                                         | Products Name     | Dia                    |
| PS0825D                                                      | Double Head Sharp | 0.8mm                  |
| PS1025D                                                      | Double Head Sharp | 1.0mm                  |
| PS1225D                                                      | Double Head Sharp | 1.2mm                  |
| PS1525D                                                      | Double Head Sharp | 1.5mm                  |
| PS1825D                                                      | Double Head Sharp | 1.8mm                  |
| PS2025D                                                      | Double Head Sharp | 2.0mm                  |
| PS2525D                                                      | Double Head Sharp | 2.5mm                  |
| PS3025D                                                      | Double Head Sharp | 3.0mm                  |



# Pin And Wire

| Kirschner Wire Racks |               | Veterinary<br>Use Only |
|----------------------|---------------|------------------------|
| Code                 | Specification |                        |
| PB0001               | 330X140X50mm  |                        |



| K wires/Drill Bits Tube |                 |       | Veterinary<br>Use Only |
|-------------------------|-----------------|-------|------------------------|
| Code                    | Products Name   | L     |                        |
| PT300                   | K wires Tube    | 300mm |                        |
| PT270                   | K wires Tube    | 270mm |                        |
| PT160                   | Drill Bits Tube | 160mm |                        |



# External Fixation System



# Mini External Fixation System

| Carbon Fiber Rod |       |       | Veterinary Use Only |
|------------------|-------|-------|---------------------|
| Code             | Dia   | L     |                     |
| ROD0360C         | 3.0mm | 60mm  |                     |
| ROD0380C         | 3.0mm | 80mm  |                     |
| ROD03100C        | 3.0mm | 100mm |                     |



| Titanium Middle Positive Thread Pin |            |           |      | Veterinary Use Only |
|-------------------------------------|------------|-----------|------|---------------------|
| Code                                | Thread Dia | Shaft Dia | L    |                     |
| TA091265M                           | 1.2mm      | 0.9mm     | 65mm |                     |
| TA121570M                           | 1.5mm      | 1.2mm     | 70mm |                     |
| TA162080M                           | 2.0mm      | 1.6mm     | 80mm |                     |
| TA202490M                           | 2.4mm      | 2.0mm     | 90mm |                     |




| Titanium End Positive Thread Pin |            |           |      | Veterinary Use Only |
|----------------------------------|------------|-----------|------|---------------------|
| Code                             | Thread Dia | Shaft Dia | L    |                     |
| TA091265E                        | 1.2mm      | 0.9mm     | 65mm |                     |
| TA121570E                        | 1.5mm      | 1.2mm     | 70mm |                     |
| TA162080E                        | 2.0mm      | 1.6mm     | 80mm |                     |
| TA202490E                        | 2.4mm      | 2.0mm     | 90mm |                     |




| Titanium Rod Clamp |            |               | Veterinary Use Only |
|--------------------|------------|---------------|---------------------|
| Code               | Needle Dia | Specification |                     |
| EF1015T            | 1.0-1.5mm  | 4g            |                     |



| Titanium Rod Clamp |            |               | Veterinary Use Only |
|--------------------|------------|---------------|---------------------|
| Code               | Needle Dia | Specification |                     |
| EF1520T            | 1.5-2.0mm  | 4g            |                     |



# Mini External Fixation System



## Mini External Fixation System

| Code                   | Products Name/Specification         | Quantity |
|------------------------|-------------------------------------|----------|
| EF1015T                | Titanium Rod Clamp 1.0/1.5mm        | 8        |
| EF1520T                | Titanium Rod Clamp 1.5/2.0mm        | 8        |
| ROD0360C               | Carbon Fiber Rod, 3X60mm            | 2        |
| ROD0380C               | Carbon Fiber Rod, 3X80mm            | 2        |
| ROD03100C              | Carbon Fiber Rod, 3X100mm           | 2        |
| Specification Optional | Titanium Middle Positive Thread Pin | 4        |
| Specification Optional | Titanium Bottom Positive Thread Pin | 8        |
| EF0001                 | Rod Clamp Match Allen Key           | 1        |

# ESF External Fixation

| SK Rod Clamp |               | Veterinary<br>Use Only |
|--------------|---------------|------------------------|
| Code         | Specification |                        |
| 400001       | Mini          |                        |
| 400002       | Medium        |                        |
| 400003       | Large         |                        |



| SK Double Rod Rod Clamp |               | Veterinary<br>Use Only |
|-------------------------|---------------|------------------------|
| Code                    | Specification |                        |
| 400014                  | Mini          |                        |
| 400015                  | Medium        |                        |
| 400016                  | Large         |                        |



| SK Carbon Fiber Rod |                    | Veterinary<br>Use Only |
|---------------------|--------------------|------------------------|
| Code                | Specification      |                        |
| 435050              | Small 3.5mmX50mm   |                        |
| 435075              | Small 3.5mmX75mm   |                        |
| 435100              | Small 3.5mmX100mm  |                        |
| 435125              | Small 3.5mmX125mm  |                        |
| 435150              | Small 3.5mmX150mm  |                        |
| 463050              | Medium 6.3mmX50mm  |                        |
| 463100              | Medium 6.3mmX100mm |                        |
| 463150              | Medium 6.3mmX150mm |                        |
| 463200              | Medium 6.3mmX200mm |                        |
| 463250              | Medium 6.3mmX250mm |                        |
| 495050              | Large 9.5mmX50mm   |                        |
| 495100              | Large 9.5mmX100mm  |                        |
| 495150              | Large 9.5mmX150mm  |                        |
| 495200              | Large 9.5mmX200mm  |                        |
| 495250              | Large 9.5mmX250mm  |                        |
| 495300              | Large 9.5mmX300mm  |                        |



# ESF External Fixation

| Sleeve Wrench |               | Veterinary<br>Use Only |
|---------------|---------------|------------------------|
| Code          | Specification |                        |
| 400100        | Small 7mm     |                        |
| 400103        | Medium 8mm    |                        |
| 400106        | Large 10mm    |                        |



| Double End Wrench |               | Veterinary<br>Use Only |
|-------------------|---------------|------------------------|
| Code              | Specification |                        |
| 400101            | Small 7mm     |                        |
| 400104            | Medium 8mm    |                        |
| 400107            | Large 10mm    |                        |



| ESF Drill Sleeve |               | Veterinary<br>Use Only |
|------------------|---------------|------------------------|
| Code             | Specification |                        |
| 400201           | 2.2/1.8       |                        |
| 400202           | 3.5/2.8       |                        |
| 400203           | 4.3/3.5       |                        |




## Screw External Fixation Needle Size Reference Table

| Medium System |                  |                               |         |                               |
|---------------|------------------|-------------------------------|---------|-------------------------------|
| Large System  |                  | Small System                  |         |                               |
| SS4040        | SS4030<br>SS4035 | SS4025                        | SS4020  | SS4010<br>SS4015<br>SS4018    |
| 403543E       | 403240E          | 402024E<br>402432E<br>402835E | 401822E | 400912E<br>401115E<br>401418E |
| 403543M       | 403240M          | 402024M<br>402432M<br>402835M | 401822M | 400912M<br>401115M<br>401418M |


Note: The shaded part of the dashed line represents overlap.

# End Thread Pin


| End Thread Pin |                  | Veterinary Use Only  | Stainless Steel 316LVM |
|----------------|------------------|----------------------|------------------------|
| Code           | Shaft/Thread Dia | Pilot hole drill Dia |                        |
| SS4010         | 1.0/1.0mm        | 0.8mm                |                        |
| SS4012         | 1.2/1.2mm        | 1.0mm                |                        |
| SS4015         | 1.5/1.5mm        | 1.1mm                |                        |
| SS4018         | 1.8/1.8mm        | 1.3mm                |                        |
| SS4020         | 2.0/2.0mm        | 1.5mm                |                        |
| SS4025         | 2.5/2.5mm        | 2.0mm                |                        |
| SS4030         | 3.0/3.0mm        | 2.4mm                |                        |
| SS4035         | 3.5/3.5mm        | 2.7mm                |                        |



| End Positive Thread Pin |                  | Veterinary Use Only  | Stainless Steel 316LVM |
|-------------------------|------------------|----------------------|------------------------|
| Code                    | Shaft/Thread Dia | Pilot hole drill Dia | Thread L               |
| 400912E                 | 0.9/1.2mm        | 0.8mm                | 12 65mm                |
| 401115E                 | 1.1/1.5mm        | 1.1mm                | 12 70mm                |
| 401418E                 | 1.4/1.8mm        | 1.3mm                | 15 80mm                |
| 401822E                 | 1.8/2.2mm        | 1.8mm                | 15 85mm                |
| 402024E                 | 2.0/2.4mm        | 2.0mm                | 17 90mm                |
| 402432E                 | 2.4/3.2mm        | 2.4mm                | 25 105mm               |
| 402835E                 | 2.8/3.5mm        | 2.7mm                | 35 150mm               |
| 403240E                 | 3.2/4.0mm        | 3.2mm                | 32 150mm               |
| 403543E                 | 3.5/4.3mm        | 3.5mm                | 45 160mm               |



| Middle Positive Thread Pin |                  | Veterinary Use Only  | Stainless Steel 316LVM |
|----------------------------|------------------|----------------------|------------------------|
| Code                       | Shaft/Thread Dia | Pilot hole drill Dia | Thread L               |
| 400912M                    | 0.9/1.2mm        | 0.8mm                | 12 65mm                |
| 401115M                    | 1.1/1.5mm        | 1.1mm                | 12 70mm                |
| 401418M                    | 1.4/1.8mm        | 1.3mm                | 15 80mm                |
| 401822M                    | 1.8/2.2mm        | 1.8mm                | 15 85mm                |
| 402024M                    | 2.0/2.4mm        | 2.0mm                | 17 90mm                |
| 402432M                    | 2.4/3.2mm        | 2.4mm                | 25 105mm               |
| 402835M                    | 2.8/3.5mm        | 2.7mm                | 38 160mm               |
| 403240M                    | 3.2/4.0mm        | 3.2mm                | 32 160mm               |
| 403543M                    | 3.5/4.3mm        | 3.5mm                | 40 180mm               |



# Mini ESF SK Set



## Mini ESF SK Starter Set

| Code                   | Products Name/Specification  | Quantity |
|------------------------|------------------------------|----------|
| 410001                 | Small ESF SK Starter Set     |          |
| 400001                 | Small Pin Rod Clamp          | 10       |
| 400014                 | Small Double Rod Rod Clamp   | 2        |
| 435075                 | 3.5mmX75mm Carbon Fiber Rod  | 2        |
| 435100                 | 3.5mmX100mm Carbon Fiber Rod | 2        |
| 435125                 | 3.5mmX125mm Carbon Fiber Rod | 2        |
| 400100                 | 7mm Sleeve Wrench            | 1        |
| 400101                 | 7mm Double End Wrench        | 1        |
| Specification Optional | Drill Bits                   | 2        |
| Specification Optional | End Positive Thread Pin      | 4        |
| Specification Optional | Middle Positive Thread Pin   | 2        |



## Mini ESF SK Complete Set

| Code                   | Products Name/Specification             | Quantity |
|------------------------|-----------------------------------------|----------|
| 410011                 | Small ESF SK Complete Set               |          |
| 400001                 | Small Pin Rod Clamp                     | 12       |
| 400014                 | Small Double Rod Rod Clamp              | 4        |
| 435050                 | 3.5mmX50mm Carbon Fiber Rod             | 2        |
| 435075                 | 3.5mmX75mm Carbon Fiber Rod             | 2        |
| 435100                 | 3.5mmX100mm Carbon Fiber Rod            | 4        |
| 435125                 | 3.5mmX125mm Carbon Fiber Rod            | 2        |
| 400100                 | 7mm Sleeve Wrench                       | 2        |
| 400101                 | 7mm Double End Wrench                   | 1        |
| Specification Optional | Drill Bits                              | 2        |
| Specification Optional | End Positive Thread Pin                 | 12       |
| Specification Optional | Middle Positive Thread Pin              | 4        |
| 100042                 | Small Jacobs Chuck With Straight Handle | 1        |

# Medium ESF SK Set



| Medium ESF SK Starter Set |                              |          |
|---------------------------|------------------------------|----------|
| Code                      | Products Name/Specification  | Quantity |
| 410002                    | Medium ESF SK Starter Set    |          |
| 400002                    | Medium Pin Rod Clamp         | 10       |
| 400015                    | Medium Double Rod Rod Clamp  | 2        |
| 463100                    | 6.3mmX100mm Carbon Fiber Rod | 2        |
| 463150                    | 6.3mmX150mm Carbon Fiber Rod | 2        |
| 463200                    | 6.3mmX200mm Carbon Fiber Rod | 2        |
| 400103                    | 8mm Sleeve Wrench            | 1        |
| 400104                    | 8mm Double End Wrench        | 1        |
| SpecificationOptional     | Drill Bits                   | 2        |
| SpecificationOptional     | End Positive Thread Pin      | 4        |
| SpecificationOptional     | Middle Positive Thread Pin   | 2        |

| Medium ESF SK Complete Set |                                         |          |
|----------------------------|-----------------------------------------|----------|
| Code                       | Products Name/Specification             | Quantity |
| 410012                     | Medium ESF SK Complete Set              |          |
| 400002                     | Medium Pin Rod Clamp                    | 12       |
| 400015                     | Medium Double Rod Rod Clamp             | 4        |
| 463050                     | 6.3mmX50mm Carbon Fiber Rod             | 2        |
| 463100                     | 6.3mmX100mm Carbon Fiber Rod            | 2        |
| 463150                     | 6.3mmX150mm Carbon Fiber Rod            | 4        |
| 463200                     | 6.3mmX200mm Carbon Fiber Rod            | 2        |
| 400103                     | 8mm Sleeve Wrench                       | 2        |
| 400104                     | 8mm Double End Wrench                   | 1        |
| SpecificationOptional      | Drill Bits                              | 2        |
| SpecificationOptional      | End Positive Thread Pin                 | 12       |
| SpecificationOptional      | Middle Positive Thread Pin              | 4        |
| 100042                     | Small Jacobs Chuck With Straight Handle | 1        |

# Large ESF SK Set



## Large ESF SK Starter Set

| Code                  | Products Name/Specification  | Quantity |
|-----------------------|------------------------------|----------|
| 410003                | Large ESF SK Starter Set     |          |
| 400003                | Large Pin Rod Clamp          | 10       |
| 400016                | Large Double Rod Rod Clamp   | 2        |
| 495150                | 9.5mmX100mm Carbon Fiber Rod | 2        |
| 495200                | 9.5mmX150mm Carbon Fiber Rod | 2        |
| 495250                | 9.5mmX200mm Carbon Fiber Rod | 2        |
| 400106                | 10mm Sleeve Wrench           | 1        |
| 400107                | 10mm Double End Wrench       | 1        |
| SpecificationOptional | Drill Bits                   | 2        |
| SpecificationOptional | End Positive Thread Pin      | 4        |
| SpecificationOptional | Middle Positive Thread Pin   | 2        |



## Large ESF SK Complete Set

| Code                  | Products Name/Specification             | Quantity |
|-----------------------|-----------------------------------------|----------|
| 410013                | Large ESF SK Complete Set               |          |
| 400003                | Large Pin Rod Clamp                     | 12       |
| 400016                | Large Double Rod Rod Clamp              | 4        |
| 495050                | 9.5mmX50mm Carbon Fiber Rod             | 2        |
| 495100                | 9.5mmX100mm Carbon Fiber Rod            | 2        |
| 495150                | 9.5mmX150mm Carbon Fiber Rod            | 4        |
| 495200                | 9.5mmX200mm Carbon Fiber Rod            | 2        |
| 400106                | 10mm Sleeve Wrench                      | 2        |
| 400107                | 10mm Double End Wrench                  | 1        |
| SpecificationOptional | Drill Bits                              | 2        |
| SpecificationOptional | End Positive Thread Pin                 | 12       |
| SpecificationOptional | Middle Positive Thread Pin              | 4        |
| 100042                | Small Jacobs Chuck With Straight Handle | 1        |

# SK External Fixation System




SK External Fixation System Complete Set

| Code                   | Products Name/Specification               | Quantity |
|------------------------|-------------------------------------------|----------|
| 410000                 | SK® External Fixation System Complete Set |          |
| 400001                 | Small Pin Rod Clamp                       | 10       |
| 400014                 | Small Double Rod Rod Clamp                | 2        |
| 435075                 | 3.5mmX75mm Carbon Fiber Rod               | 2        |
| 435100                 | 3.5mmX100mm Carbon Fiber Rod              | 2        |
| 435125                 | 3.5mmX125mm Carbon Fiber Rod              | 2        |
| 400101                 | 7mm Double End Wrench                     | 1        |
| 400100                 | 7mm Sleeve Wrench                         | 1        |
| Specification Optional | Drill Bits                                | 2        |
| Specification Optional | End Positive Thread Pin                   | 4        |
| Specification Optional | Middle Positive Thread Pin                | 2        |
| 400002                 | Medium Pin Rod Clamp                      | 10       |
| 400015                 | Medium Double Rod Rod Clamp               | 2        |
| 463100                 | 6.3mmX100mm Carbon Fiber Rod              | 2        |
| 463150                 | 6.3mmX150mm Carbon Fiber Rod              | 2        |
| 463200                 | 6.3mmX200mm Carbon Fiber Rod              | 2        |
| 400104                 | 8mm Double End Wrench                     | 1        |
| 400103                 | 8mm Sleeve Wrench                         | 1        |
| Specification Optional | Drill Bits                                | 2        |
| Specification Optional | End Positive Thread Pin                   | 4        |
| Specification Optional | Middle Positive Thread Pin                | 2        |
| 400003                 | Large Pin Rod Clamp                       | 10       |
| 400016                 | Large Double Rod Rod Clamp                | 2        |
| 495150                 | 9.5mmX100mm Carbon Fiber Rod              | 2        |
| 495200                 | 9.5mmX150mm Carbon Fiber Rod              | 2        |
| 495250                 | 9.5mmX200mm Carbon Fiber Rod              | 2        |
| 400107                 | 10mm Double End Wrench                    | 1        |
| 400106                 | 10mm Sleeve Wrench                        | 1        |
| Specification Optional | Drill Bits                                | 2        |
| Specification Optional | End Positive Thread Pin                   | 4        |
| Specification Optional | Middle Positive Thread Pin                | 2        |
| 410000E                | Sterilization Case                        | 1        |

# Power Tool System




# Spinal Neurosurgery High Speed Drill



## Spinal Neurosurgery High Speed Drill Set

| Code   | Products Name/Speciaiaation              |
|--------|------------------------------------------|
| 700008 | Spinal Neurosurgery High Speed Drill Set |

| Neurosurgical High Speed Grinding Bur |                                 |               |      |
|---------------------------------------|---------------------------------|---------------|------|
| Code                                  | Products Name                   | Speciaiaation | L    |
| R1070                                 | High Speed Alloy Grinding Bur   | 1.0mm         | 70mm |
| R2070                                 | High Speed Alloy Grinding Bur   | 2.0mm         | 70mm |
| R3070                                 | High Speed Alloy Grinding Bur   | 3.0mm         | 70mm |
| R4070                                 | High Speed Alloy Grinding Bur   | 4.0mm         | 70mm |
| R5070                                 | High Speed Alloy Grinding Bur   | 5.0mm         | 70mm |
| D1070                                 | High Speed Diamond Grinding Bur | 1.0mm         | 70mm |
| D2070                                 | High Speed Diamond Grinding Bur | 2.0mm         | 70mm |
| D3070                                 | High Speed Diamond Grinding Bur | 3.0mm         | 70mm |
| D4070                                 | High Speed Diamond Grinding Bur | 4.0mm         | 70mm |
| D5070                                 | High Speed Diamond Grinding Bur | 5.0mm         | 70mm |



# BW7.2V Cannulated Drill

**BW 7.2V Cannulated Drill Set**

Veterinary  
Use Only

| Code   | Speciliaation |
|--------|---------------|
| 700001 | BW7.2V        |



**BW 7.2V Battery**

Veterinary  
Use Only

| Code   | Speciliaation |
|--------|---------------|
| 700010 | BW7.2V        |



**BW 7.2V Battery Chargers**

Veterinary  
Use Only

| Code   | Speciliaation |
|--------|---------------|
| 700011 | BW7.2V        |



**BW 7.2V Drill key**

Veterinary  
Use Only

| Code   | Speciliaation |
|--------|---------------|
| 700023 | BW7.2V        |




# BW7.2V Battery Powered Saw

| BW 7.2V Battery Powered Saw |              | Veterinary Use Only |
|-----------------------------|--------------|---------------------|
| Code                        | Specilaation |                     |
| 700002                      | BW7.2V       |                     |



| BW Series Saw Blades |                    |       |      | Veterinary Use Only |
|----------------------|--------------------|-------|------|---------------------|
| Code                 | Incision Thickness | Width | L    |                     |
| 700114               | 0.3mm              | 5mm   | 35mm |                     |
| 700165               | 0.3mm              | 6mm   | 45mm |                     |
| 700180               | 0.3mm              | 8mm   | 45mm |                     |
| 700110               | 0.4mm              | 10mm  | 50mm |                     |
| 700112               | 0.4mm              | 12mm  | 50mm |                     |
| 700116               | 0.5mm              | 15mm  | 60mm |                     |
| 700119               | 0.5mm              | 20mm  | 60mm |                     |



# BW7.2V Multi-Function Drill

| BW 7.2V Multi-Function Drill<br>(Drill only) |              | Veterinary<br>Use Only |
|----------------------------------------------|--------------|------------------------|
| Code                                         | Specilaation |                        |
| 700003                                       | BW7.2V       |                        |



| Cannulated Jacob Attachment |  | Veterinary<br>Use Only |
|-----------------------------|--|------------------------|
| Code                        |  |                        |
| 700013                      |  |                        |



| AO QC Attachment |  | Veterinary<br>Use Only |
|------------------|--|------------------------|
| Code             |  |                        |
| 700014           |  |                        |



| Sagittal Saw Attachment |  | Veterinary<br>Use Only |
|-------------------------|--|------------------------|
| Code                    |  |                        |
| 700015                  |  |                        |



| K Wire Chuck Attachment |           | Veterinary<br>Use Only |
|-------------------------|-----------|------------------------|
| Code                    | Dia       |                        |
| 700016                  | 0.8-2.5mm |                        |



# BW7.2V Multi-Function Drill

| BW 7.2V Battery |              | Veterinary Use Only |
|-----------------|--------------|---------------------|
| Code            | Specilaation |                     |
| 700010          | BW7.2V       |                     |



| BW 7.2V Battery Chargers |              | Veterinary Use Only |
|--------------------------|--------------|---------------------|
| Code                     | Specilaation |                     |
| 700011                   | BW7.2V       |                     |



| Sterlization Case |  | Veterinary Use Only |
|-------------------|--|---------------------|
| Code              |  |                     |
| 700012            |  |                     |



| BW7.2V Multi-Function Drill |                                       |          |
|-----------------------------|---------------------------------------|----------|
| Code                        | Products Name/Specilaation            | Quantity |
| 700003                      | BW 7.2V Hand Piece Cannulated 0-2.5mm | 1        |
| 700013                      | Cannulated Jacob Attachment           | 1        |
| 700014                      | AO QC Attachment                      | 1        |
| 700015                      | Sagittal Saw Attachment               | 1        |
| 700016                      | K Wire Chuck Attachment 0.8-2.5mm     | 1        |
| 700010                      | BW 7.2V Battery                       | 2        |
| 700011                      | BW 7.2V Battery Chargers              | 1        |
| 700012                      | Sterilization Case                    | 1        |

# BW7.4V Multi-Function Lithium Battery Drill

| BW7.4V Multi-Function Lithium Battery Drill<br>(Drill only) |                |
|-------------------------------------------------------------|----------------|
| Code                                                        | Specilaiaation |
| 700050                                                      | BW7.4V         |



| Cannulated Jacob Attachment | Veterinary<br>Use Only |
|-----------------------------|------------------------|
| Code                        |                        |
| 700051                      |                        |



| AO QC Attachment | Veterinary<br>Use Only |
|------------------|------------------------|
| Code             |                        |
| 700052           |                        |



| Sagittal Saw Attachment | Veterinary<br>Use Only |
|-------------------------|------------------------|
| Code                    |                        |
| 700053                  |                        |



| K Wire Chuck Attachment | Veterinary<br>Use Only |
|-------------------------|------------------------|
| Code                    | Dia                    |
| 700054                  | 0.8-2.5mm              |



# BW7.4V Multi-Function Lithium Battery Drill

| BW 7.4V Lithium Battery |              | Veterinary Use Only |
|-------------------------|--------------|---------------------|
| Code                    | Specilaation |                     |
| 700056                  | BW7.4V       |                     |



| Battery Chargers |              | Veterinary Use Only |
|------------------|--------------|---------------------|
| Code             | Specilaation |                     |
| 700055           | BW7.4V       |                     |



| Sterilization Case |  | Veterinary Use Only |
|--------------------|--|---------------------|
| Code               |  |                     |
| 700012             |  |                     |



| BW7.4V Multi-Function Drill |                                             |          |
|-----------------------------|---------------------------------------------|----------|
| Code                        | Products Name/Specilaation                  | Quantity |
| 700050                      | BW7.4V Multi-Function Lithium Battery Drill | 1        |
| 700051                      | Cannulated Jacob Attachment                 | 1        |
| 700052                      | AO QC Attachment                            | 1        |
| 700053                      | Sagittal Saw Attachment                     | 1        |
| 700054                      | K Wire Chuck Attachment 0.8-2.5mm           | 1        |
| 700056                      | BW 7.4V Battery                             | 2        |
| 700055                      | BW 7.4V Battery Chargers                    | 1        |
| 700012                      | Sterilization Case                          | 1        |

# BW14.4V Cannulated Drill

**BW 14.4V Cannulated Drill Set**

Veterinary  
Use Only

| Code   | Specilaation |
|--------|--------------|
| 700004 | BW14.4V      |



**BW 14.4V Battery**

Veterinary  
Use Only

| Code   | Specilaation |
|--------|--------------|
| 700020 | BW14.4V      |



**BW 14.4V Battery Chargers**

Veterinary  
Use Only

| Code   | Specilaation |
|--------|--------------|
| 700021 | BW14.4V      |



**BW 14.4V Drill key**

Veterinary  
Use Only

| Code   | Specilaation |
|--------|--------------|
| 700024 | BW14.4V      |




# BW14.4V Battery Powered Saw


| BW 14.4V Battery Powered Saw |                | Veterinary<br>Use Only |
|------------------------------|----------------|------------------------|
| Code                         | Specilaiaation |                        |
| 700005                       | BW14.4V        |                        |



| 14.4V Drill Sterilization Case |  | Veterinary<br>Use Only |
|--------------------------------|--|------------------------|
| Code                           |  |                        |
| 700022                         |  |                        |



| UNIUM & Colibri II Saw Blades |                   |       |      | Veterinary<br>Use Only |
|-------------------------------|-------------------|-------|------|------------------------|
| Code                          | IncisionThickness | Width | L    |                        |
| 700101                        | 0.4mm             | 6mm   | 42mm |                        |
| 700102                        | 0.4mm             | 10mm  | 46mm |                        |
| 700103                        | 0.5mm             | 14mm  | 65mm |                        |
| 700104                        | 0.6mm             | 20mm  | 65mm |                        |



# TPLO SAW

|          |                        |
|----------|------------------------|
| TPLO Saw | Veterinary<br>Use Only |
| Code     |                        |
| 001.204  |                        |




|              |                        |
|--------------|------------------------|
| TPLO Battery | Veterinary<br>Use Only |
| Code         |                        |
| 532.104      |                        |




|                      |                        |
|----------------------|------------------------|
| TPLO Battery Charger | Veterinary<br>Use Only |
| Code                 |                        |
| 532.010              |                        |



|                           |                        |
|---------------------------|------------------------|
| TPLO Saw Sterlization Box | Veterinary<br>Use Only |
| Code                      |                        |
| 532.026                   |                        |



|                                     |                        |
|-------------------------------------|------------------------|
| Wrench For Saw Balde Tightening Nut | Veterinary<br>Use Only |
| Code                                |                        |
| 532.027                             |                        |



|                           |                        |
|---------------------------|------------------------|
| Replacement Jig Pin Screw | Veterinary<br>Use Only |
| Code                      |                        |
| B0002.04                  |                        |



# TPLO Related Instruments

| TPLO Saw Blades |                | Veterinary<br>Use Only |
|-----------------|----------------|------------------------|
| Code            | Specilaiaation |                        |
| 000.390         | 8mm Radius     |                        |
| 000.391         | 10mm Radius    |                        |
| 000.392         | 12mm Radius    |                        |
| 000.393         | 15mm Radius    |                        |
| 000.394         | 18mm Radius    |                        |
| 000.395         | 21mm Radius    |                        |
| 000.396         | 24mm Radius    |                        |
| 000.397         | 27mm Radius    |                        |

| TPLO Saw Blades |                | Veterinary<br>Use Only |
|-----------------|----------------|------------------------|
| Code            | Specilaiaation |                        |
| 000.389         | 6mm Radius     |                        |
| 000.341         | 7mm Radius     |                        |
| 000.340         | 9mm Radius     |                        |
| 000.398         | 30mm Radius    |                        |
| 000.399         | 33mm Radius    |                        |

| TPLO Saw Blade Adpater |  | Veterinary<br>Use Only |
|------------------------|--|------------------------|
| Code                   |  |                        |
| 100332                 |  |                        |

- Designed to couple BIORTH0 TPLO saw blades to Synthes Colibri Tplo saw.



| TPLO Saw Set |                              |          |
|--------------|------------------------------|----------|
| Code         | Products Name/Specilaiaation | Quantity |
| 05.001.204   | TPLO Saw                     | 1        |
| 532.104      | TPLO Battery                 | 2        |
| 532.010      | TPLO Battery Charger         | 1        |
| 03.000.396   | 24mm Radius TPLO Saw Blades  | 1        |
| 03.000.397   | 27mm Radius TPLO Saw Blades  | 1        |
| 532.026      | TPLO Saw Sterilization Box   | 1        |

# Soft Tissue Instruments




# Basic Surgical Operating Instrument


| Mayo Safety Pin |       | Veterinary<br>Use Only |
|-----------------|-------|------------------------|
| Code            | L     |                        |
| 500000          | 140mm |                        |



| Crile Artery Forceps |               |       | Veterinary<br>Use Only |
|----------------------|---------------|-------|------------------------|
| Code                 | Speciliaation | L     |                        |
| 500004               | Straight      | 140mm |                        |
| 500003               | Curved        | 140mm |                        |
| 500005               | Straight      | 160mm |                        |
| 500006               | Curved        | 160mm |                        |



| Halsted-Mosquito |               |       | Veterinary<br>Use Only |
|------------------|---------------|-------|------------------------|
| Code             | Speciliaation | L     |                        |
| 500001           | Straight      | 125mm |                        |
| 500002           | Curved        | 125mm |                        |




# Basic Surgical Operating Instrument

## Allis Tissue Forceps

Veterinary  
Use Only


| Code   | Specification | L     |
|--------|---------------|-------|
| 500007 | 4X5 Teeth     | 150mm |
| 510007 | 4X5 Teeth     | 125mm |



## Dressing-Blunt/Sharp

Veterinary  
Use Only


| Code   | Specification | L     |
|--------|---------------|-------|
| 500008 | Straight      | 145mm |
| 500009 | Curved        | 145mm |



## Dressing-Sharp/Sharp



Veterinary  
Use Only

| Code   | Specification | L     |
|--------|---------------|-------|
| 500010 | Straight      | 145mm |
| 500011 | Curved        | 145mm |
| 500039 | Straight      | 165mm |
| 500040 | Curved        | 165mm |
| 500041 | Straight      | 115mm |
| 500042 | Curved        | 115mm |




# Basic Surgical Operating Instrument


| Operating Scissors Blunt |               |       | Veterinary<br>Use Only |
|--------------------------|---------------|-------|------------------------|
| Code                     | Speciliaation | L     |                        |
| 500043                   | Straight      | 145mm |                        |
| 500044                   | Curved        | 145mm |                        |
| 500045                   | Straight      | 165mm |                        |
| 500046                   | Curved        | 165mm |                        |



| Stitch-Cutting Scissors |  |       | Veterinary<br>Use Only |
|-------------------------|--|-------|------------------------|
| Code                    |  | L     |                        |
| 500047                  |  | 150mm |                        |



| Metzenbaum Supercut T.C |               |       | Veterinary<br>Use Only |
|-------------------------|---------------|-------|------------------------|
| Code                    | Speciliaation | L     |                        |
| 500013                  | Straight      | 145mm |                        |
| 500014                  | Curved        | 145mm |                        |




# Basic Surgical Operating Instrument

## Surgical Scissor-Supercut T.C

Veterinary  
Use Only


| Code   | Speciliaation | L     |
|--------|---------------|-------|
| 500015 | Straight      | 150mm |
| 500016 | Curved        | 150mm |



## Goldmann Fox T.C Supercut

Veterinary  
Use Only


| Code   | Speciliaation | L     |
|--------|---------------|-------|
| 500048 | Straight tip  | 130mm |



## Iris Scissors


Veterinary  
Use Only

| Code   | Speciliaation | L     |
|--------|---------------|-------|
| 500012 | Straight tip  | 115mm |




# Basic Surgical Operating Instrument


| Bandage Scissor |       | Veterinary Use Only |
|-----------------|-------|---------------------|
| Code            | L     |                     |
| 500074          | 150mm |                     |
| 500075          | 180mm |                     |



| Mayo Hegar T.C.Jaws(3mm Width) |       | Veterinary Use Only |
|--------------------------------|-------|---------------------|
| Code                           | L     |                     |
| 500017                         | 125mm |                     |
| 500018                         | 140mm |                     |
| 500019                         | 160mm |                     |




| Ryder(Micro) T.C.Jaws |       | Veterinary Use Only |
|-----------------------|-------|---------------------|
| Code                  | L     |                     |
| 500020                | 150mm |                     |
| 500021                | 135mm |                     |



# Basic Surgical Operating Instrument

| Olsen Hegar Needle Holders"s"cut<br>T.C.Jaws |       | Veterinary<br>Use Only |
|----------------------------------------------|-------|------------------------|
| Code                                         | L     |                        |
| 500022                                       | 140mm |                        |
| 500023                                       | 160mm |                        |




| Gillies Olsen Hegar Needle Holders |               |       | Veterinary<br>Use Only |
|------------------------------------|---------------|-------|------------------------|
| Code                               | Speciliaation | L     |                        |
| 500049                             | Right Hand    | 160mm |                        |
| 500050                             | Left Hand     | 160mm |                        |



# Basic Surgical Operating Instrument

| Dissecting Forceps |                  |       | Veterinary<br>Use Only |
|--------------------|------------------|-------|------------------------|
| Code               | Speciliaation    | L     |                        |
| 500024             | 1*2 Hooks        | 150mm |                        |
| 500024b            | Transverse Teeth | 150mm |                        |



| DeBakey Dessecting Forceps |                  |       | Veterinary<br>Use Only |
|----------------------------|------------------|-------|------------------------|
| Code                       | Speciliaation    | L     |                        |
| 500027                     | Transverse Teeth | 125mm |                        |
| 500027b                    | 1*2 Hooks        | 125mm |                        |




| Adson Forceps |                          |  | Veterinary<br>Use Only |
|---------------|--------------------------|--|------------------------|
| Code          | Speciliaation            |  |                        |
| 500028        | Transverse Teeth Forceps |  |                        |
| 500029        | 1*2 Hooks Forceps        |  |                        |
| 500030        | Debakey Forceps          |  |                        |
| 500031        | Brown Forceps            |  |                        |
| 500076        | Tissue Forceps           |  |                        |



# Basic Surgical Operating Instrument

| Standard Scalpel Handles |                | Veterinary Use Only |
|--------------------------|----------------|---------------------|
| Code                     | Specilaiaation |                     |
| 500036                   | NO-3           |                     |
| 500037                   | NO-4           |                     |




| Surgical Blade |                |                 | Veterinary Use Only |
|----------------|----------------|-----------------|---------------------|
| Code           | Specilaiaation | Scalpel Handles |                     |
| SB0310         | NO.10          | NO.3            |                     |
| SB0311         | NO.11          | NO.3            |                     |
| SB0312         | NO.12          | NO.3            |                     |
| SB0315         | NO.15          | NO.3            |                     |
| SB0421         | NO.21          | NO.4            |                     |
| SB0423         | NO.23          | NO.4            |                     |




# Basic Surgical Operating Instrument


| Backhuas Towel Forceps |       | Veterinary<br>Use Only |
|------------------------|-------|------------------------|
| Code                   | L     |                        |
| 500032                 | 100mm |                        |
| 500033                 | 125mm |                        |



| Ball and Socket Towel Clamp |       | Veterinary<br>Use Only |
|-----------------------------|-------|------------------------|
| Code                        | L     |                        |
| 500035                      | 125mm |                        |




| Jones Towel Forceps |      | Veterinary<br>Use Only |
|---------------------|------|------------------------|
| Code                | L    |                        |
| 500038              | 90mm |                        |



# Basic Surgical Operating Instrument


| Intestinal Clamp |               |       | Veterinary<br>Use Only |
|------------------|---------------|-------|------------------------|
| Code             | Speciliaation | L     |                        |
| 500051           | Straight      | 220mm |                        |
| 500052           | Curved        | 220mm |                        |



| Hysterectomy Clamps (Carmault) |       | Veterinary<br>Use Only |
|--------------------------------|-------|------------------------|
| Code                           | L     |                        |
| 500081                         | 160mm |                        |
| 500082                         | 200mm |                        |




| Baby satinsky |       | Veterinary<br>Use Only |
|---------------|-------|------------------------|
| Code          | L     |                        |
| 500068        | 150mm |                        |




# Basic Surgical Operating Instrument


| Soft Palate Forceps |               | Veterinary<br>Use Only |
|---------------------|---------------|------------------------|
| Code                | Specilaaation |                        |
| 500070S             | 18X7X170mm    |                        |
| 500070L             | 26X12X170mm   |                        |



| GEMINI hemostatic forceps |       | Veterinary<br>Use Only |
|---------------------------|-------|------------------------|
| Code                      | L     |                        |
| 500083                    | 155mm |                        |
| 500084                    | 250mm |                        |



| Spay Forceps With Hook |       | Veterinary<br>Use Only |
|------------------------|-------|------------------------|
| Code                   | L     |                        |
| 500065                 | 140mm |                        |
| 500066                 | 160mm |                        |



# Basic Surgical Operating Instrument

| Spay Hook |               |       | Veterinary<br>Use Only |
|-----------|---------------|-------|------------------------|
| Code      | Speciliaation | L     |                        |
| 500061    | For Dogs      | 180mm |                        |
| 500062    | For Cats      | 150mm |                        |



| Mouth Gags for Cats |               |               | Veterinary<br>Use Only |
|---------------------|---------------|---------------|------------------------|
| Code                | Speciliaation | Opening Range |                        |
| 500054              | Small         | 25mm-75mm     |                        |
| 500055              | Medium        | 30mm-100mm    |                        |
| 500056              | Large         | 30mm-145mm    |                        |



| Mouth Gags for Dogs |               |               | Veterinary<br>Use Only |
|---------------------|---------------|---------------|------------------------|
| Code                | Speciliaation | Opening Range |                        |
| 500057              | Small         | 40mm-90mm     |                        |
| 500058              | Medium        | 40mm-110mm    |                        |
| 500059              | Large         | 50mm-170mm    |                        |



| Tongue Forceps |       | Veterinary<br>Use Only |
|----------------|-------|------------------------|
| Code           | L     |                        |
| 500053         | 170mm |                        |




# Basic Surgical Operating Instrument

| Gosset Retractors |                       | Veterinary Use Only |
|-------------------|-----------------------|---------------------|
| Code              | Maximum Opening Range |                     |
| 500063            | 100mm                 |                     |



| Balfour Retractors |                       | Veterinary Use Only |
|--------------------|-----------------------|---------------------|
| Code               | Maximum Opening Range |                     |
| 500064S            | 120mm                 |                     |
| 500064             | 180mm                 |                     |




| West Retractors |                       | Veterinary Use Only |
|-----------------|-----------------------|---------------------|
| Code            | Maximum Opening Range |                     |
| 500067          | 140mm                 |                     |




# Gelpi Self Retaining Retractor


| Gelpi Self Retaining Retractor |       | Veterinary Use Only |
|--------------------------------|-------|---------------------|
| Code                           | L     |                     |
| 100148                         | 100mm |                     |
| 100149                         | 140mm |                     |
| 100150                         | 160mm |                     |



| Gelpi Precision Model |       | Veterinary Use Only |
|-----------------------|-------|---------------------|
| Code                  | L     |                     |
| 100316                | 135mm |                     |




| Gelpi With Odd Legs |            |          |       | Veterinary Use Only |
|---------------------|------------|----------|-------|---------------------|
| Code                | Open Depth | Quantity | L     |                     |
| 600270              | 20X30mm    | 1 Pair   | 140mm |                     |
| 600272              | 25X40mm    | 1 Pair   | 180mm |                     |




# Gelpi Self Retaining Retractor


| Gelpi With Safe Insertion Legs |       |       | Veterinary<br>Use Only |
|--------------------------------|-------|-------|------------------------|
| Code                           | Leg L | L     |                        |
| 600280                         | 20    | 100mm |                        |
| 600281                         | 30    | 135mm |                        |
| 600282                         | 40    | 160mm |                        |
| 600284                         | 50    | 180mm |                        |
| 600285                         | 60    | 200mm |                        |



| Curved Gelpi Self Retaining Retractor |               |       | Veterinary<br>Use Only |
|---------------------------------------|---------------|-------|------------------------|
| Code                                  | Speciliaation | L     |                        |
| 100152                                | Curved        | 140mm |                        |



| Weislander Self Retaining Retractor |       | Veterinary<br>Use Only |
|-------------------------------------|-------|------------------------|
| Code                                | L     |                        |
| 100153                              | 140mm |                        |
| 100154                              | 160mm |                        |
| 100155                              | 180mm |                        |




# Gelpi Self Retaining Retractor

## West's Self Retaining Retractor

Veterinary  
Use Only

| Code   | L     |
|--------|-------|
| 100156 | 140mm |
| 100157 | 160mm |
| 100158 | 180mm |



## Mini Soft Tissues Self Retaining Retractor

Veterinary  
Use Only


| Code   | Range  | L     |
|--------|--------|-------|
| 110200 | 0-25mm | 100mm |



## Senn Retractor


Veterinary  
Use Only

| Code   | Specification |
|--------|---------------|
| 110156 | Sharp         |
| 110157 | Blunt         |



# Gelpi Self Retaining Retractor

| Joseph Retracting Hooks |               | Veterinary<br>Use Only |
|-------------------------|---------------|------------------------|
| Code                    | Speciliaation |                        |
| 100199                  | 160mmX3mm     |                        |
| 100203                  | 160mmX6mm     |                        |



| Double Deep Retractor |               | Veterinary<br>Use Only |
|-----------------------|---------------|------------------------|
| Code                  | Speciliaation |                        |
| 100204                | 200X40X20mm   |                        |
|                       |               |                        |



# Soft Tissue Surgical Instruments Kit



## Soft Tissue Surgical Instruments Kit A

| Code   | Products Name/Specilaation             | Quantity |
|--------|----------------------------------------|----------|
| 000012 | Soft Tissue Surgical Instruments Kit A |          |
| 500000 | Mayo Safety Pin                        | 1        |
| 500005 | Crile Artery Forceps-Straight 160/140  | 3        |
| 500006 | Crile Artery Forceps-Curved 160/140    | 3        |
| 500007 | Allis Tissue Forceps                   | 2        |
| 500033 | Backhuas Towel Forceps 125/100         | 4        |
| 500039 | Dressing                               | 1        |
| 500013 | Metzenbaum Supercut T.C-Straight 140mm | 1        |
| 500014 | Metzenbaum Supercut T.C-Curved 140mm   | 1        |
| 500019 | Mayo Hegar T.C.Jaws 160/140            | 1        |
| 500028 | Adson Transverse Teeth Forceps         | 1        |
| 500029 | Adson Dissecting Forceps 1*2 Hooks     | 1        |
| 500036 | Standard Scalpel Handles No.3/No.4     | 1        |
| 200003 | Sterilization Case                     | 1        |



## Soft Tissue Surgical Instruments Kit B

| Code   | Products Name/Specilaation                        | Quantity |
|--------|---------------------------------------------------|----------|
| 000013 | Soft Tissue Surgical Instruments Kit B            |          |
| 500000 | Mayo Safety Pin                                   | 1        |
| 500006 | Crile Artery Forceps-Curved 160/140               | 4        |
| 500001 | Halsted-Mosquito-Straight 125                     | 2        |
| 500002 | Halsted-Mosquito-Curved 125                       | 2        |
| 500007 | Allis Tissue Forceps                              | 2        |
| 500035 | Ball and Socket Towel Clamp 125                   | 4        |
| 500039 | Dressing                                          | 1        |
| 500015 | Surgical Scissor-Supercut T.C.-Straight 150mm     | 1        |
| 500014 | Metzenbaum Supercut T.C-Curved 140mm              | 1        |
| 500048 | Iris Scissors Straight/Sharp 115mm                | 1        |
| 500023 | Olsen Hegar Needle holders's'cut T.C.Jaws 160/140 | 1        |
| 500028 | Adson Transverse Teeth Forceps                    | 1        |
| 500029 | Adson Dissecting Forceps 1*2 Hooks                | 1        |
| 500031 | Adson Brown Dissecting Forceps                    | 1        |
| 500036 | Standard Scalpel Handles NO.3/NO.4                | 1        |
| 200003 | Sterilization Case                                | 1        |

# Spay Kit



## Canine Spay Kit

| Code   | Products Name/Speciliaation                     | Quantity |
|--------|-------------------------------------------------|----------|
| 000014 | Canine Spay Kit                                 |          |
| 500015 | Surgical Scissor Supercut T.C.Straight 150mm    | 1        |
| 500004 | Crile Artery Forceps Straight 140mm             | 2        |
| 500006 | Crile Artery Forceps Curved 160mm               | 2        |
| 500002 | Halsted Mosquito Curved 125mm                   | 2        |
| 500038 | Jones Towel Forceps 90mm                        | 4        |
| 500007 | Allis Tissue Forceps 150mm                      | 2        |
| 500024 | Dissecting Forceps 1/2 Teeth Ring Gold          | 1        |
| 500023 | Olsen Hegar Needle holders's"cut T.C.Jaws 160mm | 1        |
| 500031 | Adson Serrated Dissecting Forceps               | 1        |
| 500036 | Standard Scalpel Handles No.3/No.4              | 1        |
| 500061 | Spay Hook                                       | 1        |
| 200003 | Sterilization Case                              | 1        |



## Feline Spay Kit

| Code    | Products Name/Speciliaation                     | Quantity |
|---------|-------------------------------------------------|----------|
| 000014F | Feline Spay Kit                                 |          |
| 500013  | Metzenbaum Supercut T.C.Straight 140mm          | 1        |
| 500006  | Crile Artery Forceps Curved 160mm               | 2        |
| 500004  | Crile Artery Forceps Straight 140mm             | 2        |
| 500002  | Halsted Mosquito Curved 125mm                   | 2        |
| 510007  | Allis Tissue Forceps 125mm                      | 2        |
| 500038  | Jones Towel Forceps 90mm                        | 4        |
| 500024  | Dissecting Forceps 1/2 Teeth Ring Gold          | 1        |
| 500022  | Olsen Hegar Needle holders's"cut T.C.Jaws 140mm | 1        |
| 500031  | Adson Brown Dissecting Forceps                  | 1        |
| 500062  | Spay Hook                                       | 1        |
| 500036  | Standard Scalpel Handles NO-3/NO-4              | 1        |
| 200003  | Sterilization Case                              | 1        |

# Sterlization Box

| Sterlization Box |                          | Veterinary<br>Use Only |
|------------------|--------------------------|------------------------|
| Code             | Products Name            | Speciliaation          |
| 200003           | Sterlization Box(Red)    | 275X165X50mm           |
| 2000031          | Sterlization Box(Green)  | 275X165X50mm           |
| 2000032          | Sterlization Box(Golden) | 275X165X50mm           |
| 2000033          | Sterlization Box(Blue)   | 275X165X50mm           |



| Sterlization Box |               | Veterinary<br>Use Only |
|------------------|---------------|------------------------|
| Code             | Speciliaation |                        |
| 200001           | 250X200X50mm  |                        |



| Instruments Sterlization Basket |               | Veterinary<br>Use Only |
|---------------------------------|---------------|------------------------|
| Code                            | Speciliaation |                        |
| 200005                          | 265X120X70mm  |                        |




# Sterlization Box

| Sterlization Box |               | Veterinary<br>Use Only |
|------------------|---------------|------------------------|
| Code             | Speciliaation |                        |
| 200002           | 350X250X150mm |                        |



| Sterlization Box |               | Veterinary<br>Use Only |
|------------------|---------------|------------------------|
| Code             | Speciliaation |                        |
| 200004           | 300X180X105mm |                        |




# Dental Instruments




# Dental Instruments


| Sickle Scaler |       | Veterinary Use Only |
|---------------|-------|---------------------|
| Code          | L     |                     |
| 800001        | 170mm |                     |



| Very Fine Periosteal Elevator |              |       | Veterinary Use Only |
|-------------------------------|--------------|-------|---------------------|
| Code                          | Cutting Edge | L     |                     |
| 800002                        | 2/4mm        | 170mm |                     |



| Explorer/Measuring Probe |       | Veterinary Use Only |
|--------------------------|-------|---------------------|
| Code                     | L     |                     |
| 800003                   | 170mm |                     |



# Dental Instruments

## Jaquette Supragingival Scaler

Veterinary  
Use Only


| Code   | L     |
|--------|-------|
| 800004 | 170mm |



## Subgingival Curette

Veterinary  
Use Only


| Code   | L     |
|--------|-------|
| 800005 | 170mm |



## Tartar Removing Forceps

Veterinary  
Use Only

| Code   | L     |
|--------|-------|
| 800006 | 125mm |




# Dental Instruments

| Extraction Forceps |       | Veterinary<br>Use Only |
|--------------------|-------|------------------------|
| Code               | L     |                        |
| 800007             | 125mm |                        |
| 800007s            | 115mm |                        |



| Fragment Extraction Forceps |       | Veterinary<br>Use Only |
|-----------------------------|-------|------------------------|
| Code                        | L     |                        |
| 800015                      | 140mm |                        |




| Minnesota Retractor |       | Veterinary<br>Use Only |
|---------------------|-------|------------------------|
| Code                | L     |                        |
| 800012              | 155mm |                        |




# Dental Instruments

| Winged Elevator |            |       | Veterinary<br>Use Only |
|-----------------|------------|-------|------------------------|
| Code            | Head Width | L     |                        |
| 800008          | 1mm        | 150mm |                        |
| 800009          | 2mm        | 150mm |                        |
| 800010          | 3mm        | 150mm |                        |
| 800011          | 4mm        | 150mm |                        |



| Straight Root Tip Pick |       |  | Veterinary<br>Use Only |
|------------------------|-------|--|------------------------|
| Code                   | L     |  |                        |
| 800013                 | 150mm |  |                        |



| Periosteal Elevator |       |  | Veterinary<br>Use Only |
|---------------------|-------|--|------------------------|
| Code                | L     |  |                        |
| 800014              | 150mm |  |                        |



# Small Animal Dental Instruments Set



Small Animal Dental Instruments Set

| Code    | Products Name/Specification         | Quantity |
|---------|-------------------------------------|----------|
| 000015A | Small Animal Dental Instruments Set |          |
| 800001  | Sickle Scaler                       | 1        |
| 800002  | Very Fine Periosteal Elevator       | 1        |
| 800003  | Explorer/Measuring Probe            | 1        |
| 800004  | Jaquette Supragingival Scaler       | 1        |
| 800005  | Subgingival Curette                 | 1        |
| 800006  | Tartar Removing Forceps             | 1        |
| 800007  | Extraction Forceps                  | 1        |
| 800008  | Winged Elevator 1mm                 | 1        |
| 800009  | Winged Elevator 2mm                 | 1        |
| 800010  | Winged Elevator 3mm                 | 1        |
| 800011  | Winged Elevator 4mm                 | 1        |
| 800012  | Minnesota Retractor                 | 1        |
| 800013  | Straight Root Tip Pick              | 1        |
| 800014  | Periosteal Elevator                 | 1        |
| 800015  | Fragment Extraction Forceps         | 1        |
| 000015E | Sterilization Case 265X185X75mm     | 1        |

# Rodent Dental Instruments

## Up Incisor Teeth Dental Elevator

Veterinary  
Use Only

| Code   | L     |
|--------|-------|
| 800016 | 185mm |



## Descend Incisor Teeth Dental Elevator

Veterinary  
Use Only

| Code   | L     |
|--------|-------|
| 800017 | 190mm |



## Incisor Teeth Dental Elevator


Veterinary  
Use Only

| Code   | L     |
|--------|-------|
| 800018 | 180mm |




# Rodent Dental Instruments


| Grind Teeth Dental Elevator |       | Veterinary Use Only |
|-----------------------------|-------|---------------------|
| Code                        | L     |                     |
| 800019                      | 175mm |                     |



| Rodent Teeth Rasp |       | Veterinary Use Only |
|-------------------|-------|---------------------|
| Code              | L     |                     |
| 800020            | 180mm |                     |



| Rodent Tongue Depressor |       | Veterinary Use Only |
|-------------------------|-------|---------------------|
| Code                    | L     |                     |
| 800021                  | 168mm |                     |



# Rodent Dental Instruments

## Rodent Lip Buccal Pressing Plate

Veterinary  
Use Only


| Code   | L     |
|--------|-------|
| 800022 | 170mm |



## Grind Teeth Shear

Veterinary  
Use Only


| Code   | L     |
|--------|-------|
| 800023 | 180mm |



## Rodent Extraction Forceps


Veterinary  
Use Only

| Code   | L     |
|--------|-------|
| 800024 | 150mm |



# Rodent Dental Instruments

| Rodent Mouth Gag(Wire Type) |               | Veterinary<br>Use Only |
|-----------------------------|---------------|------------------------|
| Code                        | Opening Range |                        |
| 800025                      | 70mm          |                        |



| Rodent Mouth Gag |               | Veterinary<br>Use Only |
|------------------|---------------|------------------------|
| Code             | Opening Range |                        |
| 500060           | 0-50mm        |                        |




| Rabbit Mouth Gag |               |       | Veterinary<br>Use Only |
|------------------|---------------|-------|------------------------|
| Code             | Opening Range | L     |                        |
| 500069           | 43mm          | 117mm |                        |



# Rodent Dental Instruments


| Cheek Side Dilator<br>(Long Reach Curved) |               |               |       | Veterinary<br>Use Only |
|-------------------------------------------|---------------|---------------|-------|------------------------|
| Code                                      | Specification | Opening Range | Depth |                        |
| 500071                                    | Small         | 50mm          | 30mm  |                        |
| 500072                                    | Large         | 65mm          | 40mm  |                        |



| Table Top Mouth Gag<br>(Rabbit/Rodent) |  | Veterinary<br>Use Only |
|----------------------------------------|--|------------------------|
| Code                                   |  |                        |
| 800029                                 |  |                        |



| Table Top Mouth Gag Adjustable |  | Veterinary<br>Use Only |
|--------------------------------|--|------------------------|
| Code                           |  |                        |
| 800030                         |  |                        |



# Rodent Dental Instrument Set



Rodent Dental Instrument Set

| Code   | Products Name/Specification                  | Quantity |
|--------|----------------------------------------------|----------|
| 800016 | Up Incisor Teeth Dental Elevator             | 1        |
| 800017 | Descend Incisor Teeth Dental Elevator        | 1        |
| 800018 | Incisor Teeth Dental Elevator                | 1        |
| 800019 | Grind Teeth Dental Elevator                  | 1        |
| 800020 | Rodent Teeth Rasp                            | 1        |
| 800021 | Rodent Tongue Depressor                      | 1        |
| 800022 | Rodent Lip Buccal Pressing Plate             | 1        |
| 800023 | Grind Teeth Shear                            | 1        |
| 800024 | Rodent Extraction Forceps                    | 1        |
| 500071 | Small Cheek Side Dilator (Long Reach Curved) | 1        |
| 500072 | Large Cheek Side Dilator (Long Reach Curved) | 1        |
| 100079 | Micro Friedman Rongeur Curved                | 1        |
| 200005 | Sterilization Case                           | 1        |

# Opthalmology Instruments



# Ophthalmology Surgery Instrument


| Halstead Mosquito Forceps |               |      | Veterinary<br>Use Only |
|---------------------------|---------------|------|------------------------|
| Code                      | Specification | L    |                        |
| 900001                    | Straight      | 95mm |                        |
| 900002                    | Curved        | 95mm |                        |



| NO-3 Standard Scalpel Handles |               | Veterinary<br>Use Only |
|-------------------------------|---------------|------------------------|
| Code                          | Specification |                        |
| 500036                        | NO-3          |                        |




| Stitch Scissors |       | Veterinary<br>Use Only |
|-----------------|-------|------------------------|
| Code            | L     |                        |
| 900004          | 105mm |                        |



# Ophthalmology Surgery Instrument

| Eye Scissors |               |      | Veterinary Use Only |
|--------------|---------------|------|---------------------|
| Code         | Specification | L    |                     |
| 900005       | Straight      | 95mm |                     |
| 900006       | Curved        | 95mm |                     |



| Harms Tying Forceps |               |       | Veterinary Use Only |
|---------------------|---------------|-------|---------------------|
| Code                | Specification | L     |                     |
| 900007              | Straight      | 100mm |                     |
| 900007b             | Curved        | 100mm |                     |



| Bishop-Harmon Forceps |                          |      | Veterinary Use Only |
|-----------------------|--------------------------|------|---------------------|
| Code                  | Specification            | L    |                     |
| 900008                | Tissue Forceps 1X2 Teeth | 85mm |                     |
| 900009                | Serrated Forceps         | 85mm |                     |




# Ophthalmology Surgery Instrument


| Capsulorhexis Tweezers |               |       | Veterinary Use Only |
|------------------------|---------------|-------|---------------------|
| Code                   | Specification | L     |                     |
| 900028                 | Curved        | 100mm |                     |



| Westcott Tenotomy Scissors |                      |       | Veterinary Use Only |
|----------------------------|----------------------|-------|---------------------|
| Code                       | Specification        | L     |                     |
| 900010                     | Medium Blades Curved | 110mm |                     |




| Castroviejo Comeoscleral Scissors |                            |  | Veterinary Use Only |
|-----------------------------------|----------------------------|--|---------------------|
| Code                              | Specification              |  |                     |
| 900011                            | Medium Blades Curved Right |  |                     |
| 900012                            | Medium Blades Curved Left  |  |                     |




# Ophthalmology Surgery Instrument


| Castroviejo Needle Holder |  | Veterinary Use Only |
|---------------------------|--|---------------------|
| Code                      |  |                     |
| 900013                    |  |                     |



| Castroviejo Eye Speculum |               | Veterinary Use Only |
|--------------------------|---------------|---------------------|
| Code                     | Specification |                     |
| 900014                   | Small         |                     |



| Barraquer Wire Eyelid Speculum |               |      | Veterinary Use Only |
|--------------------------------|---------------|------|---------------------|
| Code                           | Specification | L    |                     |
| 900015                         | Small         | 10mm |                     |
| 900016                         | Large         | 14mm |                     |



# Ophthalmology Surgery Instrument

| Desmarres Chalazion Forceps |       |      | Veterinary<br>Use Only |
|-----------------------------|-------|------|------------------------|
| Code                        | Width | L    |                        |
| 900017                      | 16mm  | 90mm |                        |



| Graefe Fixation Forceps |  |       | Veterinary<br>Use Only |
|-------------------------|--|-------|------------------------|
| Code                    |  | L     |                        |
| 900018                  |  | 115mm |                        |




| Conjunctival scissors |               |       | Veterinary<br>Use Only |
|-----------------------|---------------|-------|------------------------|
| Code                  | Specification | L     |                        |
| 900019                | Curved        | 8.5mm |                        |



# Opthalmology Surgery Instrument


| Titanium Bishop-Harmon Forceps |               |            |       | Veterinary Use Only |
|--------------------------------|---------------|------------|-------|---------------------|
| Code                           | Specification | Head Width | L     |                     |
| 900020                         | Serrated      | 0.8mm      | 110mm |                     |
| 900021                         | 1/2 Teeth     | 0.25mm     | 110mm |                     |



| Titanium Needle Holder |               |       | Veterinary Use Only |
|------------------------|---------------|-------|---------------------|
| Code                   | Specification | L     |                     |
| 900022                 | Curved        | 125mm |                     |




| Titanium Eye Scissors |  |  | Veterinary Use Only |
|-----------------------|--|--|---------------------|
| Code                  |  |  |                     |
| 900023                |  |  |                     |




# Opthalmology Surgery Instrument

| Titanium Barraquer Wire Eyelid Speculum |               |      | Veterinary Use Only |
|-----------------------------------------|---------------|------|---------------------|
| Code                                    | Specification | L    |                     |
| 900024                                  | A             | 45mm |                     |
| 900025                                  | B             | 45mm |                     |



| Sterilization Container |                  | Veterinary Use Only |
|-------------------------|------------------|---------------------|
| Code                    | Specification    |                     |
| 900026                  | 265mmX160mmX22mm |                     |



# Small Animal Ophthalmology Instruments



## Small Animal Ophthalmology Instruments

| Code   | Products Name/Specification                                       | Quantity |
|--------|-------------------------------------------------------------------|----------|
| 910001 | Small Animal Ophthalmology Instruments                            |          |
| 900020 | Tianium Bishop-Harmon Forceps-Serrated Head Width 0.8mm L 110mm   | 1        |
| 900021 | Tianium Bishop-Harmon Forceps-1/2 Teeth Head Width 0.25mm L 110mm | 1        |
| 900005 | Eye Scissors Straight 100mm                                       | 1        |
| 900006 | Eye Scissors Curved 100mm                                         | 1        |
| 900019 | Conjunctival Scissors                                             | 1        |
| 900022 | Titanium Needle Holder Curved 125mm                               | 1        |
| 900023 | Titanium Eye Scissors Curved 125mm                                | 1        |
| 900024 | Titanium Barraquer Wire Eyelid Speculum-A                         | 1        |
| 900025 | Titanium Barraquer Wire Eyelid Speculum-B                         | 1        |
| 900001 | Halstead mosquito Forceps Straight L 125mm                        | 1        |
| 900002 | Halstead mosquito Forceps Curved L 125mm                          | 1        |
| 900026 | Sterilization Case                                                | 1        |

# Small Animal Ophthalmology Instruments



## Small Animal Ophthalmology Instruments

| Code    | Products Name/Specification                                         | Quantity |
|---------|---------------------------------------------------------------------|----------|
| 910002  | Small Animal Ophthalmology Instruments                              |          |
| 900008  | Bishop-Harmon Tissue Forceps 1X2 Teeth 85mm                         | 1        |
| 900009  | Bishop-Harmon Dressing Forceps, riss-cross serrated tips 85mm       | 1        |
| 900007  | Harms Tying Forceps Straight 100mm                                  | 1        |
| 900007b | Harms Tying Forceps Curved 100mm                                    | 1        |
| 900010  | Westcott Tenotomy Scissors Medium Blades Curved                     | 1        |
| 900011  | Castroviejo Corneoscleral Scissors right Medium Blades Curved Right | 1        |
| 900012  | Castroviejo Corneoscleral Scissors left Medium Blades Curved Left   | 1        |
| 900013  | Castroviejo Needle Holder Curved With Lock                          | 1        |
| 900005  | Eye Scissors Straight 95mm                                          | 1        |
| 900006  | Eye Scissors Curved 95mm                                            | 1        |
| 900004  | Stitch Scissors Curved 105mm                                        | 1        |
| 900014  | Castroviejo Eye Speculum Small                                      | 1        |
| 900015  | Barraquer Wire Eyelid Speculum Small 10mm                           | 1        |
| 900016  | Barraquer Wire Eyelid Speculum Large 14mm                           | 1        |
| 500036  | Standard NO-3 Scalpel Handles                                       | 1        |
| 900001  | Halstead Mosquito Forceps Straight 100mm                            | 1        |
| 900002  | Halstead Mosquito Forceps 100mm Curved                              | 1        |
| 900017  | Desmarres Chalazion Forceps Width 16mm L 90mm                       | 1        |
| 900018  | Graefe Fixation Forceps 115mm                                       | 1        |
| 200003  | Sterilization Container                                             | 1        |



BIORTHO Co., LTD

TEL: 15162363967

EMAIL: vet@biortho.cn

www.biortho.cn

Whatsapp: +86 15162363967